# 5 Port Solenoid Valve Series SY3000/5000/7000/9000

Rubber Seal





### Improved pilot valve

Pilot valve cover is stronger using stainless steel. Mounting thread is also reinforced from size M1.7 to M2.

• Flow Characteristics

Series	Flow char	acteristics	
Series	C [dm³/(s·bar)]	b	Cv
SY3000	1.1	0.28	0.29
SY5000	2.8	0.37	0.90
SY7000	4.5	0.28	1.4
SY9000	10	0.29	2.5



# **Cylinder Speed Chart**

Body Porte	ed													nditions	with SM	C Sizing
								В	ore size	Э						
Series	Average speed (mm/s)	Load ra Stroke	re 0.5 N ate: 50% 60 mm	6	Load r Stroke	ure 0.5 f ate: 50% 300 mr	% n		Pre Loa Stro	ies MB, ssure 0 id rate: oke 500	.5 MPa 50% mm			Load r Stroke	ate: 50% 1000 m	% nm
		ø6	ø10	ø16	ø20	ø25	ø32	ø40	ø40	ø50	ø63	ø80	ø100	ø125	ø140	ø160
SY3120-C6	800 700 500 400 300 200 100 0													ΠШu	erpendicu pward act orizontal ac	tuation
SY5120-01	800 700 600 500 400 300 200 100															
SY7120-02	800 700 600 500 400 300 200 100															
SY9120-03	800 700 600 500 400 300 200 100 0														*	*

#### **Base Mounted**

									B	ore size	e							
		Series	CJ2		Series	CM2			Ser	ies MB,	CA2			Se	ries CS1			
Origina	Average	Pressu	re 0.5 N	IPa	Pressu	re 0.5 M	ИРа		Pre	ssure 0	.5 MPa			Pre	essure 0	.5 MPa		
Series	speed	Load ra	ate: 50%	<b>&gt;</b>	Load ra	ate: 50%	6		Loa	d rate:	50%			Loa	ad rate:	50%		
	(mm/s)	Stroke	60 mm		Stroke	300 mr	n		Stro	ke 500	mm			Str	oke 100	0 mm		
	. ,	ø6	ø10	ø16	ø20	ø25	ø32	ø40	ø40	ø50	ø63	ø80	ø100	ø125	ø140	ø160	ø180	ø200
	800 700														Perpendicu	ılar		
	600 500 400														upward act			
SY3140-01	400 300														lorizontal ad	tuation		
	300 200 100																	
	800 700 600 500 400 300 200 100																	
SY5140-02	500 400																	
010140 02	300 200																	
	800 700																	
	700 600 500 400																	
SY7140-03	400 300													*				
	300 200 100																	
	800																	
	800 700 600																	
SY9140-04	500 400																	
010140-04	300 200							±∏ H							*	*	*	*
	100			-   -														

Cylinder is in extending. Speed controller is meter-out, which is directly connected with cylinder and its needle is fully opened.
 Average speed of cylinder is obtained by dividing the full stroke time by the stroke.
 Load factor: (Load weight x 9.8) /Theoretical force) x 100%
 The histograms with ★ marked are the case when piping is done by using steel.

#### Conditions

	•				
Body	/ ported	Series CJ2	Series CM2	Series MB, CA2	Series CS1
	Tubing bore x Length	Т	`0604 x 1 r	n	—
SY3120-C6	Speed controller	A	S2051F-0	6	-
	Silencer		AN120-M5	5	-
	Tubing bore x Length	T0604 x 1 m	T0806	Sx1m	-
SY5120-01	Speed controller	AS3001F-06	AS300	01F-08	_
	Silencer		AN101-01		-
	Tubing bore x Length	T0604 x 1 m	T1075	5x1m	-
SY7120-02	Speed controller	AS3001F-06	AS400	01F-10	_
	Silencer		AN110-01		_
	Tubing bore x Length	T0604 x 1 m	T1075 x 1 m	T1209	x1m
SY9120-03	Speed controller	AS3001F-06	AS4001F-10	AS400	01F-12
	Silencer		AN200-02		AN202-02

#### Conditions [When using SGP (steel pipe)]

Body porte	ed	Series CS1
Tubin	g bore x Length	SGP10A x 1 m
SY9120-03 Spee	ed controller	AS420-03
Siler	ncer	AN200-02

#### Conditions

Contaition	0				
Base	mounted	Series CJ2	Series CM2	Series MB, CA2	Series CS1
	Tubing bore x Length	Т	`0604 x 1 r	n	_
SY3140-01	Speed controller	A	S3001F-0	6	_
	Silencer		AN110-01		-
	Tubing bore x Length	T0604 x 1 m	T0806	Sx1m	_
SY5140-02	Speed controller	AS3001F-06	AS300	01F-08	_
	Silencer		AN101-01		-
	Tubing bore x Length	T0604 x 1 m	T1075 x 1 m	T1209 x 1 m	-
SY7140-03	Speed controller	AS3001F-06	AS400	01F-10	—
	Silencer		AN200-02		—
	Tubing bore x Length		T1075 x 1 m	T1209	x1m
SY9140-04	Speed controller	AS3001F-06	AS4001F-10	AS400	)1F-12
	Silencer		AN2	00-02	

#### Conditions [When using SGP (steel pipe)]

Base	mounted	Series CS1
	Tubing bore x Length	SGP10A x 1 m
SY7140-03	Speed controller	AS420-03
	Silencer	AN300-03
	Tubing bore x Length	SGP15A x 1 m
SY9140-04	Speed controller	AS420-04
	Silencer	AN400-04





# **Valve Variations**

					Act	uati	on		Voltag	je	Ele	ectr	rical	ent	ry	Note 1)	
			Sonic	2 posit	tion	3 p	ositio						or			suppre	
	Series		conductance C [dm <sup>3</sup> /(s·bar)] $\left\{ \begin{array}{c} 4/2 \rightarrow 5/3\\ (A/B \rightarrow EA/EB) \end{array} \right\}$	Single	Double	Closed center	Exhaust center	ທ່	V 11(			L plug connector	M plug connector	DIN terminal (4 appl 4)	M8 connector	Light/surge voltage suppressor	SJ
ğ	P.108	SY3 20	0.65				•						•				SY
port∈	<u>P</u>	SY5 20	2.4				•						•				SV
Body ported		SY7[20]	3.3			•	•						•				SYJ
		SY9[20]	8.6														SZ
ed	P.126	SY3□40	1.1			•							•				VP4
Base mounted		SY5□40	2.8		•	•	•						•		ullet		S0700
ise m		SY7□40	4.5		•	•	•						•				VQ
Ba		SY9[]40	10				•						•				VQ4
		Manual	P, EA, EB				3 port	cizo				V	alve	e op	tion		VQ5
		override v හු හු	port size			A, L	s port	SIZE									VQC
		Ion-locking push type ush-turn locking lever type sracket					One	e-tou	ich fitti	ng	tle	resistant, Other than designated turbine oil	acuum specifications	Low pressure specifications		Interface regulator	VQZ
	Series	ing pu ocking s ocking	M5 1/8 1/4 3/8 1/2 M5 1	/8 1/4 3	3⁄8 1⁄	⁄2					throt	er than des	specil	ure spe	re IP	e regi	SQ
		Non-locki Push-turn lo Push-turn l Bracket				C4	C6 C8	3 C10 C	12 N3 N	7 <b>N9</b> N1	Exhaust throttle	sistant, Oth	cuum	v press	Enclosure IP65 ã	erfac	VFS
-		Pus Bra									Ш	Oil re	Va	ے ک	ц Ц	Int	VFR
ed	SY3 20										-						VQ7
port	SY5 20			•				)								_	
Body ported	SY7 20			- • -		_							External Pilot (Note 2)	External Ext Pilot Pilo (Note 2) (No			
	SY9 20				•-	_									conneci		
ited	SY3□40			•		_					_						
Base mounted	SY5□40				_ -	_ _					-						
ase I	SY7□40				•-	_ _			_  -		- Sub-plat			External Ext pilot pilo			
	SY9⊡40	$  \bullet   \bullet   \bullet   -  $							_  -		-				connect		
	<ul> <li>Standard</li> <li>Option</li> <li>Note 1) All AC voltage mod</li> <li>Note 2) Body ported extern</li> </ul>	els have built-in surge	voltage suppressor.		ninal.												

Note 3) Only available for DIN terminal and M8 connector. Note 4) SY3000 does not have a DIN terminal which can be connected to a manifold.

									Wir					
							(	Conne	ection	1		1	Common sp	ecifications
	Manifold Va	ariations		Valve Series	Individual wiring	Flat ribbon cable (26 pins)	bon cable (20 pins) ector box	in type D-sub ector (25 pins)	n type flat ribbon 26, 20, 10 pins)	Plug-in type terminal block (9, 18 pins)	iring	Serial transmission unit	Positive common	Negative common
				5 port	Indiv	Flat r (26 p	Flat rib conne	Plug- conne	Plug-i cable (	Plug-in typ block (9, 1	PC wiring	Seria unit	Posit	Nega
	Bar stock type Individual wiring		туре 20	SY3⊡20										
	Direct piping to the main unit of a valve. Combination of		P. 144	SY5⊡20		-	-	—	-	-	—	-	—	_
	different fittings is possible.			SY7⊡20										
	Bar stock type Flat ribbon cable		туре <b>20Р</b>	SY3⊡20										
	A 26 pins MIL connector permits One-touch wiring of		P. 154	SY5⊡20	—		—			-	—	—	In con	
	external cables in a bundle.	Co Jean		SY7⊡20										
rted	Stacking type Individual wiring Manifold stations can be increased or decr	eased.	<sub>туре</sub> <b>23</b> Р. 150	SY9⊡20	•	_				_		_	—	_
Body ported	Stacking type Flat ribbon cable Manifold stations can be increased or decre	eased.	<u>туре <b>23Р</b></u> Р. 160	SY9⊡20	_	•	_			_		_	In con	nmon
300	Bar stock type EX510 gateway system		Type 20SA	SY3⊟20										
	Can be used with a serial transmission system.		P. 164	SY5⊡20	-		—	—	—	-	—		—	_
	·	A CONTRACTOR OF THE OWNER		SY7⊡20										
	Stacking type EX510 gateway system Can be used with a serial transmission system.		<sub>тур</sub> . <b>23SA</b> Р. 170	SY9⊡20	_	_	_			_		•	—	—
	Cassette type Individual wiring		туре 60	SY3⊡60		_	_		_	—		_	—	—
	Size and weight reduced by eliminating the manifold base		P. 178	SY5⊡60		_	_		_	—			—	_
	Standard Ontion A Made to		Made to Orde	SY7⊡60			_		—		_	—	—	_

● Standard ● Option ▲ Made to order (Refer to page "Made to Order".)

		Ma	anif	blc	opti	ion							А,	, B	por	siz	e								,	Valv	e ol	otior	ı				
Blanking plate	Individual SUP spacer	Individual EXH spacer	SUP block disk	EXH block disk	Label for block disk	Silencer for One-touch fitting	Built-in silencer	Connector	M5	1⁄8	1/4	3⁄8			On	e-to	uch	n fitt	ting	I		Mixed mounting	Oil resistant (Other than designated turbine oil)	Vacuum specifications	Low pressure specifications	Different pressure	Dual pressure	Exhaust throttle	Bundle wiring	Mixed fitting sizes	IP65 enclosure	Interface regulator	
Blan	Individ	Individ	SUP	ШXН	Labe	Silence	Built	Con					C4	C6	C8	C10	C12	NЗ	N7	N9	N11	≥ SY3000 SY5000	Oil res desigr	Vacul	Low pre	Diffe	Dual	Exh	Bune	Mixe		Inter	
										-	_	_			-		_			-	_	-									Note) Note)		SJ
										• _	-		• _	• 		-	_	• 			•			-	-	Individual SUP interface		Individual EXH interface	_		Note)		SY
									•	_	-	_	•	•	-	-	_	•		-	_					interiace		interiace					SV
			_			_	—	_	_		—	—				—	—				—	] —				Individual		Individual		_	—	_	SYJ
									—	-		_	—	—	•		_	—	-	•						SUP interface		EXH interface					SZ
						—	—	_	_	_	•	•	_	_	•	•	•	_	-	•	•	—		External pilot	External pilot	Individual SUP block disk	External pilot	Individual EXH		_	Note)		VP4
																								pilot	рног	Individual	pilot	EXH					S0700
			•																					External pilot	External pilot	SUP block disk	External pilot	Individual EXH					VQ
										-		_			-	_	_			-													VQ4
									_	_	•	_	_	_	•	•	_	_	_	•	•					Individual SUP interface		Individual EXH interface	•				VQ5
																										Individual							VQC
																								External pilot	External pilot	SUP block disk	External pilot				Note)		VQZ
	_	_								-					-	<u> </u>	_			-				External pilot	External pilot				— 	<u> </u>	Note)		SQ
	_	_					_	_		<b>–</b>			_	_			_	<u> </u>						External pilot External		Individual SUP block disk Individual SUP	Individual SUP block disk Individual SUP				Note)	_	VFS
$\int$	) <sup>No</sup>	te) W	/hen	usinę	g DIN	l term	ninal	or M	B cor	nect	or. S	Y300	0 doe	es no	ot hav	re a E	DIN te	i ərmir	nal wi	hich o	can b	e cor	necte	pilot	a man	block disk	block disk	1	1	1			VFR
~	-																																VQ7


							Wir				-	
					IS)	Conne	ection			<u> </u>		pecifications
	Manifold Variations	Valve Series	Individual wiring	ibbon cable ins)	bon cable (20 pin ector box	Plug-in type D-sub connector (25 pins)	Plug-in type flat ribbon cable (26, 20, 10 pins)	Plug-in type terminal block (9, 18 pins)	PC wiring	Serial transmission unit	Positive common	Negative common
		5 port	Indiv	Flat r (26 p	Flat rib conne	Plug- conne	Plug-i cable (	Plug-in ty block (9,	PCw	Seria unit	Posit	Nega
	Compact bar stock type Individual wiring The base mounting facilitates maintenance after valves are changed.	SY3□40 SY5□40	•	_	_	_	_	_	_	_	_	
	Compact bar stock type Flat ribbon cable A 26 pins MIL connector permits one-touch P. 214	SY3□40	_	•	_		_	_	_	_		
	wiring of external cables in a bundle.										In cor	nmon
	Bar stock type/Common external EXH Individual wiring The base mounting facilitates	2 SY3□40 SY5□40										
	maintenance after valves are changed. ■ Vacuum/low pressure combination system is possible.	SY7□40										
	Bar stock type/Common external EXH											
	<ul> <li>A 26 pins MIL connector permits one-touch wiring of external cables in a bundle.</li> <li>P. 214</li> <li>Vacuum/low pressure combination system is possible.</li> </ul>	SY5⊡40 SY7⊡40	-	•		_			_	_	In cor	mmon
σ	Stacking type Individual wiring Manifold stations can be increased or decreased. Manifold stations can be increased or decreased. Manifold stations can be increased or decreased.		•			_				_		
unte	Stacking type Flat ribbon cable Manifold stations can be increased or decreased.		_	•		_			_	_	In cor	nmon
Base mounted	■ Can be used with a serial transmission system.	SY3□40 SY5□40 SY7□40		_		_			_	•		_
Õ	Stacking type EX510 gateway system • Can be used with a serial transmission system. • Can be used with a serial		-							•		_
	Stacking type/DIN rail mounted Individual wiring Stations can be increased on the DIN rail. Integral mounting of other electric parts is possible, too.	5 SY3□40 SY5□40	•			_				_		_
	Stacking type/DIN rail mounted Connector box ■ Stations can be increased or decreased on the DIN rail. The provided connector box permits one-buch connection of electric cables.			_	•				•	_	•	
	Stacking type/DIN rail mounted EX510 gateway system Can be used with a serial transmission system.		-	_	_	_	_	_	_	•		
	Stacking type/DIN rail mounted Plug-in Stations can be increased or decreased on the DIN rail. A variety of centralized wiring methods are possible. P. 272	SY5⊡40	_			•	•		•	•		
	Stacking type/DIN rail mounted Plug-in EX510 gateway system Can be used with a serial transmission system. P. 312		_							•		

● Standard ● Option ▲ Made to order (Refer to page "Made to Order".)

		Ма	anifo	bld	opti	ion							A,	В	port	t siz	e								,	Valv	e ol	otior	۱				
Blanking plate	Individual SUP spacer	Individual EXH spacer	SUP block disk	EXH block disk	Label for block disk	Silencer for One-touch fitting	Built-in silencer	Connector	M5	1⁄8	1⁄4	3⁄8			On	e-to	bucl	n fitt	ting			xed mounting	Oil resistant (Other than designated turbine oil)	Vacuum specifications	Low pressure specifications	Different pressure	Dual pressure	Exhaust throttle	Bundle wiring	Mixed fitting sizes	IP65 enclosure	Interface regulator	
Blank	Individ	Individ	SUP	EXH	Label	Silencer	Built-	Conn					C4	C6	C8	C10	C12	NЗ	N7	N9	N11	SY3000 SY5000	Oil resi designa	Vacuur	Low pres	Differ	Dual	Exha	Bund	Mixeo		Interfa	
•			_	_	_		_	_	•	-	 	 	•	•	-	-  -	 	•	•	-		-		-	-	Individual SUP	_	_	_	_	Note)		SJ
•				_	_		_	_	•	_	—	_	•		_	_	—	•	•	_	_			_	_	Individual			•	_	_		SY
										•	 	 	-	•	•	 	 		•	•	 					SUP interface					Note)		SV Syj
•			—			—	_		_	—		—	—	•	•	-	—	—	•	•	-			External	External pilot	Individual SUP		_	_	_	Note)		SZ
										•	• 	 	•	•		• -	 	•	•	 	• 			pilot	pilot	interface	pilot						VP4
•			_			—	_		—	—	•	_	—	•	•	-	—	—	•	•	-			External pilot	External pilot	Individual SUP	External pilot	_	•	_	_	•	S0700
•													_	_												interface Individual					Note)		VQ VQ4
																								External pilot	External pilot	SUP block disk	External pilot	Individual EXH				_	VQ4 VQ5
•											•	•	_	_	•	•	•	-	_	•	•			External pilot	External pilot	Individual SUP block disk	External pilot	Individual EXH	•	•	_		VQC
•							_			•		 	•	•		 		•	•	-	 						•	_		_	_		VQZ
										—	•	_	—	—	—	•	—	_	_	—	•			External pilot	External pilot	Individual SUP	External pilot						SQ VFS
•							_		—	_	•	•	_	_	•	•	•	-	-	•	•	_		External pilot	External pilot	Individual SUP	External pilot	Individual EXH	_	•	_		VFR
								_					•	•	_	_	_	•	•	-	_			External	External	Individual SUP spacer or block disk		_	_	•	Note)		VQ7
•										_		_	•	•	_	_	_	•	•	_	_			pilot	pilot	Individual SUP spacer or			•	•	_	•	
									 		 		•	•	<b>•</b>	-  -	 	•			 			External pilot	External pilot	block disk							
•	_												•	•		—		•	•		—			External pilot	External pilot	SUP spacer or block disk						•	
•						•		_	_	_	_	_	•	•		_	_	•	•		_			External pilot	External pilot	Individual SUP spacer or block disk	_	_	•	•	_	—	
_	_		_					_							-	 	 				 				External	Individual SUP spacer or block disk	_	_			_	_	
	) <sup>No</sup>	te) W	/hen	using	g DIN	l tern	ninal	or M	B cor	nect	or. S	1 Y300	0 do	es no	t hav	/e a [	⊥ DIN t	ermir	nal w	hich	can b	e cor	necte	ed to a	a man	ifold.	<u> </u>	<u> </u>	I	I	<u> </u>		

# 5 Port Solenoid Valve Body Ported/Single Unit C € Series SY3000/5000/7000/9000

How to Order







Made to Order (For details, refer to pages 324 to 332.)

SY9000				
5				
3				
king lever type				
oilot valve				
ector: IP65)				
n and at the				
ne main valve and armature in both energized and de-				
s every once for each condition. (Values at the initial period) occurred in a one-sweep test between 45 and 2000 Hz.				
es in the axial				
re. (Values at				

### **Solenoid Specifications**

Electrical entry			Grommet (G), (H) L plug connector (L) M plug connector (M)	DIN terminal (D), (Y) M8 connector (W)		
			G, H, L, M, W	D, Y		
Coil rated		DC	24, 12, 6, 5, 3	24, 12		
voltage (V)		AC <sup>50</sup> / <sub>60</sub> Hz		200, 220		
Allowable voltage	fluct	uation		ed voltage *		
Power	DC	Standard	0.35 (With indicator light: 0.4 DIN	terminal with indicator light: 0.45)		
consumption (W)	DC	With power saving circuit	0.1 (With in	dicator light only)		
		100 V	0.78 (With indicator light: 0.81)	0.78 (With indicator light: 0.87)		
Apparent power	AC	110 V [115 V]	0.86 (With indicator light: 0.89) [0.94 (With indicator light: 0.97)]	0.86 (With indicator light: 0.97) [0.94 (With indicator light: 1.07)]		
(VA) *		200 V		1.15 (With indicator light: 1.30)		
		220 V [230 V]	1.30 (With indicator light: 1.34)	1.27 (With indicator light: 1.46) [1.39 (With indicator light: 1.60)]		
Surge voltage sup	pres	sor	Diode (Varistor is for DIN te	rminal and Non-polar type.)		
Indicator light			LED (AC of DIN con	nector is neon light.)		
<ul> <li>In common between 110 VAC and 115 VAC, and between 220 VAC and 230 VAC.</li> <li>For 115 VAC and 230 VAC, the allowable voltage is -15% to +5% of rated voltage.</li> <li>S, Z and T type (with power saving circuit) should be used within the following allowable voltage fluctuation range due to a voltage drop caused by the internal circuit.</li> <li>S and Z type: 24 VDC: -7% to +10%</li></ul>						

### **Response Time**

Note) Based on dynamic performance test, JIS B 8375-1981. (Coil temperature: 20°C, at rated voltage)

#### SY3000

	Response time (ms) (at the pressure of 0.5 MPa)							
Type of actuation	Without light/surge	With light/surge voltage suppresso						
actuation	voltage suppressor	Type S, Z	Type R, U					
2 position single	12 or less	15 or less	12 or less					
2 position double	10 or less	13 or less	10 or less					
3 position	15 or less	20 or less	16 or less					

#### SY5000


	Response time (r	ns) (at the pressu	re of 0.5 MPa)		
Type of	Without light/surge	With light/surge voltage suppresso			
actuation	voltage suppressor	Type S, Z	Type R, U		
2 position single	19 or less	26 or less	19 or less		
2 position double	18 or less	22 or less	18 or less		
3 position	32 or less	38 or less	32 or less		

#### SY7000

_	Response time (ms) (at the pressure of 0.5 MPa)							
Type of	Without light/surge	With light/surge voltage suppresso						
actuation	voltage suppressor	Type S, Z	Type R, U					
2 position single	31 or less	38 or less	33 or less					
2 position double	27 or less	30 or less	28 or less					
3 position	50 or less	56 or less	50 or less					

#### SY9000

	Response time (r	ns) (at the pressu	re of 0.5 MPa)			
Type of	Without light/surge	With light/surge voltage suppressor				
actuation	voltage suppressor	Type S, Z	Type R, U			
2 position single	35 or less	41 or less	35 or less			
2 position double	35 or less	41 or less	35 or less			
3 position	62 or less	64 or less	62 or less			




### Flow Characteristics/Mass

#### Series SY3000

			Por	t size		Flow	char	acter	istics		M	ass (	g)
Valve	Тур	e of	1 5 0	4.0	1→4/	2 (P→	A/B)	4/2→5/	'3 (A/B:	→EA/EB)	0	L/M	W
model	odel actuation		1, 5, 3 (P, EA, EB)	4, 2 (A, B)	C (kdm³/ (s·bar))	b	Cv	C (kdm³/ (s·bar))	b	Cv	Gro- mmet	plug connector	M8 connec
	2	-			0.61	0.44	0.16	0.64	0.45	0.18	51	53	57
	position	Double			0.01	0.77	0.10	0.04	0.10	0.10	68	74	82
SY3⊡20		Closed center		M5 0. 0	0.48	0.46	0.13	0.47	0.43	0.13			
-□-M5	3 position	Exhaust center		M5 x 0.8	0.47	0.42	0.13	0.47 (0.44)	0.41 (0.37)	0.13 (0.12)	71	76	84
		Pressure center			0.50 (0.41)	0.48 (0.35)	0.15 (0.11)	0.47	0.43	0.13			
	2	Single			0.72	0.29	0.18	0.64	0.34	0.17	60	63	67
	Clo cer 3 Exh position ce Pres	Double		C4 One- touch fitting for ø4	0.72	0.29	0.10	0.04	0.34	0.17	78	83	91
SY3⊡20		Closed center	M5 x 0.8		0.59	0.28	0.15	0.59	0.30	0.15			94
-□-C4		Exhaust center			0.63	0.35	0.16	0.42 (0.41)	0.34 (0.37)	0.11 (0.11)	81	86	
		Pressure center			0.76 (0.46)	0.42 (0.34)	0.21 (0.12)	0.59	0.29	0.15			
	2	Single			0.76	0.30	0.19	0.65	0.39	0.17	56	59	63
	position	Double			0.76	0.30	0.19	0.00	0.39	0.17	74	79	87
SY3□20		Closed center		C6	0.76	0.55	0.24	0.60	0.33	0.16			
-□-C6	3 position	Exhaust center		One- touch fitting for ø6	0.65	0.32	0.16	0.64 (0.42)	0.31 (0.36)	0.17 (0.11)	77	82	90
Pressure center				0.77 (0.49)	0.34 (0.43)	0.21 (0.15)	0.61	0.34	0.16				

#### Series SY7000



### Series SY5000


			Por	t size		Flow		acter				Mas	s (g)						
Valve	Тур		1, 5, 3	4, 2		<u>2 (P→</u>	<u>A/B)</u>	4/2→5/	<u>/3 (A/B</u>	EA/EB)	Gro-	L/M	DIN	W					
model	actu	ation	(P, EA, EB)		C (dm³/ (s·bar) )	b	Cv	C (dm <sup>3</sup> / (s-bar) )	b	Cv	mmet	plug connector	terminal	M8 connector					
	2	Single			1.9	0.35	0.49	2.4	0.39	0.61	70	72	93	76					
	position	Double			1.9	0.55	0.49	2.4	0.39	0.01	88	93	135	101					
SY5⊡20		Closed center		1/8	1.7	0.43	0.45	1.8	0.35	0.46									
-□-01	3 position	Exhaust center		'/8	1.5	0.44	0.41	2.5 (1.5)	0.32 (0.43)	0.59 (0.40)	93	98	140	106					
		Pressure center			2.2 (0.91)	0.46 (0.58)	0.61 (0.28)	1.8	0.38	0.46									
	2 position	Single Double			0.75	0.43	0.20	0.85	0.64	0.30	94 111	96 117	117 159	100 125					
SY5⊡20		Closed center		C4 / One- \	0.74	0.40	0.19	0.84	0.57	0.28									
-□-C4	3 position	Exhaust center		touch fitting	0.75	0.36	0.19	0.84 (0.84)	0.64 (0.53)	0.30 (0.27)	117	122	164	130					
		Pressure center	1/8		0.78 (0.71)	0.44 (0.37)	0.21 (0.18)	0.84	0.57	0.27									
	2 position	Single	78		1.5	0.33	0.33	2.0	0.37	0.52	88 106	91 111	112 153	95 119					
SY5⊡20	position	Double Closed center							C6	1.3	0.31	0.33	1.6	0.32	0.39	106	111	155	119
-□-C6	3 position	Exhaust center		One- touch fitting for ø6	1.3	0.33	0.33	1.8 (1.4)	0.35 (0.37)	0.44 (0.35)		116	158	124					
		Pressure center			1.7 (0.80)	0.31 (0.47)	0.42 (0.23)	1.7	0.33	0.44									
	2	Single			1.9	0.21	0.45	2.3	0.29	0.57	80	82	103	86					
	position	Double Closed			1.0	0.21	0.10	2.0	0.20	0.07	98	103	145	111					
SY5⊡20		center		C8 / One- \	1.6	0.29	0.39	1.7	0.38	0.46									
-□-C8	3 position	Exhaust center		touch fitting	1.4	0.38	0.39	2.0 (1.5)	0.37 (0.41)	0.52 (0.43)	103	108	150	116					
		Pressure center		(	2.2 (1.6)	0.32 (0.44)	0.56 (0.44)	1.8	0.41	0.50									
	Note) []: denotes normal position.																		

### Series SY9000

			Por	t size		Flow	char	acter	istics	6		Mass	s (g)					
Valve	Тур	e of				2 (P→			3 (A/B		~	L/M		W				
model	actu		1, 5, 3 (P, EA, EB)	4, 2 (A, B)	C (dm³/ (s·bar))	b	Cv	C (dm <sup>3</sup> / (s·bar))	b	Cv	Gro- mmet	plug connector	DIN terminal	M8 connecto				
	2 position	Single Double			7.0	0.33	1.7	7.6	0.35	2.0	241 260	244 266	265 308	248 274				
SY9□20		Closed center		1/4	6.7	0.37	1.7	6.4	0.34	1.6								
-□-02	3 position	Exhaust center		.74	6.4	0.36	1.6	8.3 (4.1)	0.41 (0.27)	2.2 (0.91)	284	290	332	298				
		Pressure center			8.0 (3.2)	0.27 (0.34)	1.8 (0.76)	6.5	0.22	1.4								
	2 position	Single Double			8.0	0.29	1.9	8.0	0.33	2.0	236 255	239 261	260 303	243 269				
SY9□20		Closed center		3⁄8	7.9	0.33	1.9	6.6	0.27	1.6								
-□-03	3 position	Exhaust center		9/8	8.0	0.33	1.9	8.7 (8.3)	0.34 (0.40)	2.2 (2.3)	279	285	327	293				
		Pressure center			8.9 (3.3)	0.34 (0.40)	2.2 (0.82)	6.5	0.25	1.5								
	2 position	Single Double			4.3	0.28	0.96	7.1	0.32	1.7	293 312	296 318	317 360	300 326				
SY9□20		Closed center	1/4	C8 One- touch fitting for ø8	4.3	0.31	0.99	6.1	0.28	1.4		342	384	350				
-⊡-C8	3 position	Exhaust center			4.3	0.3	0.99	7.4 (3.8)	0.36 (0.29)	1.9 (0.86)	336							
		Pressure center			4.4 (3.2)	0.35 (0.26)	1.0 (0.71)	2.1	0.41	0.53								
	2 position	Single Double							6.1	0.28	1.4	7.9	0.33	1.9	279 298	282 304	303 346	
SY9□20		Closed center		C10 / One- \	5.9	0.30	1.4	6.5	0.26	1.5								
-□-C10	3 position	Exhaust center		touch fitting	5.8	0.25	1.3	8.4 (4.1)	0.33 (0.27)	2.0 (0.93)	322	328	370	336				
		Pressure center			6.3 (3.2)	0.29 (0.29)	1.5 (0.72)	6.4	0.25	1.5								
	2 position	Single Double			7.0	0.25	1.6	8.6	0.41	2.2	265 284	268 290	289 332	272 298				
SY9□20		Closed center		C12	6.9	0.24	1.6	7.0	0.33	1.7	308							
-□-C12	3 position	Exhaust center		One- (touch fitting) for ø12	6.6	0.23	1.4	9.4 (4.5)	0.48 (0.32)	2.6 (1.0)		314	356	322				
		Pressure center			7.4 (3.2)	0.25 (0.34)	1.7 (0.74)	6.6	0.23	1.5								
						S	) <sup>No</sup>	te) [ ]	: den	otes	norm	ial po	sition					



#### Construction



1	Body	Aluminum die-casted (SY3000: Zinc die-casted)	White		
2	Adapter plate	Resin	White (SY9000: Gray)		
3	End plate	nd plate Resin			
4	Piston	Resin	_		
5	Spool valve assembly	Aluminum, H-NBR	_		

#### **Replacement Parts**


No.	Description	Part no.
6	Pilot valve assembly	Refer to "How to Order Pilot Valve Assembly" on page 112.

7 M5 port block assembly Refer to "How to Order Port Block Assembly" on page 113.

#### Bracket Assembly No.

Description	Part no.			
Bracket (For F1)	$SX_{7}^{\frac{3}{5}}$ 000-16-2A (with mounting screw)			
Bracket (For F2)	SX <sup>3</sup> <sub>5</sub> 000-16-1A (with mounting screw)			
0)/0000 1				


\* SY9000 has no bracket.




SY9000 (M4): 1.4 N·m

page 113 for part no.


### How to Order Pilot Valve Assembly






Note) Since V111 and V115 are CE-compliant as standard, the suffix "-Q" is not necessary.

### How to Order Port Block Assembly



SJ


### **Dimensions: Series SY3000**



Note) Refer to page 340 for dimensions of connector types.




#### **Dimensions: Series SY3000**




### **Dimensions: Series SY3000**

# 


16.9 23.5






### Dimensions: Series SY5000

₽<sub>[]: AC</sub>



### **Dimensions: Series SY5000**





Note) Refer to page 340 for dimensions of connector types.

119

### **Dimensions: Series SY7000**

## 





42.6 [49.6]

24.5

28

47.6

39.4

Approx. 300


(Lead wire length)

4

100.2 [102.

95.2


(5.5)



Note) Refer to page 340 for dimensions of connector types.


120

#### **Dimensions: Series SY7000**



Note) Refer to page 340 for dimensions of connector types.


### **Dimensions: Series SY7000**





#### SY7<sup>3</sup>/<sub>4</sub>20-□<sup>G</sup><sub>H</sub>□□-02□(-F2) 1/4 (A, B port) 20 à 2 31.5 [38.5 24.5


 $\mathcal{O}_{\text{[]:AC}}$ 


4












Note) Refer to page 340 for dimensions of connector types.




#### **Dimensions: Series SY9000**



Note) Refer to page 340 for dimensions of connector types.


### **Dimensions: Series SY9000**

# Q [ ]: AC



Note) Refer to page 340 for dimensions of connector types.

#### **Dimensions: Series SY9000**




Note) Refer to page 340 for dimensions of connector types.



# 5 Port Solenoid Valve Base Mounted/Single Unit C € Series SY3000/5000/7000/9000

How to Order



Note) Enter the cable length symbols in  $\Box$ . Please be sure to fill in the blank referring to page 340.

# Base Mounted Series SY3000/5000/7000/9000





#### **Response Time**

$\mathbf{D}$	Note)	Based on dynamic performance test, JIS B 8375-1981. (Coil temperature: 20°C, at rated voltage)	
Ŀ	,	test, JIS B 8375-1981. (Coil temperature: 20°C, at rated voltage)	

#### SY3000

	Resp	oonse time (	(ms)
Type of	(at the pi	ressure of 0	.5 MPa)
actuation	Without light/surge	With light/surge v	oltage suppressor
	voltage suppressor	Type S, Z	Type R, U
2 position single	12 or less	15 or less	12 or less
2 position double	10 or less	13 or less	10 or less
3 position	15 or less	20 or less	16 or less

#### SY5000

	Response time (ms)								
Type of	(at the pressure of 0.5 MPa)								
actuation	Without light/surge	With light/surge v	oltage suppressor						
	voltage suppressor	Type S, Z	Type R, U						
2 position single	19 or less	26 or less	19 or less						
2 position double	18 or less	22 or less	18 or less						
3 position	32 or less	38 or less	32 or less						

#### SY7000

Type of	Response time (ms) (at the pressure of 0.5 MPa)								
	Without light/surge	1	,						
	voltage suppressor	Type S, Z	Type R, U						
2 position single	31 or less	38 or less	33 or less						
2 position double	27 or less	30 or less	28 or less						
3 position	50 or less	56 or less	50 or less						

#### SY9000

		onse time (	
Type of	(at the pi	ressure of 0	.5 MPa)
actuation	Without light/surge	With light/surge v	oltage suppressor
	voltage suppressor	Type S, Z	Type R, U
2 position single	35 or less	41 or less	35 or less
2 position double	35 or less	41 or less	35 or less
3 position	62 or less	64 or less	62 or less

#### **Specifications**

Series			SY3000	SY5000	SY7000	SY9000		
Fluid			Air					
Internal pilot	2 positio	on single	0.15 to 0.7					
Operating pressure	2 positio	on double		0.1 t	o 0.7			
range (MPa)	3 positio	on		0.2 t	o 0.7			
External pilot	Operating	g pressure range		–100 kF	Pa to 0.7			
Operating pressure	Pilot	2 position single		0.25	to 0.7			
range (MPa)	pressure	2 position double		0.25	to 0.7			
• • •	range	3 position		0.25	to 0.7			
Ambient and fluid	emperati	ure (°C)		-10 to 50 (N	No freezing.)			
Max. operating	2 positio	n single, double	10	5	5	5		
frequency (Hz)	3 positio	on	3	3	3	3		
Manual override			Non-locking push type,					
(Manual operation)			Push-turn locking slotted type, Push-turn locking lever type					
Pilot exhaust	Internal	pilot	Common exhaust type for main and pilot valve					
method	Externa	pilot	F	Pilot valve indi	ividual exhaus	st		
Lubrication				Not re	quired			
Mounting orientation			Unrestricted					
Impact/Vibration re	sistance	(m/s <sup>2</sup> ) Note)	150/30					
Enclosure			Dust proof (* DIN terminal and M8 connector: IP65)					
* Based on IEC60529 Note) Impact resistance: No malfunction occurred when it is tested in the axial direction and at the right angles to the main valve and armature in both energized and de-energized states every								
		ce for each condition				<b>-</b> .		

Vibration resistance: No malfunction occurred in a one-sweep test between 45 and 2000 Hz. Test was performed at both energized and de-energized states in the axial direction and at the right angles to the main valve and armature. (Values at the initial period)

### **Solenoid Specifications**

Electrical entry			Grommet (G), (H) L plug connector (L) M plug connector (M)	DIN terminal (D), (Y) M8 connector (W)				
			G, H, L, M, W	D, Y				
Coil rated		DC	24, 12, 6, 5, 3	24, 12				
voltage (V)		AC <sup>50</sup> / <sub>60</sub> Hz	100, 110,	200, 220				
Allowable voltage	fluct	uation	±10% of rated voltage *					
Power	DC	Standard	0.35 (With indicator light: 0.4 DIN terminal with indicator light: 0.45)					
consumption (W)		With power saving circuit	0.1 (With in	dicator light only)				
		100 V	0.78 (With indicator light: 0.81)	0.78 (With indicator light: 0.87)				
Apparent power		110 V [115 V]	0.86 (With indicator light: 0.89) [0.94 (With indicator light: 0.97)]					
(VA) *	AC	200 V	1.18 (With indicator light: 1.22)	1.15 (With indicator light: 1.30)				
		220 V [230 V]	1.30 (With indicator light: 1.34) [1.42 (With indicator light: 1.46)]					
Surge voltage sup	pres	sor	Diode (Varistor is for DIN terminal and Non-polar type.)					
Indicator light			LED (AC of DIN con	nector is neon light.)				
-								

In common between 110 VAC and 115 VAC, and between 220 VAC and 230 VAC.

For 115 VAC and 230 VAC, the allowable voltage is -15% to +5% of rated voltage.

S, Z and T type (with power saving circuit) should be used within the following allowable voltage fluctuation range due to a voltage drop caused by the internal circuit.

S and Z type: 24 VDC: -7% to +10%

- 12 VDC: -4% to +10% 1 type: 24 VDC: -8% to +10% 12 VDC: -6% to +10%

SJ

### **Flow Characteristics/Mass**

#### Series SY3000

		Type of		Dant		Flow	charact	eristics N	Mass (g) Note 2)				
	Valve model	-	pe of Port uation size		$1 \rightarrow 1/2 (P \rightarrow A/B)$			$4/2 \rightarrow 5/3 (A/B \rightarrow EA/EB)$			Grommet	L plug connector,	W
		201	luation	SIZE	C (dm3/(s·bar))	b	Cv	C (dm3/(s·bar))	b	Cv	aronniet	M plug connector	M8 connector
ſ		2	Single		10	0.30	0.24		0.00	0.00	84 (50)	85 (53)	89 (57)
	positio	position	Double		1.0	0.30	0.24	1.1	0.30	0.26	102 (68)	107 (73)	115 (81)
			Closed center		0.77	0.28	0.18	0.85	0.30	0.19		109 (74)	117 (82)
	SY3□40-□-01		Exhaust	1⁄8	0.73	0.01	0.18	1.1	0.26	0.24			
		3 position	center		0.73	0.31	0.18	[0.55]	[0.52]	[0.16]	104 (69)		
	þ		Pressure		1.2	0.24	0.29	0.89	0.47	0.24			
			center		[0.51]	[0.45]	[0.14]	0.89	0.47	0.24			

Note 1) [ ]: denotes the normal position. Note 2) ( ): denotes without sub-plate.

### Series SY5000

	т	ino of	Devit		Flow	charact	eristics N	ote 1)			Mass (g	) Note 2)		
Valve model	Valve model Type of actuation		Port size	$1 \rightarrow 4/2 (P \rightarrow A/B)$			$4/2 \rightarrow 5/3 \text{ (A/B} \rightarrow \text{EA/EB)}$			Grommet	L plug connector, DIN LA	DIN terminal	W	
			5120	C (dm3/(s·bar))	b	Cv	C (dm3/(s·bar))	b	Cv	Grommer	M plug connector	Din terminal	M8 connector	
	2	Single		24	0.41	0.64	2.8	0.29	0.66	121 (58)	123 (61)	154 (92)	127 (65)	
	position	Double		2.4	0.41	0.64	2.0	0.29	0.00	139 (76)	144 (81)	186 (123)	152 (89)	
		Closed center		1.8	0.47	0.50	1.8	0.40	0.47					
SY5□40-□-02		Exhaust	1⁄4	1.4	0.55	0.44	3.0	0.33	0.72					
	3 position	center		1.4	0.55	0.44	[1.2]	[0.48]	[0.37]	144 (82)	150 (87)	192 (129)	158 (95)	
	poolition	Pressure		3.3	0.36	0.85	1.8	0.40	0.48					
		center		[0.84]	[0.60]	[0.28]	1.0	0.40	0.40					

Note 1) [ ]: denotes the normal position. Note 2) ( ): denotes without sub-plate.

### Series SY7000

	т	ing of	Port		Flow	charact	eristics N	ote 1)			Mass (	g) Note 2)	
Valve model		Type of actuation		$1 \rightarrow 4/2 \ (P \rightarrow A/B)$			4/2 $\rightarrow$ 5/3 (A/B $\rightarrow$ EA/EB)		Grommet	L plug connector,	DIN terminal	W	
	aci	uation	size	C (dm3/(s·bar))	b	Cv	C (dm3/(s·bar))	b	Cv	Grommer	M plug connector	DINterminal	W M8 connector
	2	Single		4.1	0.41	1.1	4.1	0.29	1.0	218 (89)	221 (92)	242 (113)	225 (96)
	position	Double		4.1	0.41	1.1	4.1	0.29	1.0	237 (108)	242 (113)	284 (155)	250 (121)
		Closed center		3.0	0.43	0.80	2.6	0.41	0.72				
SY7□40-□-02		Exhaust	1⁄4	2.6	0.42	0.71	4.7	0.35	1.1				
	3 position	center		2.0	0.42	0.71	[1.7]	[0.48]	[0.49]	239 (110) 245 (116)		287 (158) 25	253 (124)
	position	Pressure		5.3	0.39	1.3	2.2	0.49	0.63				
		center		[2.3]	[0.49]	[0.65]	2.2 0.49	0.43 0.00					
	2	Single		4.9	0.29	1.2	4.5	0.27	1.1	218 (89)	221 (92)	242 (113)	225 (96)
	position	Double		4.9	0.29	1.2	4.5	0.27	1.1	237 (108)	242 (113)	284 (155)	250 (121)
		Closed center		3.0	0.40	0.80	2.6	0.45	0.73				
SY7□40-□-03		Exhaust	3⁄8	2.6	0.42	0.71	4.8	0.35	1.1				
	3 position	center		2.0	0.42	0.71	[1.7]	[0.48]	[0.49]	239 (110)	245 (116) 287	287 (158)	253 (124)
		Pressure	1	5.3	0.31	1.3	2.3	0.45	0.66				
		center		[2.3]	[0.51]	[0.64]	2.0	0.40	0.00				

Note 1) [ ]: denotes the normal position. Note 2) ( ): denotes without sub-plate.

### Series SY9000


	т		Port		Flov	v charac	teristics <sup>•</sup>	lote1)			Mass (g	g) Note 2)	
Valve model		Type of actuation		$1 \rightarrow 4/2 \ (P \rightarrow A/B)$		$4/2 \rightarrow 5/3 (A/B \rightarrow EA/EB)$		Grommet	L plug connector, DIN termina	DIN terminal	W		
	aci	uation	size	C (dm3/(s·bar))	b	Cv	C (dm3/(s·bar))	b	Cv	Gioninice	M plug connector	Diviennina	M8 connector
	2	Single		7.9	0.34	2.0	9.6	0.43	2.6	469(172)	472(175)	493(196)	476(179)
	position	Double		7.9	0.34	2.0	9.0	0.43	2.0	488(191)	494(197)	535(239)	502(205)
		Closed center		7.5	0.33	1.8	7.3	0.30	1.7				
SY9□40-□-03		Exhaust	3⁄8	7.2	0.34	1.7	13	0.23	2.8				
	3 position	center		1.2	0.54	1.7	[4.0]	[0.41]	[0.95]	512(215)	518(221)	560(263)	526(229)
		Pressure		12	0.26	2.8	6.7	0.40	1.9				
		center		[3.3]	[0.41]	[0.84]	0.7	0.40	1.5				
	2	Single		8.0	0.48	2.2	10	0.29	2.5	448 (172)	453 (175)	472	457(179)
	position	Double		0.0	0.40	2.2	10	0.29	2.5	467 (191)	473 (197)	515	481(205)
		Closed center		7.6	0.32	1.8	7.3	0.32	1.8				
SY9□40-□-04		Exhaust	1⁄2	7.3	0.42	2.0	13	0.32	3.6				
	3 position	center		7.5	0.42	2.0	[4.7]	[0.54]	[1.5]	491 (215)	497 (221)	539	505(229)
po		Pressure		12	0.33	3.3	7.4	7.4 0.33	0.33 1.9				
		center		[3.3]	[0.51]	[0.94]	7.4	0.33	1.9				

Note 1) [ ]: denotes the normal position. Note 2) ( ): denotes without sub-plate.



# Base Mounted Series SY3000/5000/7000/9000

#### Construction



No.	Description	Material	Note
1	Body	Aluminum die-casted (SY3000: Zinc die-casted)	White
2	Adapter plate	Resin	White (SY9000: Gray)
3	End plate	Resin	White
4	Piston	Resin	_
5	Spool valve assembly	Aluminum, H-NBR	_

#### **Replacement Parts**


No.	Description	Part No.				Note
NO.		SY3⊟40	SY5□40	SY7□40	SY9⊟40	INOLE
6	Sub-plate Note)	SY3000-27-1(-Q)	SY5000-27-1 ୕୕ (-Q)	1/4: SY7000-27-1 (+Q) 3/8: SY7000-27-2 (+Q)	3%: SY9000-27-1 <sup>(★)</sup> (-Q) 1/2: SY9000-27-2 <sup>(★)</sup> (-Q)	Aluminum die-casted
7	Pilot valve assembly	Refer to "How to Order Pilot Valve Assembly" on page 130.				
8	Gasket	SY3000-11-25	SY5000-11-15	SY7000-11-11	SY9000-11-2	H-NBR
	Round head combination screw	SY3000-23-4 (M2 x 21)	M3 x 26	M4 x 31	SY9000-18-2 (M3 x 42)	For valve mounting (Matt nickel plated)

\* Thread type

Note) For CE-compliant, suffix "Q" at the end of part no.

Mounting screw tightening torques M2: 0.16 N·m M3: 0.8 N·m M4: 1.4 N·m

### How to Order Pilot Valve Assembly




Note) Do not replace V111 (G, H, L, M) to V115 (DIN terminal) and vice versa when replacing pilot valve assembly only.

Note) Since V111 and V115 are CE-compliant as standard, the suffix "-Q" is not necessary.

# Base Mounted Series SY3000/5000/7000/9000

#### How to Order Interface Regulator




#### Accessory

Series	Round head combination screw	Gasket	
ARBY3000	SY3000-23-10 (M2 x 36)	SX3000-57-4	
ARBY5000	M3 x 48.5, Matt nickel plated	SX5000-57-6	
ARBY7000	M4 x 57, Matt nickel plated	SX7000-57-4	

M4: 1.4 N·m

### **Dimensions: Series SY3000**




**SMC** 

Note) Refer to page 340 for dimensions of connector types.

24.5 50

## Base Mounted Series SY3000/5000/7000/9000

#### **Dimensions: Series SY3000**



Note) Refer to page 340 for dimensions of connector types.

### **Dimensions: Series SY3000**


3 position closed center / exhaust center / pressure center Grommet (G), (H): SY3 $\frac{3}{5}$ 40(R)- $\Box$ H $\Box$ -O1 $\Box$ 1/8 14.5 (A, B port) 3.5 €Э € (Light/surge voltage suppressor) 38.1 19 2 x ø3.2 19 17 (For mounting) 35 з 17 Manual override ო 8 23 + ₽ FA Р 10.2 42.7 M5 x 0.8 M5 x 0.8 32.4 [34.6] (Pilot EXH port) G: Approx. 300 (External pilot port) H: Approx. 600 97.3 [101.7] <In the case of external pilot type> (Lead wire length) With interface regulator 140.7 ø15 53.5 [60.5] 20 16.5 24.5 65 68.5 [75.5]  $\oplus$ 89 7.5 11 32.5 1/8 20.5 24.5  $\oplus$ P, EA, EB port  $\odot$ 41  $\odot$ With plug (12.5) 41 (36.8)L plug connector (L): M plug connector (M): M8 connector (WO): SY3<sup>3</sup>/<sub>5</sub>40(R)-□WO□□-01□ SY3<sup>3</sup>/<sub>4</sub>40(R)-□L□□-01□ SY3<sup>3</sup>/<sub>4</sub>40(R)-□M□□-01□ (Lead wire length) Approx. 300 53.5 [60.5] 38.1 58 M8 x 1 (Lead wire length) 40.5 64.6 [71.6] Approx. 300 66.5 0 17.1 [121.5] 09 <u>ה</u> 115.3 5 [101 20.5 64 7.5 27.5 7.5 [44.5] 7.5 5 [34. 41.4 16.5 34 16.5 16.5 24.5 24.5 42.3 [ 24.5 50

Note) Refer to page 340 for dimensions of connector types.

) []: AC


## Base Mounted Series SY3000/5000/7000/9000

#### **Dimensions: Series SY5000**



Note) Refer to page 340 for dimensions of connector types.

### **Dimensions: Series SY5000**




Note) Refer to page 340 for dimensions of connector types.

┡┿╉



## Base Mounted Series SY3000/5000/7000/9000


#### **Dimensions: Series SY5000**





## Series SY3000/5000/7000/9000

### **Dimensions: Series SY7000**



Note) Refer to page 340 for dimensions of connector types.

26.5


26.5

26.5

26.5

## Base Mounted Series SY3000/5000/7000/9000

#### **Dimensions: Series SY7000**




Note) Refer to page 340 for dimensions of connector types.



## Series SY3000/5000/7000/9000

### **Dimensions: Series SY7000**




Note) Refer to page 340 for dimensions of connector types.

\



## Base Mounted Series SY3000/5000/7000/9000


#### **Dimensions: Series SY9000**



Note) Refer to page 340 for dimensions of connector types.

## Series SY3000/5000/7000/9000

### **Dimensions: Series SY9000**




Note) Refer to page 340 for dimensions of connector types.



## Base Mounted Series SY3000/5000/7000/9000


#### **Dimensions: Series SY9000**






# 5 Port Solenoid Valve Body Ported Manifold Bar Stock Type/Individual Wiring ( € *Series SY3000/5000/7000*

#### How to Order Manifold




#### How to Order Manifold Assembly (Example)



Body Ported Series SY3000/5000/7000 Type 20

How to Order Valve







### **Manifold Specifications**

Model		SS5Y3-20(-Q)	SS5Y5-20(-Q)	SS5Y7-20(-Q)		
Applicable valve		SY3□20	SY5⊟20	SY7□20		
Manifold type			Single base/B mount			
P (SUP)/R (EXH)		Common SUP, Common EXH				
Valve stations		2 to 20 stations Note1)				
A, B port location		Valve				
	P, EA, EB port	1/8	1/4	1/4		
Port size	A, B port	M5 x 0.8 C4(One-touch fitting for ø4) C6 (One-touch fitting for ø6)	1/8 C4 (One-touch fitting for ø4) C6 (One-touch fitting for ø6) C8 (One-touch fitting for ø8)			
Manifold base mass W (g) n: Stations		W = 13n + 35	W = 36n + 64	W = 43n + 64		




Note 1) For more than 10 stations (more than 5 stations in case of SS5Y7), supply pressure to P port on both sides and exhaust from EA/EB port on both sides. Note 2) Refer to "Manifold Option" on page 173.

#### **Flow Characteristics**

	Port si	ze			Flow char	acteristics		
Model	1, 5, 3	4, 2	1 →	$4/2 (P \rightarrow A)$	\/B)	$4/2 \rightarrow$	5/3 (A/B $\rightarrow$	EA/EB)
	(P, EA, EB)	(A, B)	C (dm3/(s.bar))	b	Cv	C (dm3/(s·bar))	b	Cv
SS5Y3-20(-Q)	1⁄8	C6	0.72	0.29	0.18	0.80	0.36	0.21
SS5Y5-20(-Q)	1/4	C8	1.9	0.28	0.48	2.2	0.20	0.53
SS5Y7-20(-Q)	1⁄4	C10	3.6	0.31	0.93	3.6	0.27	0.88


J Note) The value is for manifold base with 5 stations and individually operated 2 position type.

## Body Ported Series SY3000/5000/7000 Type 20





### SY5000: SS5Y5-20- Stations -




Note) Refer to page 340 for dimensions of connector types.

Stations n	2 stations	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20 stations
L1	60	76	92	108	124	140	156	172	188	204	220	236	252	268	284	300	316	332	348
L2	40	56	72	88	104	120	136	152	168	184	200	216	232	248	264	280	296	312	328

Applicable cable O.D ø3.5 to ø7




## Body Ported Series SY3000/5000/7000 Type 20




# 5 Port Solenoid Valve Body Ported Manifold Stacking Type/Individual Wiring (€ Stacking Series SY9000

#### How to Order Manifold




#### How to Order Manifold Assembly (Example)



Body Ported Series SY9000



#### How to Order Valve



	4, 12, 6, 5, 3 VDC	100, 110, 200,	24, 12, 6,	
	00, 110, 200, 220	220 VAC	5, 3 VDC	
Grommet	L plug connector	M plug connector	DIN terminal	M8 connector
G: Lead wire	L: With lead wire	M: With lead wire	D: With connector	WO: Without connector
length 300 mm	(Length 300 mm)	(Length 300 mm)	DO: Without connector	cable
H: Lead wire	LN: Without lead wire	MN: Without lead wire	Y: With connector	W□: With connector
length 600 mm	LO: Without connector	MO: Without connector	YO: Without connector	cable <sup>Note)</sup>

\* LN, MN type: with 2 sockets.

"Y" type is a DIN terminal conforming to EN-175301-803C (former DIN43650C). For

details, refer to page 336.

\* For connector cable of M8 connector, refer to page 339.

\* M8 connector conforming to IEC60947-5-2 standard is also available. Refer to page 331 for details.

\* Refer to page 336 for the lead wire length of L and M plug connectors.

\* Refer to page 337 for the connector assembly with cover for L and M plug connectors.

Note) Enter the cable length symbols in D. Please be sure to fill in the blank referring to page 340.



Note) When placing an order for body ported solenoid valve as a single unit, mounting screw for manifold and gasket are not attached. Order them separately, if necessary For details, refer to page 173.





Model SS5Y9-23(-Q)		SS5Y9-23(-Q)	
Applicable valve SY9□20		SY9⊟20	
Manifold type		Stacking type	
P (SUP)/R (EXH)		Common SUP, Common EXH	
Valve stations		2 to 20 stations Note1)	
A, B port location		Valve	
P, EA, EB port		3⁄8	
		1/4	
Port size		3/8	
Port size	A, B port	C8 (One-touch fitting for ø8)	
		C10 (One-touch fitting for ø10)	
		C12 (One-touch fitting for ø12)	
Manifold base mass W (g) n: Stations W = 66n + 24		W = 66n + 246	



Note 1) For more than 10 stations, supply pressure to P port on both sides and exhaust from EA/EB Note 1) For more main to stations, supply preserving on both sides. Note 2) Refer to "Manifold Option" on page 173.


#### **Flow Characteristics**

Model $1, 5, 3$ $4, 2$ $1 \rightarrow 4/2 (P \rightarrow A/B)$ $4/2 \rightarrow 5/3 (A/B \rightarrow EA/B)$	
	B)
(P, EA, EB) (A, B) C (dm <sup>3</sup> /(s-bar)) b Cv C (dm <sup>3</sup> /(s-bar)) b (	٧
SS5Y9-23(-Q) 3/8 C12 6.3 0.20 1.5 8.2 0.28 1	.9



Note) The value is for manifold base with 5 stations and individually operated 2 position type.







Note) In the case of direct mounting without DIN rail, total width of manifold is L3.

# 5 Port Solenoid Valve Body Ported Manifold Bar Stock Type/Flat Ribbon Cable C E Series SY3000/5000/7000

#### How to Order Manifold




#### How to Order Manifold Assembly (Example)



Add the valve and option part number under the manifold base part number. In the case of complex arrangement, specify them on the manifold specification sheet.

## Body Ported Series SY3000/5000/7000

How to Order Valve



VFS

VFR

VQ7



 Multiple valve wiring is simplified through the use of the flat cable connector

#### • Clean appearance

In the case of a flat ribbon cable type, each valve is wired on the print board of manifold base to allow the external wiring to be piped all together with 26 pins MIL connector.



#### **Manifold Specifications**

Model		SS5Y3-20P(-Q)	SS5Y5-20P(-Q)	SS5Y7-20P(-Q)		
Applicable valve		SY3⊟20	SY5⊡20	SY7⊡20		
Manifold type			Single base/B mount			
P (SUP)/R (EXH)		Common SUP, Common EXH				
Valve stations		4 to 12 stations <sup>(1)</sup> 3 to 12 stations <sup>Note 1)</sup>				
A, B port location		Valve				
	P, EA, EB port	1⁄8	1/4	1⁄4		
Port size	A, B port	M5 x 0.8, C4 (One-touch fitting for ø4) C6 (One-touch fitting for ø6)				
Manifold base mass W (g) n: Stations		W = 19n + 45	W = 43n + 77	W = 51n + 81		
Applicable flat ribbon cable connector		Flat ribbon cable connector, Socket: 26 pins MIL type with strain relief, Conforming to MIL-C-83503				
Internal wiri	ng	In common betwee	en +COM and -COM (Z t	ype: +COM only).		
Rated voltage Note 4)		12, 24 VDC 100, 110 VAC				
Note 1)	For more than	10 stations (more than 5	stations in case of SS5Y7)	supply pressure to P port		

on both sides and exhaust from EA/EB port on both sides.

Note 2) The withstand voltage specification for the wiring unit section is JIS C 0704, Grade 1 or its equivalent.

Note 3) Refer to "Manifold Option" on page 173.


Note 4) CE-compliant: For DC only.

#### **Flow Characteristics**

	Port	size			Flow char	acteristics		
Model	1, 5, 3	4, 2	$1 \rightarrow 4/2 \ (P \rightarrow A/B)$			$4/2 \rightarrow$	5/3 (A/B $\rightarrow$	EA/EB)
	(P, EA, EB)	(A, B)	C [dm³/(s·bar)]	b	Cv	C [dm³/(s·bar)]	b	Cv
SS5Y3-20P	1⁄8	C6	0.72	0.29	0.18	0.80	0.36	0.21
SS5Y5-20P	1⁄4	C8	1.9	0.28	0.48	2.2	0.20	0.53
SS5Y7-20P	1⁄4	C10	3.6	0.31	0.93	3.6	0.27	0.88

Note) The value is for manifold base with 5 stations and individually operated 2 position type.

#### Internal Wiring of Manifold (Non-polar type)



#### How to Order Connector Assembly

#### For 12, 24 VDC

Specifications	For SY3000	For SY5000/7000
For single solenoid:	SY3000-37-3A	SY5000-37-3A
Double solenoid, 3 position type	SY3000-37-4A	SY5000-37-4A
Single with spacer assembly	SY5000-37-3A	SY5000-37-5A
Double, 3 position with spacer assembly	SY3000-37-6A	SY5000-37-6A

#### For 100 VAC

Specifications	For SY3000	For SY5000/7000
For single solenoid:	SY3000-37-32A	SY5000-37-15A
Double solenoid, 3 position type	SY3000-37-33A	SY5000-37-16A
Single with spacer assembly	SY5000-37-15A	SY5000-37-17A
Double, 3 position with spacer assembly	SY3000-37-34A	SY5000-37-18A

#### For 100 VAC (115 VAC)


Specifications	For SY3000	For SY5000/7000
For single solenoid:	SY3000-37-35A	SY5000-37-19A
Double solenoid, 3 position type	SY3000-37-36A	SY5000-37-20A
Single with spacer assembly	SY5000-37-19A	SY5000-37-21A
Double, 3 position with spacer assembly	SY3000-37-37A	SY5000-37-22A

#### **∆**Caution

 For non-polar (U) valves, the electrical DC connections can be used with either positive and negative COM. For type (Z), only use with positive COM as the valve does not operate correctly when used with negative COM.

# Body Ported Series SY3000/5000/7000

### SY3000: SS5Y3-20P- Stations



Stations n	4	5	6	7	8	9	10	11	12
L1	72.5	85	97.5	110	122.5	135	147.5	160	172.5
L2	64.5	77	89.5	102	114.5	127	139.5	152	164.5

SJ

SY

SV

SYJ

SZ

VP4

S0700

VQ

VQ4

VQ5

VQC

VQZ

SQ

VFS

VFR

VQ7



### SY5000: SS5Y5-20P-Stations

₽<u>[]: AC</u>

16.5

E

L

11.5


5

5

30

80


1/4 (P, EA, EB port)



Stations n	3	4	5	6	7	8	9	10	11	12
L1	77	94.5	112	129.5	147	164.5	182	199.5	217	234.5
L2	67	84.5	102	119.5	137	154.5	172	189.5	207	224.5

## Body Ported Series SY3000/5000/7000


### SY7000: SS5Y7-20P- Stations




Stations n	3	4	5	6	7	8	9	10	11	12
L1	88	108.5	129	149.5	170	190.5	211	231.5	252	272.5
L2	68	88.5	109	129.5	150	170.5	191	211.5	232	252.5

# 5 Port Solenoid Valve Body Ported Manifold Stacking Type/Flat Ribbon Cable (€ Stacking Syperators Syperators Syperators Syperators Syperators Systems Systems


#### How to Order Manifold



#### How to Order Manifold Assembly (Example)



### How to Order Valve



Body Ported Series SY9000

#### Multiple valve wiring is simplified through the use of the flat cable connector.

#### Clean appearance

In the case of a flat ribbon cable type, each valve is wired on the print board of manifold base to allow the external wiring to be piped all together with 26 pins MIL connector.



#### How to Order Connector Assembly

#### For 12, 24 VDC

Specifications	For SY9000
For single solenoid	SY9000-37-1A
Double solenoid 3 position	SY9000-37-2A
Single with spacer assembly	SY9000-37-3A
Double, 3 position with spacer assembly	SY9000-37-4A

#### For 100 VAC

For SY9000
SY9000-37-1B
SY9000-37-2B
SY9000-37-3B
SY9000-37-4B

#### For 110 VAC (115 VAC)

Specifications	For SY9000
For single solenoid	SY9000-37-1C
Double solenoid 3 position	SY9000-37-2C
Single with spacer assembly	SY9000-37-3C
Double, 3 position with spacer assembly	SY9000-37-4C

### ✓ Caution

• For non-polar (U) valves, the electrical DC connections can be used with either positive and negative COM. For type (Z), only use with positive COM as the valve does not operate correctly when used with negative COM.


### **Manifold Specifications**


Model		SS5Y9-23P(-Q)							
Applicable v	valve	SY9□20							
Manifold typ	be	Stacking type							
P (SUP)/R (	EXH)	Common SUP, Common EXH							
Valve statio	ons	4 to 12 stations Note1)							
A, B port lo	ocation	Valve							
	P, EA, EB port	3/8							
		1/4							
Port size		3⁄8							
Port size	A, B port	C8 (One-touch fitting for ø8)							
		C10 (One-touch fitting for ø10)							
		C12 (One-touch fitting for ø12)							
Manifold bas	se mass W (g)	W = 73n + 259							
	oon cable connector	Flat ribbon cable connector, Socket: 26 pins MIL with strain relief, Conforming to MIL-C-83503							
Internal wir		In common between +COM and -COM (Z type: +COM only)							
Rated volta		12, 24 VDC, 100, 110 VAC							
-	•								
		ations, supply pressure to P port on both sides and exhaust from EA/EB port on both sides. ge specification for the wiring unit section is JIS C 0704, Grade 1 or its equivalent.							
		Option" on page 173.							
,									
Note 4)	CE-compliant: For	DC only.							

#### **Flow Characteristics**

	Port si	ze		Flow characteristics								
Model	1, 5, 3	4, 2	1 →	$4/2 (P \rightarrow A)$	\/B)	$4/2 \rightarrow 5/3 (A/B \rightarrow EA/EB)$						
	(P, EA, EB)	(A, B) C (dm <sup>3</sup> /(s·bar))		b	Cv	C (dm3/(s·bar))	b	Cv				
SS5Y9-23P(-Q)	3⁄8	C12	6.3	0.20	1.5	8.2	0.28	1.9				
Note) The	e value is for	manifo	ld base with	5 stations a	nd individua	lly operated	2 position ty	pe.				

### Internal Wiring of Manifold (Non-polar type)





Wiring unit

þ

**SMC** 

olenoid A side


## SY SV SYJ SZ VP4 S0700 VQ **VQ4** VQ5 VQC VQZ SQ VFS VFR V07

SJ



### SY9000: SS5Y9-23P-Stations -(D)

**P** [ ]: AC




SJ
SY
SV
SYJ
SZ
VP4
S0700
VQ
VQ4
VQ5
VQC
VQZ
SQ
VFS
VFR
VQ7



# EX510 Gateway System **Serial Transmission System Body Ported Manifold/Integrated Base** Series SY3000/5000/7000

How to Order Manifold



For details of "Gateway System Serial Transmission System, Series EX510", refer to pages 1696 through to 1724.

> (Compatible with 16 solenoid valves) 16 16 stations

SS5Y3 can be set from 4 stations.

8 stations

3 stations

08

03

. The number of the blanking plate assembly is also included. Note 1) Double wiring: Use of a single solenoid will result in an unused control signal. If this is not desired, order with a specified layout.


Specified layout Note 2)

Note 2) Specified layout: Indicate wiring specifications on the manifold specification sheet. (Note that double and 3 position valves cannot be used where single solenoid wiring has been specified.)

#### How to Order Manifold Assembly (Example)

Nil

Ν



## Body Ported Manifold Series SY3000/5000/7000

How to Order Valves - M5 SY3120 - <u>5</u>LOZ CE-compliant Nil Series 4 3 SY3000 Q CE-compliant 5 SY5000 SJ Thread type 7 SY7000 Nil Rc SY F G Type of actuation NPT Ν SV 1 2 position single Т NPTF 2 2 position double SYJ 3 3 position closed center A, B port size 4 3 position exhaust center SZ Thread piping 5 3 position pressure center М5 M5 x 0.8 SY3000 VP4 01 1/8 SY5000 Rated voltage: 24 VDC 02 1/4 SY7000 S0700 **One-touch fitting (Metric size)** Light/surge voltage suppressor VQ C4 One-touch fitting for ø4 z With light/surge voltage suppressor SY3000 C6 One-touch fitting for ø6 Without light/surge voltage suppressor **VQ4** U C4 One-touch fitting for ø4 (non-polar type) C6 SY5000 One-touch fitting for ø6 VQ5 **C**8 One-touch fitting for ø8 Manual override **C**8 One-touch fitting for ø8 VQC SY7000 Nil Non-locking push type C10 One-touch fitting for ø10 Push-turn locking VQZ D **One-touch fitting (Inch size)** slotted type N3 One-touch fitting for ø5/32' SQ Push-turn locking SY3000 Е N7 One-touch fitting for ø1/4" lever type VFS **N3** One-touch fitting for ø5/32' N7 One-touch fitting for ø1/4" SY5000 VFR

N9

N9

N11

One-touch fitting for ø5/16" One-touch fitting for ø5/16"


One-touch fitting for ø3/8"

**VQ7** 

SY7000



### SY3000: SS5Y3-20SA - Stations -




Stations n	4 stations	5	6	7	8	9	10	11	12	13	14	15	16 stations
L1	72.5	85	97.5	110	122.5	135	147.5	160	172.5	185	197.5	210	222.5
L2	64.5	77	89.5	102	114.5	127	139.5	152	164.5	177	189.5	202	214.5

**SMC** 

# Body Ported Manifold Series SY3000/5000/7000


SY5000: SS5Y5-20SA - Stations -



Stations n	3 stations	4	5	6	7	8	9	10	11	12	13	14	15	16 stations
L1	77	94.5	112	129.5	147	164.5	182	199.5	217	234.5	252	269.5	287	304.5
L2	67	84.5	102	119.5	137	154.5	172	189.5	207	224.5	242	259.5	277	294.5



### SY7000: SS5Y7-20SA - Stations -



Stations n	3 stations	4	5	6	7	8	9	10	11	12	13	14	15	16 stations
L1	88	108.5	129	149.5	170	190.5	211	231.5	252	272.5	293	313.5	334	354.5
L2	68	88.5	109	129.5	150	170.5	191	211.5	232	252.5	273	293.5	314	334.5


**SMC** 

SJ
SY
SV
SYJ
SZ
VP4
S0700
VQ
VQ4
VQ5
VQC
VQZ
SQ
VFS
VFR
VQ7




# EX510 Gateway System Serial Transmission System Body Ported Manifold/Stacking Type Series SY9000 (E

#### How to Order Manifold



Note 2) Specified layout: Indicate wiring specifications on the manifold specification sheet. (Note that double and 3 position valves cannot be used where single solenoid wiring has been specified.)

### How to Order Manifold Assembly (Example)



#### SI unit part no.

00N

00T

NPT


NPTF

:	Symbol	SI unit specifications	SI unit part no.	Page		
	Nil	NPN output (+COM.)	EX510-S001	P.1715 to 1717		
	Ν	PNP output (-COM.)	EX510-S101	P.1715101717		
-						

For details of "Gateway System Serial Transmission System, Series EX510", refer to pages 1696 through to 1724.


Body Ported Manifold Series SY9000 Type 23SA

How to Order Valves





### SY9000: SS5Y9-23SA - Stations - (-D)



Stations n	<b>3</b> stations	4	5	6	7	8	9	10	11	12	13	14	15	16 stations
L1	148	173	198	223	248	273	298	323	335.5	360.5	385.5	410.5	435.5	460.5
L2	137.5	162.5	187.5	212.5	237.5	262.5	287.5	312.5	325	350	375	400	425	450
L3	120	144	168	192	216	240	264	288	312	336	360	384	408	432
L4	14	14.5	15	15.5	16	16.5	17	17.5	12	12.5	13	13.5	14	14.5
L5	90	114	138	162	186	210	234	258	282	306	330	354	378	402


**SMC** 

Note) In the case of direct mounting without DIN rail, total width of manifold is L3.

172

Body Ported Manifold Series SY3000/5000/7000/9000 Type 20 Type 20SA

### **Manifold Option**



mounted in the wrong direction, the equipment to be connected may cause malfunction. Refer to external dimensions, and then mount it.

factory.)

**SYJ** 

SZ

VP4

VQ

VQ5

VQC

VQZ

VFS

VFR

VQ7

23 TVD 23P



## **Manifold Option**


#### 

Connector assembly order no. (Can be used for the manifold without a specified layout (8 stations or less)) Integrated type

Model	Part no.	Connector mounting position
	SY3000-37-81A-3-N	Single : For 1 to 4 stations
SS5Y3-20SA	SY3000-37-81A-3-6	Double/3 position: For 1 to 4 stations
55513-205A	SY3000-37-81A-2-N	Single : For 5 to 8 stations
	SY3000-37-81A-2-4	Double/3 position: For 5 to 8 stations
SS5Y5-20SA	SY3000-37-81A-3-N	Single : For 1 to 8 stations
55515-205A	SY3000-37-81A-3-6	Double/3 position: For 1 to 8 stations
	SY3000-37-81A-3-N	Single : For 1 to 4 stations
SS5Y7-20SA	SY3000-37-81A-3-6	Double/3 position: For 1 to 4 stations
55517-205A	SY3000-37-81A-4-N	Single : For 5 to 8 stations
	SY3000-37-81A-4-7	Double/3 position: For 5 to 8 stations


Note) The above is for the station addition or maintenance. When ordering a connector assembly separately, a number would not be printed on the connector.

(Red)



Connector

#### Housing (8 pcs./set) SY3000-44-3A



#### Connector assembly order no. (Can be used for the manifold with a specified layout)

(Black)

Model	Part no.		Connector mounting position
	SY3000-37-80A-3	For A side	For 1 to 8 stations
SS5Y3-20SA	SY3000-37-80A-6	For B side	
55513-205A	SY3000-37-80A-4	For A side	For 9 to 16 stations
	SY3000-37-80A-7	For B side	
	SY3000-37-80A-3	For A side	For 1 to 8 stations
CCEVE DOCA	SY3000-37-80A-6	For B side	
SS5Y5-20SA	SY3000-37-80A-7	For A side	For 9 to 16 stations
	SY3000-37-80A-9	For B side	
	SY3000-37-80A-4	For A side	For 1 to 8 stations
SS5Y7-20SA	SY3000-37-80A-7	For B side	FOI T TO 8 Stations
55517-205A	SY3000-37-80A-8	For A side	For 9 to 16 stations
	SY3000-37-80A-11	For B side	
	SY3000-37-80A-6	For A side	For 1 to 8 stations
	SY3000-37-80A-11	For B side	FOILT TO 8 STATIONS
SS5Y9-23SA	SY3000-37-80A-9	For A side	For 9 to 12 stations
55019-235A	SY3000-37-80A-14	For B side	
	SY3000-37-80A-13	For A side	For 13 to 16 stations
	SY3000-37-80A-18	For B side	

Note 1) The above is for station addition or maintenance. When ordering a connector assembly separately, a number will not be printed on the connector.


Note 2) After inserting the connector assembly into the housing, be sure to confirm that the lead wire will not come off by lightly pulling the wire. Furthermore, do not reuse the lead wire after it has been inserted and removed.

Note 3) Wiring is set longer than the actual wiring distance.

# **Manifold Option**

#### SUP blocking disk (For SY9000)

By installing a SUP blocking disk in the pressure supply passage of a manifold valve, it is possible to supply two or more different high and low pressures to one manifold.



#### EXH blocking disk (For SY9000)

By installing an EXH blocking disk in the exhaust passage of a manifold valve, it is possible to divide the valve's exhaust so that it does not affect another valve. (Two blocking disks are needed to divide both exhausts.)



Part no. Series SY9000 SY9000-61-2A

#### Label for blocking disk (For SY9000)

The labels shown below are used on manifold stations containing SUP/EXH blocking disk(s) to show their location. (3 pcs. each)

#### VZ3000-123-1A

# Label for SUP block disk P

R

Ρ

Label for EXH block disk Label for SUP/EXH block disk



When a block disk is concurrently ordered by specifying on the manifold specification sheet, etc., a label will be stuck on the position where block disk is mounted.


R

#### DIN Rail Dimensions/Mass for SY9000

VZ1000-11-4-

#### Refer to L dimensions


<sup>\*</sup> Fill in  $\Box$  with an appropriate no. listed on the table of DIN rail dimensions shown below.



No.	0	1	2	3	4	5	6	7	8	9
L Dimension	98	110.5	123	135.5	148	160.5	173	185.5	198	210.5
Mass (g)	24.8	28	31.1	34.3	37.4	40.6	43.8	46.9	50.1	53.3
No.	10	11	12	13	14	15	16	17	18	19
L Dimension	223	235.5	248	260.5	273	285.5	298	310.5	323	335.5
Mass (g)	56.4	59.6	62.7	65.9	69.1	72.2	75.4	78.6	81.7	84.9
No.	20	21	22	23	24	25	26	27	28	29
L Dimension	348	360.5	373	385.5	398	410.5	423	435.5	448	460.5
Mass (g)	88	91.2	94.4	97.5	100.7	103.9	107	110.2	113.3	116.5

Note) · For DIN rail, refer to page 338.

·Refer to L1 dimension on pages 153, 162 and 172 for lengths that correspond to the number of manifold stations.



#### Connector Assembly for Flat Ribbon Cables


	······································							
Cable length (L)	Assembly part no.	Note						
1.5 m	AXT100-FC26-1							
3 m	AXT100-FC26-2	Cable 26 core x 28 AWG						
5 m	AXT100-FC26-3							
	* For other commercial connectors, use a 26 pins with strain relief conforming to MIL-C-83503.							

#### Connector manufacturers' example

- Hirose Electric Company
- Japan Aviation Electronics Industry, Ltd.
- Sumitomo 3M Limited
- J.S.T. Mfg. Co., Ltd.
- Fujitsu Limited


## Plug (white)

These are inserted in unused cylinder ports and SUP, EXH ports. Purchasing order is available in units of 10 pieces.



#### Dimensions

Впленене				
Applicable fittings size ød	Model	Α	L	D
4	KQ2P-04	16	32	6
6	KQ2P-06	18	35	8
8	KQ2P-08	20.5	39	10
10	KQ2P-10	22	43	12
12	KQ2P-12	24	44.5	14
1⁄8"	KQ2P-01	16	31.5	5
5⁄32"	KQ2P-03	16	32	6
1⁄4"	KQ2P-07	18	35	8.5
5⁄16"	KQ2P-09	20.5	39	10
3⁄8"	KQ2P-11	22	43	11.5





#### How to Increase Manifold Bases (Series SY9000 only) Manifold case can be added at any location.

When a type 23 manifold base is added, tension bolts as well as manifold block assembly will be required. Order the tension bolt suitable for the stations after a station was increased (decreased), since the length of a tension bolt differs by the number of stations. (For changing the number of stations for a type 23P manifold, wiring unit for the stations and lead assembly will be required.)

1 Loosen the tension bolts (5) connecting the manifold base, and pull out both of 2 tension bolts.

(When equipped with a DIN rail, loosen one DIN rail holding screw on either U side or D side.)

2 Separate the blocks at the location where station expansion is desired.

3 Mount additional manifold block assembly.

4 Press block-to-block so that there's no gap. After connection, insert a tension bold for desired stations and then tighten it.


#### ▲ Caution (Tightening torque: 2.9 N·m)

(When equipped with a DIN rail, be sure to tighten the DIN rail holding screws after tightening the tension bolts. Tightening torque: 1.4 N·m)

# \land Caution

- 1. Be sure to shut off the power and air supplies before disassembly. Furthermore, since air may remain inside the actuator, piping and manifold, confirm that the air is completely exhausted before performing any work.
- 2. When disassembly and assembly are performed, air leakage may result if connections between blocks and tightening of the end block's holding screw, is inadequate.
- 3. By adding wiring unit assembly to type 23 manifold, it can be changed to type 23P manifold, too.


### Body Ported Manifold Exploded View, 23/23P Common




SJ SY SV SYJ SZ VP4 S0700 VQ4 VQ4 VQ5 VQ2 SQ VFS VFR VQ7	
SV SYJ SZ VP4 S0700 VQ VQ2 VQ5 VQ2 SQ VFS VFR	SJ
SYJ SZ VP4 S0700 VQ VQ2 VQ2 SQ VFS VFR	SY
SZ VP4 S0700 VQ VQ4 VQ5 VQC VQZ SQ VFS VFR	SV
VP4 S0700 VQ VQ4 VQ5 VQC VQZ SQ VFS VFR	SYJ
S0700 VQ VQ4 VQ5 VQC VQZ SQ VFS VFR	SZ
VQ VQ4 VQ5 VQC VQZ SQ VFS VFR	VP4
VQ4 VQ5 VQC VQZ SQ VFS VFR	
VQ5 VQC VQZ SQ VFS VFR	VQ
VQC VQZ SQ VFS VFR	VQ4
VQZ SQ VFS VFR	VQ5
SQ VFS VFR	VQC
VFS VFR	VQZ
VFR	SQ
	VFS
VQ7	VFR
	VQ7



# 5 Port Solenoid Valve Body Ported Manifold Cassette Type € € Series SY3000/5000/7000



# How to Order Manifold Assembly (Example)



by the manifold specification sheet.

Body Ported Series SY3000/5000/7000

# **Manifold Specifications**

Model		SS5Y3-60(-Q)	SS5Y5-60(-Q)	SS5Y7-60(-Q)		
Applicable valv	/e	SY3□60 SY5□60 SY7□60				
Manifold type		Stacking type/DIN rail mounted				
P (SUP)/R (EXH	ł)		Common SUP/Common EXH			
Valve stations			2 to 20 stations Note 1)			
A, B port locati	ion		Valve			
	P, R port	C8 (One-touch fitting for ø8)	C10 (One-touch fitting for ø10)	C12 (One-touch fitting for ø12)		
Port size	A, B port	M5 x 0.8 C4(One-touch fitting for ø4) C6 (One-touch fitting for ø6)	1/8 C4 (One-touch fitting for ø4) C6 (One-touch fitting for ø6) C8 (One-touch fitting for ø8)	1/4 C8 (One-touch fitting for ø8) C10 (One-touch fitting for ø10)		
Manifold base mass W (g) Note 2) (n: Number of SUP/EXH blocks, m: Mass of DIN rail)		W = 13n + m + 36	W = 41.2n + m + 77.6	W = 65.4n + m + 128.2		


Note 1) In cases such as those where many valves are operated simultaneously, use "-<u>station</u>B (SUP/EXH block on both sides)", applying pressure to the P ports on both sides and exhausting from the R ports on both sides. Note 2) For DIN rail mass, refer to page 186.

# **Flow Characteristics**

	Port	size		Flow characteristics					
Model	1,5/3	4,2	1	ightarrow 4/2(P $ ightarrow$ A/E	3)	4/2	$2 \rightarrow 5/3 (A/B \rightarrow$	R)	
	(P,R)	(A,B)	C (dm <sup>3</sup> /(s·bar))	b	Cv	C (dm <sup>3</sup> /(s·bar))	b	Cv	
		M5	0.55	0.29	0.14	0.72	0.24	0.18	
SS5Y3-60(-Q)	C8	C4	0.57	0.24	0.14	0.71	0.20	0.17	
		C6	0.68	0.28	0.17	0.77	0.24	0.19	
		1/8	1.8	0.24	0.44	2.1	0.17	0.47	
SS5Y5-60(-Q)	C10	C6	1.5	0.30	0.37	2.0	0.16	0.46	
		C8	1.8	0.20	0.45	2.2	0.17	0.50	
		1/4	3.7	0.25	0.96	3.8	0.19	0.94	
SS5Y7-60(-Q)	C12	C8	3.2	0.26	0.81	4.0	0.18	0.96	
		C10	3.7	0.28	0.98	4.1	0.19	1.0	

# Type 60 Series SY3000/5000/7000

# How to Order Valve



- \* LN, MN type: with 2 sockets.
  - \* "V" type is a DIN terminal conforming to EN-175301-803C (former DIN43650C). For details, refer to page 336.
    \* For connector cable of M8 connector, refer to page 339.
  - \* M8 connector conforming to IEC60947-5-2 standard is also available. Refer to page 331 for details.

\* Refer to page 336 for the lead wire length of L and M plug connectors.

\* Refer to page 337 for the connector assembly with cover for L and M plug connectors.

Note) Enter the cable length symbols in 
. Please be sure to fill in the blank referring to page 340.



Body Ported Series SY3000/5000/7000

# **Specifications**

Series		SY3000	SY5000	SY7000	
Fluid		Air			
Internal pilot	2 position single	0.15 to 0.7			
Operating pressure	2 position double		0.1 to 0.7		
range (MPa)	3 position		0.2 to 0.7		
Ambient and flu	id temperature (°C)		Max. 50		
Max. operating	2 position double	10	5	5	
frequency (Hz)	3 position	3	3	3	
Manual over (Manual ope		Non-locking push type, Push-turn locking slotted type, Push-turn locking lever type			
Pilot exhaus	t method	Common exhaust type for main and pilot valve			
Lubrication		Not required			
Mounting po		Unrestricted			
Impact/Vibratio	n resistance <sup>Note)</sup>	150/30			
Enclosure		Dust proof (* DIN terminal, M8 connector: IP65)			
	m d bration resistance: N b T T e t t	xial direction ar aain valve and a e-energized sta ondition. o malfunction c etween 45 and est was perform nergized states ne right angles t	nd at the right an armature in both ttes every once occurred in a on	ngles to the n energized and for each e-sweep test rgized and de- action and at re and	

\* Based on IEC60529

## **Solenoid Specifications**

Electrical entry			Grommet (G), (H) L plug connector (L) M plug connector (M) DIN terminal (D), (Y) M8 connector (W)		
			G, H, L, M, W	D, Y	
Coil rated	D	2	24, 12, 6, 5, 3	24, 12	
voltage (V)	A	C <sup>50</sup> ⁄60 Hz	100, 110,	200, 220	
Allowable vo	Itage	fluctuation	±10% of rat	ed voltage *	
Power consumption DC		Standard	0.35 [With indicator light: 0.4 (DIN terminal with indicator light: 0.45)		
(W)	00	With power saving circuit	0.1 (With indicator light only)		
		100 V	0.78 (With indicator light: 0.81)	0.78 (With indicator light: 0.87)	
Apparent power	AC	110 V [115 V]	0.86 (With indicator light: 0.89) [0.94 (With indicator light: 0.97)]	0.86 (With indicator light: 0.97) [0.94 (With indicator light: 1.07)]	
(VA) *	AC	200 V	1.18 (With indicator light: 1.22)	1.15 (With indicator light: 1.30)	
		220 V [230 V]	1.30 (With indicator light: 1.34) [1.42 (With indicator light: 1.46)]	1.27 (With indicator light: 1.46) [1.39 (With indicator light: 1.60)]	
Surge voltage suppressor		Diode (Varistor is for DIN terminal and non-polar)			
Indicator lig	ht		LED (AC of DIN connector is neon light.)		

\* In common between 110 VAC and 115 VAC, and between 220 VAC and 230 VAC.

For 115 VAC and 230 VAC, the allowable voltage is -15% to +5% of rated voltage.

S, Z and T type (with power saving circuit) should be used within the following allowable voltage fluctuation range due to a voltage drop

caused by the internal circuit. S and Z type: 24 VDC: -7% to +10% 12 VDC: -4% to +10% T type: 24 VDC: -8% to +10% 12 VDC: -6% to +10%

## **Response Time**

)) Note) Based on dynamic performance test, JIS B 8375-1981. (Coil temperature: 20°C, at rated voltage)

#### SY3000

	Response time (ms) (at the pressure of 0.5 MPa)					
Type of actuation	Without surge voltage	With surge voltage suppressor				
actuation	suppressor	S, Z type	R, U type			
2 position single	12 or less	15 or less	12 or less			
2 position double	10 or less	13 or less	10 or less			
3 position	15 or less	20 or less	16 or less			

#### SY5000

	Response time (ms) (at the pressure of 0.5 MPa)					
Type of actuation	Without surge voltage	With surge voltage suppressor				
actuation	suppressor	S, Z type	R, U type			
2 position single	19 or less	26 or less	19 or less			
2 position double	18 or less	22 or less	18 or less			
3 position	32 or less	38 or less	32 or less			

#### SY7000

Transat	Response time (ms) (at the pressure of 0.5 MPa)			
Type of actuation	Without light/surge	With light/surge voltage suppressor		
actuation	voltage suppressor	S, Z type	R, U type	
2 position single	31 or less	38 or less	33 or less	
2 position double	27 or less	30 or less	28 or less	
3 position	50 or less	56 or less	50 or less	



# Type 60 Series SY3000/5000/7000

### Mass

#### Series SY3000

			Port size		Mass (g)	
Valve model	Type of actuation		A, B	Gro- mmet	L/M plug connector	M8 Connector
	2	Single		49	51	55
	position	Double		70	73	81
SY3⊡60-⊡-M5		Closed center	M5 x 0.8			
	3 position	Exhaust center		73	76	84
	position	Pressure center				
	2 position	Single	C4 (One-touch (fitting for ø4)	62	61	65
		Double		80	83	91
SY3□60-□-C4		Closed center		82	86	
	3 position	Exhaust center				94
		Pressure center				
	2	Single		55	57	61
	position	Double	C6	76	79	87
SY3⊡60-⊡-C6		Closed center	/ One-touch \			
	3 position	Exhaust center	fitting for ø6	78	82	90
	position	Pressure center				
Note) []: d	enotes	normal position.				

### Series SY5000


			Port size		Mass	; (g)	
Valve model	Type of actuation		A, B	Gro- mmet	L/M plug connector	DIN terminal	M8 Conne- ctor
	2	Single		67	69	90	71
	position	Double		91	94	136	102
SY5⊡60-⊡-01		Closed center	1/8				
	3 position	Exhaust center		97	100	142	108
	F	Pressure center					
	2	Single		91	93	114	97
	position	Double	C4	113	116	158	124
SY5⊡60-⊡-C4	3 position	Closed center	(One-touch (fitting for ø4)				
		Exhaust center		119	122	164	130
		Pressure center					
	2	Single		86	88	109	92
	position	Double	C6	108	111	153	119
SY5⊡60-⊡-C6		Closed center	(One-touch				
	3 position	Exhaust center	(fitting for ø6)	114	117	159	125
	position	Pressure center					
SY5⊡60-⊡-C8	2	Single		78	80	101	84
	position	Double	C8	100	103	145	111
		Closed center	(One-touch)				
	3 position	Exhaust center	fitting for ø8	106	109	151	117
	position	Pressure center					

#### Series SY7000

			Port size		Mass	s (g)	
Valve model	Туре	e of actuation	А, В	Gro- mmet	L/M plug connector	DIN terminal	M8 Conne- ctor
	2	Single		103	105	126	109
	position	Double		125	128	170	136
SY7⊡60-⊡-02		Closed center	1/4				
	3 position	Exhaust center		133	136	178	144
P <sup>4</sup>	position	Pressure center					
2 positi	2	Single	C8 (One-touch	138	139	160	143
	position	Double		160	163	205	171
SY7□60-□-C8	3 position Closed center Exhaust center Pressure center	Closed center					
		(fitting for ø8)	168	171	213	179	
		Pressure center					
SY7D60-D-C10	2	Single		123	125	146	129
	position	Double	C10	145	149	191	157
		Closed center	(One-touch)				
	3 position	Exhaust center	fitting for ø10	153	157	199	165
		Pressure center					

Body Ported Series SY3000/5000/7000 Type 60

# How to Order Pilot Valve Assembly



Note) Since V111 and V115 are CE-compliant as standard, the suffix "-Q" is not necessary.

SY
SV
SYJ
SZ
VP4
S0700
VQ
VQ4
VQ5
VQC
VQZ
SQ
VFS
VFR
VQ7

SJ



### How to Order Port Block Assembly

SY 3 000 - 6A - C4							
	♦ S	eries			• Thr	ead type	è
	3	SY3000			Nil	Rc	
	5	SY5000			F	G	
	7	SY7000			N	NPT	
A, B port size ●			Т	NPTF			
Thread piping				* Excep	ot for M5		

#### Α,

Thread piping						
Symbol	Port size	Applicable series				
M5	M5 x 0.8	SY3000				
01	1/8	SY5000				
02	1/4	SY7000				

#### One-touch fitting (Metric size)

Symbol	Port size	Applicable series	
C4	One-touch fitting for ø4	01/0000	
C6	One-touch fitting for ø6	SY3000	
C4	One-touch fitting for ø4		
C6	One-touch fitting for ø6	SY5000	
C8	One-touch fitting for ø8		
C8	One-touch fitting for ø8	0)/7000	
C10	One-touch fitting for ø10	SY7000	

#### One-touch fitting (Inch size)

	• • •		
Symbol	Port size	Applicable series	
N3	One-touch fitting for ø5/32"	SY3000	
N7	One-touch fitting for ø1/4"	513000	
N3	One-touch fitting for ø5/32"		
N7	One-touch fitting for ø1/4"	SY5000	
N9	One-touch fitting for ø5/16"		
N9	One-touch fitting for ø5/16"	SY7000	
N11	One-touch fitting for ø3/8"	517000	

# How to Change Port Block Assembly

Connecting port size of A and B can be changed by replacing port block assembly mounted on body. When changing block assembly, correct screw torque must be achieved to avoid trouble; e.g. air leakage.


With the one-touch fitting port block assembly, it is only necessary to change the fitting and not the whole block. Refer to following part numbers.

#### **One-touch fitting (Metric size)**

• •	/	
Port size	Fitting assembly part no.	Applicable series
One-touch fitting for ø4	VVQ1000-50A-C4	SY3000
One-touch fitting for ø6	VVQ1000-50A-C6	313000
One-touch fitting for ø4	VVQ1000-51A-C4	
One-touch fitting for ø6	VVQ1000-51A-C6	SY5000
One-touch fitting for ø8	VVQ1000-51A-C8	]
One-touch fitting for ø8	VVQ2000-51A-C8	SY7000
One-touch fitting for ø10	VVQ2000-51A-C10	517000

#### **One-touch fitting (Inch size)**

<u></u> ,				
Port size	Fitting assembly part no.	Applicable series		
One-touch fitting for ø5/32"	VVQ1000-50A-N3	SY3000		
One-touch fitting for ø1/4"	VVQ1000-50A-N7	313000		
One-touch fitting for ø5/32"	VVQ1000-51A-N3			
One-touch fitting for ø1/4"	VVQ1000-51A-N7	SY5000		
One-touch fitting for ø5/16"	VVQ1000-51A-N9			
One-touch fitting for ø1/4"	VVQ2000-51A-N9	CV/7000		
One-touch fitting for ø3/8"	VVQ2000-51A-N11	SY7000		




SY3000(M2): 0.12 N·m SY5000, 7000 (M3): 0.6 N·m

\* Refer to "How to Change Port Block Assembly" for part numbers.

# **Manifold Option**





One-touch fitting (Me	etric size)	
Port size	Assembly part no.	Applicable series
One-touch fitting for ø6	SY3000-54-2C(-Q)	


313000-54-20(-Q)	CV2000
SY3000-54-1C(-Q)	513000
SY5000-54-1C(-Q)	SY5000
SY7000-54-1C(-Q)	SY7000

#### One-touch fitting (Inch size)

•···• •••••···························									
Port size	Assembly part no.	Applicable series							
One-touch fitting for ø5/16"	SY3000-54-3C(-Q)	SY3000							
One-touch fitting for ø3/8"	SY5000-54-2C(-Q)	SY5000							
One-touch fitting for ø3/8"	SY7000-54-3C(-Q)	SY7000							

#### [When supplying the manifold with 2 different supply pressures.]


Specify arrangement of individual SUP block assembly on the manifold specification sheet. (When using SS5Y $\square$ -60- $\square\squareD$ , blocking disk is assembled on <br/><Manifold model no.: SS5Y $_5^3$ -60- $\square\squareD$ >




[When a different supply pressure is required for only a middle valve.] Specify arrangement of individual SUP block assembly and SUP

blocking disk on the manifold specification sheet.

(Applicable manifold model no.: SS5YD-60-DDB)






#### [When 2 different EXH passages are required.]


Specify arrangement of individual EXH block assembly on the manifold specification sheet. (When using SS5Y $\square$ -60- $\square$  $\square$ D, blocking disk is assembled on D side.) <Manifold model no.: SS5Y $_5^3$ -60- $\square$  $\square$  $_D^D>$ 

Individual EXH block assembly



[When a separate exhaust passage is needed on only a middle valve.] Specify arrangement of individual EXH block assembly and EXH blocking disk on the manifold specification sheet.

(Applicable manifold model no.: SS5YD-60-DDB)



SV
SYJ
SZ
VP4
S0700
VQ
VQ4
VQ5
VQC
VQZ
SQ
VFS
VFR
VQ7

SJ

SY



# **Manifold Option**

#### SUP blocking disk

By installing a SUP blocking disk in the pressure supply passage of a manifold valve, it is possible to supply two or more different high and low pressures to one manifold. (This is the same block disk used with the individual SUP block assembly.)



Series	Part no.
SY3000	SY3000-52-6A
SY5000	SY5000-52-4A
SY7000	SY7000-70-2A

#### EXH blocking disk

By installing an EXH blocking disk in the exhaust passage of a manifold valve, it is possible to divide the valve's exhaust so that it does not affect another valve. (Two blocking disks are needed to separate both EXH passages. It is the same block disk that is used in the individual EXH block assembly.)



Series	Part no.
SY3000	SY3000-52-6A
SY5000	SY5000-52-4A
SY7000	SY7000-70-2A

#### Label for block disk

The labels shown below are used on manifold stations containing SUP/EXH blocking disk(s) to show their location. (3 pcs. each)


#### VZ3000-123-1A

Label for SUP block disk Label for EXH block disk Label for SUP/EXH block disk






\* When a block disk is concurrently ordered by specifying on the manifold specification sheet, etc., a label will be stuck on the position where block disk is mounted.



#### ■ Silencer with One-touch fitting

The silencer plugs directly into the One-touch fittings of the manifold.



Series	Model	Effective area	Α	В	С
SY3000 (for ø8)	AN203-KM8	14 mm <sup>2</sup>	ø16	26	51
SY5000 (for ø10)	AN200-KM10	26 mm <sup>2</sup>	ø22	54	80.8
	AN300-KM10	30 mm <sup>2</sup>	ø25	70	97
SY7000 (for ø12)	AN300-KM12	41 mm <sup>2</sup>	ø25	70	98


#### ■ Plug (white)


These are inserted in unused cylinder ports and SUP, EXH ports. Purchasing order is available in units of 10 pieces.  $\frac{1}{8}$ 

- <mark>ק</mark>		
4		
	<u> </u>	

Dimensions	<sub>4</sub> L			
Applicable fittings size ød	Model	Α	L	D
4	KQ2P-04	16	32	6
6	KQ2P-06	18	35	8
8	KQ2P-08	20.5	39	10
10	KQ2P-10	22	43	12
12	KQ2P-12	24	45.5	14
5/32"	KQ2P-03	16	32	6
1/4"	KQ2P-07	18	35	8.5
5/16"	KQ2P-09	20.5	39	10
3/8"	KQ2P-11	22	43	11.5

#### ■ DIN Rail Dimensions/Mass for SY3000/5000 VZ1000-11-1-





No.	0	1	2	3	4	5	6	7	8	9
L dimension	98	110.5	123	135.5	148	160.5	173	185.5	198	210.5
Mass (g)	17.6	19.9	22.1	24.4	26.6	28.9	31.1	33.4	35.6	37.9
No.	10	11	12	13	14	15	16	17	18	19
L dimension	223	235.5	248	260.5	273	285.5	298	310.5	323	335.5
Mass (g)	40.1	42.4	44.6	46.9	49.1	51.4	53.6	55.9	58.1	60.4
No.	20	21	22	23	24	25	26	27	28	29
L dimension	348	360.5	373	385.5	398	410.5	423	435.5	448	460.5


# L dimension 348 360.5 373 385.5 398 410.5 423 435.5 448 Mass (g) 62.6 64.9 67.1 69.4 71.6 73.9 76.1 78.4 80.6

#### DIN Rail Dimensions/Mass for SY7000

#### VZ1000-11-4-

#### • Refer to the L dimension tables

\* Enter a number from the DIN rail dimension table below in them.





82.9

No.	0	1	2	3	4	5	6	7	8	9
L dimension	98	110.5	123	135.5	148	160.5	173	185.5	198	210.5
Mass (g)	24.8	28	31.1	34.3	37.4	40.6	43.8	46.9	50.1	53.3
No.	10	11	12	13	14	15	16	17	18	19
L dimension	223	235.5	248	260.5	273	285.5	298	310.5	323	335.5
Mass (g)	56.4	59.6	62.7	65.9	69.1	72.2	75.4	78.6	81.7	84.9
No.	20	21	22	23	24	25	26	27	28	29
L dimension	348	360.5	373	385.5	398	410.5	423	435.5	448	460.5
Mass (g)	88	91.2	94.4	97.5	100.7	103.9	107	110.2	113.3	116.5


Note) For DIN rail mounting, refer to page 338.



Body Ported Series SY3000/5000/7000 Type 60

### Construction





No.	Description	Material	Note
1	Body	Aluminum die-casted (SY3000: Zinc die-casted)	White
2	Adapter plate	Resin	White
3	End plate	End plate Resin	
4	Piston	Resin	—
5	Spool valve assembly	Aluminum/H-NBR	_

Note) There is no bottom cover assembly available for SY7000.

Pilot valve assembly

Port block assembly Bottom cover

assembly Note)

SJ

SY

SV

SYJ

SZ

VP4

6

7

8

Refer to "How to Order Pilot Valve Assembly" on page 183.


Refer to "How to Order Port Block Assembly" on page 184.

SY3000-41-2A (with screw, gasket)


SY5000-41-2A (with screw, gasket)




# Dimensions



# Body Ported Series SY3000/5000/7000 Type 60





L plug connector (L)





M8 connector (WO)






Note) Refer to page 340 for dimensions of connector types.

**SMC** 





# Dimensions

#### SS5Y5-60-Stations U



#### SS5Y5-60- Stations D





Stations	2 stations	3	4	5	6	7	8	9	10 stations
L1	123	135.5	148	160.5	185.5	198	210.5	235.5	248
L2	112.5	125	137.5	150	175	187.5	200	225	237.5
L3	88	104	120	136	152	168	184	200	216
L4	17.5	15.5	14	12	16.5	15	13	17.5	16

Ē

44


(1/8 port)

5.8

190



# Body Ported Series SY3000/5000/7000 Type 60




**SMC** 




# Dimensions





# Body Ported Series SY3000/5000/7000 Type 60




**SMC** 



# **DIN Rail Manifold Exploded View**


### SY3000 Type 60




### **Replacement Parts**

No.	Description	Part no.	Note
1	Valve	SY3⊡60-□□-□(-Q)	$\Box$ at the end of part number denotes A. B port size: M5, C4, C6, N3, N7. Includes bushing assembly (SY3000-52-5A) 3 pcs.
2	SUP/EXH block assembly	SY3000-55- <sup>1</sup> <sub>2</sub> A(-Q)	P, R port (1: One-touch fitting for ø8, 2: One-touch fitting for ø5/16") Includes bushing assembly (SY3000-52-5A) 3 pcs.
3	End block assembly	SY3000-56-1A(-Q)	For D side (Bushing assembly: Not available for SY3000-52-5A)
4	End block assembly	SY3000-56-1B(-Q)	For U side (Bushing assembly: Not available for SY3000-52-5A)
5	Bushing assembly	SY3000-52-5A	CE-compliant: SY3000-52-1A
6	DIN rail	VZ1000-11-1-□	Refer to page 186.

# Body Ported Series SY3000/5000/7000






A side



### **DIN Rail Manifold Exploded View**



SMC

#### How to Add Additional Valves to the DIN Rail Valves can be added at any station on the rail.


- Loosen the rail holding screw (a) at both of 2 locations which holds the manifold base either in the U side or D side.
   When removing the end block assembly from the DIN rail, loosen the holding screws for DIN rail at first, then slide it to the edge of the rail.
- 2 Separate the valves at the point where more valves are to be added.
- **3** Mount the additional valves on the DIN rail as shown in Fig. 1.
- Connect them together while pressing the block assemblies toward each other, and tighten the 2 holding screws (a) for DIN rail alternately (2 to 3 times) with the prescribed torque (1.4 N·m) to fix them to the DIN rail.

#### **≜**Caution

#### **Tightening torque**

#### SY7000: 1.4 N·m

- (While lightly holding the blocks after fixing an end block on one side, tighten the other end block for better sealing after no gap between valves is confirmed.)
- Bushing assembly must be seated properly to each
- valve block in order to prevent air leaks from occurring. • Refer to the fig. 2 when dismounting the valve from the DIN rail.




▲ Caution When clamping screw (④ of the end block is not sufficiently tightened during reassembly, air leakage may result. Before supplying air, check that there are no gaps between valves and that the end block is firmly secured to the DIN rain in order to ensure air supply without leakage.

SJ SY SV SYJ SZ VP4 S0700 VQ4 VQ4 VQ5 VQ2 VQ2 SQ VFS VFR VQ7	
SV SYJ SZ VP4 S0700 VQ VQ2 VQ5 VQ2 SQ VFS VFR	SJ
SV SYJ SZ VP4 S0700 VQ VQ2 VQ5 VQ2 SQ VFS VFR	SY
SZ VP4 S0700 VQ VQ4 VQ5 VQC VQZ SQ VFS VFR	
VP4 S0700 VQ VQ4 VQ5 VQC VQZ SQ VFS VFR	SYJ
S0700 VQ VQ4 VQ5 VQC VQZ SQ VFS VFR	SZ
VQ VQ4 VQ5 VQC VQZ SQ VFS VFR	VP4
VQ4 VQ5 VQC VQZ SQ VFS VFR	S0700
VQ5 VQC VQZ SQ VFS VFR	VQ
VQC VQZ SQ VFS VFR	VQ4
VQZ SQ VFS VFR	VQ5
SQ VFS VFR	VQC
VFS VFR	VQZ
VFR	SQ
	VFS
VQ7	VFR
	VQ7



# **5 Port Solenoid Valve Base Mounted Manifold** ( ( Bar Stock Type/Individual Wiring Type Series SY3000/5000/7000

### How to Order Manifold



N3 One-touch fitting for ø5/32"

N7 One-touch fitting for ø1/4" One-touch fitting for ø1/4"

N9 One-touch fitting for ø5/16"

N11 One-touch fitting for ø3/8" SY7000

SY3000

SY5000

# How to Order Manifold Assembly (Example)

# Example Single solenoid (24 VDC) SY3140-5G(-Q) (2 sets) Double solenoid (24 VDC) SY3240-5G(-Q) (2 sets) Blanking plate assembly SY3000-26-9A(-Q) (1 set) Stations Cylinder port size Manifold base (5 stations) C6: With one-touch fitting for ø6 SS5Y3-41-05-C6(-Q) SS5Y3-41-05-C6 ····· 1 set (Type 41, 5-station manifold base part no.) \* SY3240-5G ..... 2 sets (Double solenoid part no.) \* SY3140-5G ·········2 sets (Single solenoid part no.) SY3000-26-9A ......1 set (Blanking plate assembly part no) The asterisk denotes the symbol for assembly. Prefix it to the part nos. of the solenoid valve, etc Add the valve and option part number under the manifold base part number. In the case of complex arrangement, specify them on the manifold specification sheet.

C4 One-touch fitting for ø4

C6 One-touch fitting for ø6

**C6** One-touch fitting for ø6

C8 One-touch fitting for ø8

C10 One-touch fitting for ø10 SY7000


SY3000

SY5000

N7

# Base Mounted Series SY3000/5000/7000 Type 41 Type 42

How to Order Valve



Electrical entry	
------------------	--

24, 12, 6,	5, 3 VDC/100, 110, 200	, 220 VAC	24, 12 VDC/ 100, 110, 200, 220 VAC	24, 12, 6, 5, 3 VDC
Grommet	L plug connector	M plug connector	DIN terminal	M8 connector
G: Lead wire length 300 mm lead H: Lead wire length 600 mm		MN: Without lead wire	<ul><li>D: With connector</li><li>DO: Without connector</li><li>Y: With connector</li><li>YO: Without connector</li></ul>	<ul> <li>WO: Without connector cable</li> <li>W□: With connector cable <sup>Note)</sup></li> </ul>

\* LN, MN type: with 2 sockets.

y \* "Y" type is a DIN terminal conforming to EN-175301-803C (former DIN43650C). For details, refer to page 336.

\* For connector cable of M8 connector, refer to page 339.

\* M8 connector conforming to IEC60947-5-2 standard is also available. Refer to page 331 for details.

\* Refer to page 336 for the lead wire length of L and M plug connectors.

\* Refer to page 337 for the connector assembly with cover for L and M plug connectors.

Note) Enter the cable length symbols in □. Please be sure to fill in the blank referring to page 340.





Manifo	old Sp	becific	ations

Model			SS5Y3-41(-Q)	SS5Y3-42(-Q)	SS5Y5-41(-Q)	SS5Y5-42(-Q)	SS5Y7-42(-Q)					
Applica	able	valve	SY3	□40	SY5	⊡40	SY7⊡40					
Manifo	old ty	уре		Si	ngle base/Β moι	unt						
P(SUP)	/R(E)	(H)		Comm	on SUP, Commo	on EXH						
Valve	stati	ions		2	to 20 stations Not	e 1)						
A, B po	ort	Location	Base									
Porting specif	lications	Direction			Side							
	Ρ, Ε.	A, EB port	1/	8	1/	4	1⁄4					
Port size	A,		M5 x 0.8, C4 (One-touch fitting for ø4) C6 (One-touch fitting for ø6)			1/4 C6 (One-touch fitting for ø6) C8 (One-touch fitting for ø8)	1⁄4 C10 (One-touch fitting for ø10)					
Manifo W (g) n		se mass tions	W = 30n + 50	W = 37n + 63	W = 61n + 101	W = 79n + 127	W = 100n + 151					
	Vote	, -	nore than 10 station of the station of the state of the s	· ·		of SS5Y7), supply sides.	pressure to P					

0


Note 2) Refer to "Manifold Option" on page 238. ort on both sides

# **Flow Characteristics**

	Port size							
	Port si	ze			Flow char	acteristics		
Model	1, 5, 3	4, 2	1 →	$4/2 (P \rightarrow A)$	/B)	4/2 →	5/3 (A/B $\rightarrow$	EA/EB)
	(P, EA, EB)	(A, B)	C (dm3/(s·bar))	b	Cv	C (dm3/(s·bar))	b	Cv
SS5Y3-41(-Q)	1⁄8	C6	0.75	0.19	0.18	0.81	0.23	0.20
SS5Y3-42(-Q)	1⁄8	C6	0.75	0.20	0.18	0.82	0.20	0.20
SS5Y5-41(-Q)	1/4	C8	1.8	0.23	0.44	1.9	0.16	0.45
SS5Y5-42(-Q)	1/4	C8	1.9	0.20	0.46	1.9	0.12	0.43
SS5Y7-42(-Q)	1/4	C10	3.0	0.25	0.75	3.0	0.12	0.66

Note) The value is for manifold base with 5 stations and individually operated 2 position type.

# Base Mounted Series SY3000/5000/7000 Type 41




Station	s n 2 stat	ations	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20 stations
L1	38	3.5	49	59.5	70	80.5	91	101.5	112	122.5	133	143.5	154	164.5	175	185.5	196	206.5	217	227.5
L2	30	0.5	41	51.5	62	72.5	83	93.5	104	114.5	125	135.5	146	156.5	167	177.5	188	198.5	209	219.5



# SY5000: SS5Y5-41- Stations -01, C6, N7



Grommet (G)




Note) Refer to page 340 for dimensions of connector types.

Stations n	2 stations	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20 stations
L1	52.5	68.5	84.5	100.5	116.5	132.5	148.5	164.5	180.5	196.5	212.5	228.5	244.5	260.5	276.5	292.5	308.5	324.5	340.5
L2	42	58	74	90	106	122	138	154	170	186	202	218	234	250	266	282	298	314	330

臣

# Base Mounted Series SY3000/5000/7000 Type 42

# SY3000: SS5Y3-42- Stations - C4, N3 C6, N7




Note) Refer to page 340 for dimensions of connector types.


S	Stations n	2 stations	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20 stations
	L1	38.5	49	59.5	70	80.5	91	101.5	112	122.5	133	143.5	154	164.5	175	185.5	196	206.5	217	227.5
	L2	30.5	41	51.5	62	72.5	83	93.5	104	114.5	125	135.5	146	156.5	167	177.5	188	198.5	209	219.5




# SY3000: SS5Y3-42- Stations -01

₽\_ [ ]: AC





## 




Note) Refer to page 340 for dimensions of connector types.

Stations n	2 stations	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20 stations
L1	47.5	60	72.5	85	97.5	110	122.5	135	147.5	160	172.5	185	197.5	210	222.5	235	247.5	260	272.5
L2	39.5	52	64.5	77	89.5	102	114.5	127	139.5	152	164.5	177	189.5	202	214.5	227	239.5	252	264.5



# Base Mounted Series SY3000/5000/7000 Type 42




Stations n	2 stations	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20 stations
L1	52	68	84	100	116	132	148	164	180	196	212	228	244	260	276	292	308	324	340
L2	42	58	74	90	106	122	138	154	170	186	202	218	234	250	266	282	298	314	330





# SY5000: SS5Y5-42- Stations -02




L plug connector (L)

M plug connector (M)

DIN terminal (D, Y)

M8 connector (WO)



Note) Refer to page 340 for dimensions of connector types.


Stations	n 2 stations	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20 stations
L1	59.5	77	94.5	112	129.5	147	164.5	182	199.5	217	234.5	252	269.5	287	304.5	322	339.5	357	374.5
L2	49.5	67	84.5	102	119.5	137	154.5	172	189.5	207	224.5	242	259.5	277	294.5	312	329.5	347	364.5



# Base Mounted Series SY3000/5000/7000 Type 42

# SY7000: SS5Y7-42- Stations -02, C10, N11

Grommet (G)




Note) Refer to page 340 for dimensions of connector types.

Stations	n 2 stations	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20 stations
L1	61	80	99	118	137	156	175	194	213	232	251	270	289	308	327	346	365	384	403
L2	49	68	87	106	125	144	163	182	201	220	239	258	277	296	315	334	353	372	391

# 5 Port Solenoid Valve Base Mounted Manifold Stacking Type/Individual Wiring (€ Stacking Syperators Syperators Syperators Syperators Syperators Syperators Symplectic Systems (Statement Systems) (Statement Sy

# How to Order Manifold



#### 02 1⁄4 3/8 External pilot specification 03 Internal pilot/Built-in silencer One-touch fitting (Metric size) External pilot/Built-in silencer Symbol Port size **C8** One-touch fitting for ø8 C10 One-touch fitting for ø10 C12 One-touch fitting for ø12 М Mixed One-touch fitting (Inch size)


	<b>U</b> ( )
Symbol	Port size
N9	One-touch fitting for ø5/16"
N11	One-touch fitting for ø3/8"
М	Mixed

 In the case of mixed specifications (M), indicate separately on the manifold specification sheet.

CE-compliant

NII	—
Q	CE-compliant

# How to Order Manifold Assembly (Example)




R

S

RS

Base Mounted Series SY9000 Type

### How to Order Valve



available. For details, refer to page 336.

For connector cable of M8 connector, refer to page 339.

 M8 connector conforming to IEC60947-5-2 standard is also available. Refer to page 331 for details.

\* Refer to page 336 for the lead wire length of L and M plug connectors.

\* Refer to page 337 for the connector assembly with cover for L and M plug connectors.

Note) Enter the cable length symbols in □. Please be sure to fill in the blank referring to page 340.







Mode			SS5Y9-43(-Q)				
Applicable valve			SY9□40				
Manif	old type		Stacking type				
P(SUP	)/R(EXH)		Common SUP, Common EXH				
Valve	stations		2 to 20 stations (1)				
A, B p	ort	Location	Base				
Portin	g specifications	Direction	Side				
	P, EA, EB po	rt	C12 (One-touch fitting for ø12)				
Port size	Port		1/4 3/8 C8 (One-touch fitting for ø8) C10 (One-touch fitting for ø10) C12 (One-touch fitting for ø12)				
Manifold base mass W (g), n: Stations			W = 107n + 330				

Note 1) For more than 10 stations, supply pressure to P port on both sides and exhaust from EA/EB port on both sides. Note 2) Refer to "Manifold Option" on page 238.


### **Flow Characteristics**

	Port si	ze		Flow characteristics						
Model	1, 5, 3	4, 2	1→4/2 (P→A/B)			4/2→	5/3 (A/B→B	EA/EB)		
	(P, EA, EB)	(A, B)	C (dm3/ (s·bar) )	b	Cv	C (dm3/ (s·bar) )	b	Cv		
SS5Y9-43(-Q)	C12	C12	6.4	0.29	1.6	7.3	0.29	1.8		



Note) The value is for manifold base with 5 stations and individually operated 2 position type.

# Base Mounted Series SY9000 Type 43




L plug connector (L)




DIN terminal (D, Y)










L plug connector (L)




DIN terminal (D, Y)

### M8 connector (WO)










L plug connector (L)

M plug connector (M)

DIN terminal (D, Y)

### M8 connector (WO)







dimensions of connector types.

# 5 Port Solenoid Valve Base Mounted Manifold Bar Stock Type/Flat Ribbon Cable C E Series SY3000/5000/7000

## How to Order Manifold




## How to Order Manifold Assembly (Example)



Add the valve and option part number under the manifold base part number. In the case of complex arrangement, specify them on the manifold specification sheet.

# Base Mounted Series SY3000/5000/7000 Type 41P Type 42P

How to Order Valve



**GSMC** 

## How to Order Connector Assembly

For	12,	24	VDC	

Specifications	For SY3000	For SY5000/7000
For single solenoid	SY3000-37-3A	SY5000-37-3A
Double solenoid, 3 position type	SY3000-37-4A	SY5000-37-4A
Single with spacer assembly	SY5000-37-3A	SY5000-37-5A
Double, 3 position with spacer assembly	SY3000-37-6A	SY5000-37-6A

### For 100 VAC

Specifications	For SY3000	For SY5000/7000
For single solenoid	SY3000-37-32A	SY5000-37-15A
Double solenoid, 3 position type	SY3000-37-33A	SY5000-37-16A
Single with spacer assembly	SY5000-37-15A	SY5000-37-17A
Double, 3 position with spacer assembly	SY3000-37-34A	SY5000-37-18A

### For 100 VAC (115 VAC)

Specifications	For SY3000	For SY5000/7000
For single solenoid	SY3000-37-35A	SY5000-37-19A
Double solenoid, 3 position type	SY3000-37-36A	SY5000-37-20A
Single with spacer assembly	SY5000-37-19A	SY5000-37-21A
Double, 3 position with spacer assembly	SY3000-37-37A	SY5000-37-22A

SQ

VFS

VFR

**VQ7** 

please contact SMC.



# • Multiple valve wiring is simplified through the use of the flat cable connector.

### Clean appearance

In the case of a flat ribbon cable type, each valve is wired on the print board of manifold base to allow the external wiring to be piped all together with 26 pins MIL connector.



## Flat Ribbon Cable Manifold Specifications

Model			SS5Y3-41P(-Q)	SS5Y3-42P(-Q)	SS5Y5-41P(-Q)	SS5Y5-42P(-Q)	SS5Y7-42P(-Q)				
Applicable valve				□40		□40	SY7□40				
Manife			Single base/B mount								
P(SUP)	/R(E)	(H)		Comm	on SUP, Commo	on EXH					
Valve	stati	ions	4 to 12 s	tations (1)	3	to 12 stations Note	e 1)				
A, B p	ort	Location			Base						
Porting specif	fications	Direction			Side						
	P, E/	A, EB port	1/	8	1,	1⁄4					
Port			M5 x 0.8	1⁄8	1⁄8	1/4	1/4				
size	Α,	B port	C4 (One-touch fitting for ø4)	C4 (One-touch fitting for ø4)	C6 (One-touch fitting for ø6)	C6 (One-touch fitting for ø6)	C10 (One-touch fitting for ø10)				
			C6 (One-touch fitting for ø6)	C6 (One-touch fitting for ø6)	C8 (One-touch fitting for ø8)	C8 (One-touch fitting for ø8)	••• (•••• ••• ••• ••• ••• ••				
Manifold base mass W (g), n: Stations			W = 39n + 83	W = 48n + 99	W = 67n + 118	W = 88n + 151	W = 109n + 174				
Applicable flat ribbon cable connector			Flat ribbon cable connector, Socket: 26 pins MIL type with strain relief, Conforming to MIL-C-83503								
Internal wiring			In common between +COM and -COM (Z type: +COM only).								
Rated voltage Note 4)			12, 24 VDC, 100, 110 VAC								
Note 1) For more than 10 stations (more than 5 stations in case of SCEV7) supply process to D part											

Note 1) For more than 10 stations (more than 5 stations in case of SS5Y7), supply pressure to P port on both sides and exhaust from EA/EB port on both sides.

Note 2) The withstand voltage specification for the wiring unit section is JIS C 0704, Grade 1 or its equivalent.

Note 3) Refer to "Manifold Option" on page 238.


Note 4) CE-compliant: For DC only.

### Flow Characteristics

Port size				Flow characteristics							
Model	1, 5, 3	4, 2	l →	$4/2 (P \rightarrow A)$	VB)	$4/2 \rightarrow 5/3 (A/B \rightarrow EA/EB)$					
	(P, EA, EB)	(A, B)	C (dm3/(s·bar))	b	Cv	C (dm <sup>3</sup> /(s·bar))	b	Cv			
SS5Y3-41P	1⁄8	C6	0.75	0.19	0.18	0.81	0.23	0.20			
SS5Y3-42P	1⁄8	C6	0.75	0.20	0.18	0.82	0.20	0.20			
SS5Y5-41P	1/4	C8	1.8	0.23	0.44	1.9	0.16	0.45			
SS5Y5-42P	1/4	C8	1.9	0.20	0.46	1.9	0.12	0.43			
SS5Y7-42P	1/4	C10	3.0	0.25	0.75	3.0	0.12	0.66			


Note) The value is for manifold base with 5 stations and individually operated 2 position type.

### Internal Wiring of Manifold (Non-polar type)



• For more than 10 stations, both poles of the common should be wired.

- For single solenoid, connect to the solenoid A side.
- The maximum number of stations that can be accommodated is 12. For more stations, please contact SMC.




### ▲Caution

• For non-polar (U) valves, the electrical DC connections can be used with either positive and negative COM. For type (Z), only use with positive COM as the valve does not operate correctly when used with negative COM.

# Base Mounted Series SY3000/5000/7000

# SY3000: SS5Y3-41P- Stations -M5, C4, N3



(Station n) -----(Station 1)

۲

28.5

11

160

152

® <u>•=======</u>

9.4 35.3

12

172.5

164.5

(Light/surge voltage suppressor)

Stations n

L1

L2

4

72.5

64.5

5

85

77

57.5 [64.5]

6

97.5

89.5

28.5

Applicable connector: 26 pins MIL type with strain relief (Conforming to MIL-C-83503)

7

110

102

{<del>+--+</del>}

8

122.5

114.5

9

135


127


10

147.5

139.5


For M5 × 0.8






## With interface regulator (with gauge)

(Pitch) P=12.5 18.5 4 (Correction of the set of the set





SJ

SY

SV

SYJ

SZ

VP4


 $\mathcal{O}_{[]:AC}$ 

VUZ SQ VFS VFR

VQ7



# SY5000: SS5Y5-41P- Stations -01, C6,N7 C8,N9




Q [ ]: AC

ø15

Stations n	3	4	5	6	7	8	9	10	11	12
L1	77	94.5	112	129.5	147	164.5	182	199.5	217	234.5
L2	67	84.5	102	119.5	137	154.5	172	189.5	207	224.5

# Base Mounted Series SY3000/5000/7000



Stations n	4	5	6	7	8	9	10	11	12
L1	72.5	85	97.5	110	122.5	135	147.5	160	172.5
L2	64.5	77	89.5	102	114.5	127	139.5	152	164.5


ø15

75.5



### SY5000: SS5Y5-42P- Stations -02,<sup>C6, N7</sup> C8, N9


### Grommet (G)



# Base Mounted Series SY3000/5000/7000

# SY7000: SS5Y7-42P- Stations -02, C10, N11


### Grommet (G)



 $\mathcal{O}_{[]:AC}$ 

# **5 Port Solenoid Valve Base Mounted Manifold** ( ( Stacking Type/Flat Ribbon Cable **3P** Series SY9000


## How to Order Manifold



# C12 One-touch fitting for ø12 М Mixed One-touch fitting (Inch size) Port size Symbol N9 One-touch fitting for ø5/16" N11 One-touch fitting for ø3/8 Μ Mixed \* In the case of mixed specifications (M), indicate separately on the manifold specification sheet. CE-compliant

Nil	—				
Q	CE-compliant				
* For DC only.					


## How to Order Manifold Assembly (Example)



Add the valve and option part number under the manifold base part number. In the case of complex arrangement, specify them on the manifold specification sheet.







10112,24700	
Specifications	For SY9000
For single solenoid	SY9000-37-1A
Double solenoid, 3 position type	SY9000-37-2A
Single with spacer assembly	SY9000-37-3A
Double, 3 position with spacer assembly	SY9000-37-4A

Specifications	For SY9000
For single solenoid	SY9000-37-1B
Double solenoid, 3 position type	SY9000-37-2B
Single with spacer assembly	SY9000-37-3B
Double, 3 position with spacer assembly	SY9000-37-4B

**GSMC** 

Specifications	For SY9000
For single solenoid	SY9000-37-1C
Double solenoid, 3 position type	SY9000-37-2C
Single with spacer assembly	SY9000-37-3C
Double, 3 position with spacer assembly	SY9000-37-4C

**VQ7** 



# • Multiple valve wiring is simplified through the use of the flat ribbon cable connector.

### Clean appearance

In the case of a flat ribbon cable type, each valve is wired on the print board of manifold base to allow the external wiring to be piped all together with 26 pins MIL connector.



## Flat Ribbon Cable Manifold Specifications

		0051/0 /05						
Model		SS5Y9-43P						
Applicable valve		SY9□40						
Manifold typ	be	Stacking type						
P (SUP)/R (I	EXH)	Common SUP, Common EXH						
Valve statio	ns	4 to 12 stations Note 1)						
A, B port	Location	Base						
Porting specifications	Direction	Side						
	P, EA, EB port	C12 (One-touch fitting for ø12)						
		1/4						
Port size		3⁄8						
1 011 3120	A, B port	C8 (One-touch fitting for ø8)						
		C10 (One-touch fitting for ø10)						
		C12 (One-touch fitting for ø12)						
Manifold ba	se mass	W 114- 040						
W (g) n: Sta	tions	W = 114n + 343						
Applicable flat ribb	on cable connector	Flat ribbon cable connection, Socket: 26 pins MIL with strain relief, Conforming to MIL-C-83503						
Internal wiri	ing	In common between +COM and -COM (Z type: +COM only)						
Rated voltage	ge Note 4)	12, 24 VDC, 100, 110 VAC						
Note 1)	For more than EA/EB port or	10 stations, supply pressure to P port on both sides and exhaust from both sides.						
Note 2) The withstand voltage specification for the wiring unit section is JIS C 0704, Grade 1 or								

its equivalent.


Note 3) Refer to "Manifold Option" on page 238. Note 4) CE-compliant: For DC only.

# Flow Characteristics

			Flow characteristics							
Model 1,5	5,3 4,2	1 →	$1 \rightarrow 4/2 \ (P \rightarrow A/B)$			$4/2 \rightarrow 5/3 (A/B \rightarrow EA/EB)$				
(P, E/	A, EB) (A, B)	C (dm³/(s·bar))	b	Cv	C (dm3/(s·bar))	b	Cv			
SS5Y9-43P C	12 C12	6.4	0.29	1.6	7.3	0.29	1.8			

Note) The value is for manifold base with 5 stations and individually operated 2 position type.

## Internal Wiring of Manifold (Non-polar type)






 For non-polar (U) valves, the electrical DC connections can be used with either positive and negative COM. For type (Z), only use with positive COM as the valve does not operate correctly when used with negative COM.


**SMC** 







Stations n	4 stations	5	6	7	8	9	10 stations
L1	198	223	248	260.5	285.5	310.5	335.5
L2	187.5	212.5	237.5	250	275	300	325
L3	165	189	213	237	261	285	309
L4	16.5	17	17.5	12	12.5	13	13.5
L5	151	175	199	223	247	271	295












# EX510 Gateway System Serial Transmission System Base Mounted Manifold/Integrated Type Series SY3000/5000/7000

How to Order Manifold



### SI unit part no.

Symbol	SI unit specifications	SI unit part no.	Page
Nil	NPN output (+COM.)	EX510-S001	P.1715 to 1717
Ν	PNP output (-COM.)	EX510-S101	P.1715101717

For details of "Gateway System Serial Transmission System, Series EX510", refer to pages 1696 through to 1724.

Stations ... 3

г

solenoid valve, etc.

solenoid valves to be mounted.

SS5Y3-42SA-06-C6 ··1 set (42SA type 6-station manifold part no.) • SY3140-5LOU ········4 sets (Single solenoid part no.) • SY3240-5LOU ·······2 sets (Double solenoid part no.)


The asterisk denotes the symbol for assembly. Prefix to the part no. of the

Add the valve and option part number under the manifold base part number. When entry of part numbers becomes complicated, indicate by the manifold specification sheet. For a manifold for an EX510, the length of the lead wire for a connector assembly depends on the number of stations. Therefore, the manifold assembly is shipped with the valves (including blanking plates) and connector assembly mounted on it, as the standard specification. Be sure to specify the part nos. of the



Manifold base (6 stations) SS5Y3-42SA-06-C6

# Base Mounted Manifold Series SY3000/5000/7000



VQZ

SQ


VFS

VFR

VQ7



#### C4, N3 C6, N7 SY3000: SS5Y3-42SA - Stations -01



Stations n	4 stations	5	6	7	8	9	10	11	12	13	14	15	16 stations
L1	72.5	85	97.5	110	122.5	135	147.5	160	172.5	185	197.5	210	222.5
L2	64.5	77	89.5	102	114.5	127	139.5	152	164.5	177	189.5	202	214.5

125.8

٦Ľ

ø15

<u>4 x ø4.5</u> (For mounting) 40

₽::

¢≊€

묘고

75.5

Æ

55.7

(With plug)

9


32

230



# Base Mounted Manifold Series SY3000/5000/7000

### SY5000: SS5Y5-42SA - Stations -02 , C6, N7 C8, N9



Stations n	3 stations	4	5	6	7	8	9	10	11	12	13	14	15	16 stations
L1	77	94.5	112	129.5	147	164.5	182	199.5	217	234.5	252	269.5	287	304.5
L2	67	84.5	102	119.5	137	154.5	172	189.5	207	224.5	242	259.5	277	294.5

00
SY
SV
SYJ
SZ
VP4
S0700
VQ
VQ4
VQ5
VQC
VQZ
SQ
VFS
VFR
VQ7

SJ


(With plug)

(14.5)

67.9



#### SY7000: SS5Y7-42SA - Stations -02 , C10, N11



Stations n	<b>3</b> stations	4	5	6	7	8	9	10	11	12	13	14	15	16 stations
L1	88	108.5	129	149.5	170	190.5	211	231.5	252	272.5	293	313.5	334	354.5
L2	76	96.5	117	137.5	158	178.5	199	219.5	240	260.5	281	301.5	322	342.5

**SMC** 


72.9

Ø15

(For mounting)


# EX510 Gateway System Serial Transmission System Base Mounted Manifold/Stacking Type Series SY9000 (€

How to Order Manifold



refer to pages 1696 through to 1724.






# How to Order Valves


Base Mounted Manifold Series SY9000

With External Pilot Specifications


#### C8, N9 C10, N11 (-D) C12 02 03 SY9000: SS5Y9-43SA - Stations U



(Station n)------ (Station 1)



Station	s n 3 stations	4	5	6	7	8	9	10 stations
L1	173	198	223	248	260.5	285.5	310.5	335.5
L2	162.5	187.5	212.5	237.5	250	275	300	325
L3	141	165	189	213	237	261	285	309
L4	16	16.5	17	17.5	12	12.5	13	13.5
L5	127	151	175	199	223	247	271	295



One-touch fitting

(X: External pilot port)

Applicable tubing O.D.: ø6, ø1/4"


One-touch fitting (PE: Pilot EXH port)

Applicable tubing O.D.: ø6, ø1/4"

	SJ
	SY
	SV
	SYJ
l	SZ
	<b>VP4</b> S0700
	S0700
L	VQ
	VQ4
	VQ5 VQC
	VQC
	VQZ
	SQ
	VFS
	VFR
	VQ7




### SY9000: SS5Y9-43SA - Stations D - 02 , C8, N9 C10, N11 (-D)



**SMC** 

Base Mounted Manifold Series SY9000

### SY9000: SS5Y9-43SA - Stations B - 02 , C8, N9 C10, N11 (-D)



Stations n	3 stations	4	5	6	7	8	9	10	11	12	13	14	15	16 stations
L1	173	198	223	248	260.5	285.5	310.5	335.5	360.5	385.5	410.5	435.5	460.5	485.5
L2	162.5	187.5	212.5	237.5	250	275	300	325	350	375	400	425	450	475
L3	141	165	189	213	237	261	285	309	333	357	381	405	429	453
L4	16	16.5	17	17.5	12	12.5	13	13.5	14	14.5	15	15.5	16	16.5
L5	127	151	175	199	223	247	271	295	319	343	367	391	415	439


**SMC** 

237



# 41 41P 42P 1/10 42SA Series SY3000/5000/7000/9000

## **Manifold Option**




**BSMC** 

when mounting a valve or spacer on the manifold base or sub-plate, etc., those mounting directions are determined. If mounted in the wrong direction, the equipment to be connected may cause malfunction. Refer to external dimensions, and then mount it. The individual SUP spacer and EXH spacer can be mounted either on the upper side or lower side. (The above illustration shows the condition when the product is shipped out from a factory.)

238

Base Mounted Manifold Series SY3000/5000/7000/9000 Type 42SA Type 43SA


### **Manifold Option**




megrated type		
Model	Part no.	Connector mounting position
	SY3000-37-81A-3-N	Single: For 1 to 4 stations
SS5Y3-42SA	SY3000-37-81A-3-6	Double/3 position: For 1 to 4 stations
33313-423A	SY3000-37-81A-2-N	Single: For 5 to 8 stations
	SY3000-37-81A-2-4	Double/3 position: For 5 to 8 stations
SS5Y5-42SA	SY3000-37-81A-3-N	Single: For 1 to 8 stations
55515-425A	SY3000-37-81A-3-6	Double/3 position: For 1 to 8 stations
	SY3000-37-81A-3-N	Single: For 1 to 4 stations
00EV7 400 A	SY3000-37-81A-3-6	Double/3 position: For 1 to 4 stations
SS5Y7-42SA	SY3000-37-81A-4-N	Single: For 5 to 8 stations
	SY3000-37-81A-4-7	Double/3 position: For 5 to 8 stations

Note) The above is for the station addition or maintenance. When ordering a connector assembly separately, a number would not be printed on the connector.

### ■ Connector assembly SY3000-37-80A-□



### Housing (8 pcs./set) SY3000-44-3A



### Connector assembly order no. (Can be used for the manifold with a specified layout)

Model	Model Part no.		Connector mounting position	
	SY3000-37-80A-3	For A side	For 1 to 8 stations	
SS5Y3-42SA	SY3000-37-80A-6	For B side		
55013-425A	SY3000-37-80A-4	For A side	For 9 to 16 stations	
	SY3000-37-80A-7	For B side		
	SY3000-37-80A-3	For A side	For 1 to 8 stations	
SS5Y5-42SA	SY3000-37-80A-6	For B side		
55010-425A	SY3000-37-80A-7	For A side	For 9 to 16 stations	
	SY3000-37-80A-9	For B side		
	SY3000-37-80A-4	For A side	For 1 to 8 stations	
SS5Y7-42SA	SY3000-37-80A-7	For B side		
33317-423A	SY3000-37-80A-8	For A side	For 9 to 16 stations	
	SY3000-37-80A-11	For B side	FOI 9 to 16 stations	
	SY3000-37-80A-6	For A side	For 1 to 8 stations	
	SY3000-37-80A-11	For B side		
SS5Y9-43SA	SY3000-37-80A-9	For A side	For 9 to 12 stations	
55019-435A	SY3000-37-80A-14	For B side		
	SY3000-37-80A-13	For A side	For 13 to 16 stations	
	SY3000-37-80A-18	For B side		

Note 1) The above is for station addition or maintenance. When ordering a connector assembly separately, a number will not be printed on the connector.

Note 2) After inserting the connector assembly into the housing, be sure to confirm that the lead wire will not come off by lightly pulling the wire. Furthermore, do not reuse the lead wire after it has been inserted and removed.

Note 3) Wiring is set longer than the actual wiring distance.

SJ






## **Manifold Option**

### SUP blocking disk (For SY9000)

By installing a SUP blocking disk in the pressure supply passage of a manifold base, it is possible to supply two or more different high and low pressures to one manifold.



### EXH blocking disk (For SY9000)

By installing an EXH blocking disk in the exhaust passage of a manifold base, it is possible to divide the valve's exhaust so that it does not affect another valve. (Two blocking disks are needed to divide both exhausts.)



Series	No.
SY9000	SY9000-57-1A

### Label for block disk (For SY9000)

The labels shown below are used on manifold stations containing SUP/EXH block disk(s) to show their location. (3 pcs. each)

### VZ3000-123-1A

Label for SUP block disk Label for EXH block disk Label for SUP/EXH block disk






When a block disk is concurrently ordered by specifying on the Note) manifold specification sheet, etc., a label will be stuck on the position where block disk is mounted.


### Silencer with One-touch fitting (For SY9000)

The silencer plugs directly into the One-touch fittings of the manifold R (exhaust) port.



For Series	Model	Effective area	Α	В	С
SY9000 (ø12)	AN300-KM12	41 mm <sup>2</sup>	ø25	70	98


### DIN Rail Dimensions/Mass for SY9000



Mass (g)	24.8	28	31.1	34.3	37.4	40.6	43.8	46.9	50.1	53.3
No.	10	11	12	13	14	15	16	17	18	19
L Dimension	223	235.5	248	260.5	273	285.5	298	310.5	323	335.5
Mass (g)	56.4	59.6	62.7	65.9	69.1	72.2	75.4	78.6	81.7	84.9
No.	20	21	22	23	24	25	26	27	28	29
L Dimension	348	360.5	373	385.5	398	410.5	423	435.5	448	460.5
Mass (g)	88	91.2	94.4	97.5	100.7	103.9	107	110.2	113.3	116.5

Note) • Refer to page 338 for DIN rail.

• Refer to L1 dimension on pages 211 to 213, 225 to 227 and 235 to 237 for lengths that correspond to the number of manifold stations.



### **Connector Assembly for Flat Ribbon Cables**

Cable length (L)	Ass'y part no.	Note			
1.5m	AXT100-FC26-1	Cable 00 sere			
3m	AXT100-FC26-2	Cable 26 core x 28 AWG			
5m	AXT100-FC26-3	x 20 AWG			
• Ear other commercial connectore, use a 26 pine with strain relief					


or other commercial connectors, use a 26 pins with strain relie conforming to MIL-C-83503.

### Connector manufacturers' example

- Hirose Electric Company
- Japan Aviation Electronics Industry, Ltd.
- Sumitomo 3M Limited
- J.S.T. Mfg. Co., Ltd.
- Fujitsu Limited

### Plug (white)

These are inserted in unused cylinder ports and SUP, EXH ports. Purchasing order is available in units of 10 pieces.




### Dimensions

Applicable fittings size ød	Model	Α	L	D
4	KQ2P-04	16	32	6
6	KQ2P-06	18	35	8
8	KQ2P-08	20.5	39	10
10	KQ2P-10	22	43	12
12	KQ2P-12	24	44.5	14
1⁄8"	KQ2P-01	16	31.5	5
<sup>5</sup> / <sub>32</sub> "	KQ2P-03	16	32	6
1⁄4"	KQ2P-07	18	35	8.5
5⁄16"	KQ2P-09	20.5	39	10
3⁄8"	KQ2P-11	22	43	11.5




9

## **Manifold Option**





## **Base Mounted Manifold Exploded View**



# Base Mounted Manifold Series SY9000 Type 43 Type 43P Type 43SA

### How to Increase Manifold Bases (Series SY9000 only) Manifold case can be added at any location.

When a type 43 manifold base is added, tension bolts as well as manifold block assembly will be required. Order the tension bolt suitable for the stations after a station was increased (decreased), since the length of a tension bolt differs by the number of stations. (For changing the number of stations for a type 43P manifold, wiring unit for the stations and lead assembly will be required.)

1 Loosen the tension bolts connecting the manifold base, and pull out both of 2 tension bolts.

(When equipped with a DIN rail, loosen one DIN rail holding screw on either U side or D side.)

2 Separate the blocks at the location where station expansion is desired.

3 Mount additional manifold block assembly.

Press block-to-block so that there's no gap. After connection, insert a tension bold for desired stations and then tighten it. **Caution** (Tightening torque: 2.9 N·m)


(When equipped with a DIN rail, be sure to tighten the DIN rail holding screws after tightening the tension bolts. Tightening torque: 1.4 N·m)

# **A**Caution

- 1. Be sure to shut off the power and air supplies before disassembly. Furthermore, since air may remain inside the actuator, piping and manifold, confirm that the air is completely exhausted before performing any work.
- When disassembly and assembly are performed, air leakage may result if connections between blocks and tightening of the end block's holding screw, is inadequate.
- 3. By adding wiring unit assembly to type 43 manifold, it can be changed to type 43P manifold, too.

### How to Replace A, B Port Fitting Assembly

By replacing manifold block fitting assemblies or the threaded port block assembly of a type 43(P) manifold, the port size of the A and B ports can be changed. To replace these parts, remove the clip with a flat head screwdriver after the valve has been removed. Insert the fitting assemblies or threaded port block assembly, and then reinsert the clip so that it does not protrude from the manifold block.




### Fitting Assembly Part No.

Port size	No.	Note
One-touch fitting assembly for ø8	VVQ4000-50B-C8	
One-touch fitting assembly for ø10	VVQ4000-50B-C10	
One-touch fitting assembly for ø12	VVQ4000-50B-C12	
One-touch fitting for ø 5/16"	VVQ4000-50B-N9	
One-touch fitting for ø $3/8$ "	VVQ4000-50B-N11	
$1/_4$ threaded type port block assembly	SY9000-58A-02*	-* at the end of part number denotes the thread type.
3/8 threaded type port block assembly	SY9000-58A-03*	-* at the end of part number denotes the thread type.
Plug assembly	SY9000-62-1A	

Note 1) Be careful to avoid damage or contamination of O-rings, as this can cause air leakage.


Note 2) Although replacing One-touch fittings of P, R port is also possible, use caution to the cases, etc. in which solenoid valves are often used at the same time by using the smaller sized fittings than the standard size (e12). Because there may not be able to supply or exhaust air sufficiently in comparison with the valve performances. Besides, although fittings used for A, B port are the same, it is not possible to use the threaded type port block assembly.



# **5 Port Solenoid Valve Base Mounted Manifold** Stacking Type/DIN Rail Mounted/Individual Wiring CE Series SY3000/5000 Type **45**

How to Order Manifold Assembly (Example)

## How to Order Manifold



SY5000

\* In the case of mixed specifications (M), indicate separately on the manifold specification sheet.

SY5000

М

C8 One-touch fitting for ø8

Mixed

Refer to pages 324 to 328 for external pilot specifications and built-in silencer.


М

N9 One-touch fitting for ø 5/16

Mixed

Base Mounted Series SY3000/5000 Type





- \* Refer to page 337 for the connector assembly with cover for L and M plug connectors. Note) Enter the cable length symbols in D. Please be sure to fill in the blank referring to page 340.

When ordering valve as a single unit, gaskets for the stacking base type are not included. Order them separately, if necessary.

(Refer to page 254 for details.)





## **Manifold Specifications**

Model		SS5Y3-45(-Q)	SS5Y5-45(-Q)		
Applicable valve		SY3□40	SY5□40		
Manifold type		Stacking type/D	OIN rail mounted		
P (SUP)/R (EXH)		Common SUP,	Common EXH		
Valve stations		2 to 20 stations Note 1)			
A, B port	Location	Base			
Porting specifications	Direction	Si	de		
	P, R port	C8 (One-touch fitting for ø8)	C10 (One-touch fitting for ø10)		
Port size	A, B port	C4 (One-touch fitting for ø4) C6 (One-touch fitting for ø6)	C4 (One-touch fitting for ø4) C6 (One-touch fitting for ø6) C8 (One-touch fitting for ø8)		
Manifold base mass W (g), n: Stations		2 to 10 stations: W = 22n + 118 11 to 20 stations: W = 22n + 140	2 to 10 stations: $W = 47n + 156$ 11 to 20 stations: $W = 47n + 190$		

Note 1) For more than 11 stations, supply pressure to P port on both sides and exhaust from R port on both sides.

## **Flow Characteristics**

	Port	size		Flow characteristics							
Model	1 ,5 ,3	4 ,2	1 →	$4/2 (P \rightarrow A)$	/B)	$4/2 \rightarrow$	5/3 (A/B $ ightarrow$	EA/EB)			
	(P ,EA ,EB)	(A ,B)	C (dm3/(s·bar))	b	Cv	C (dm3/ (s·bar) )	b	Cv			
SS5Y3-45	C8	C6	0.88	0.21	0.22	0.95	0.18	0.22			
SS5Y5-45	C10	C8	2.2	0.24	0.53	2.5	0.18	0.58			





Note) The value is for manifold base with 5 stations and individually operated 2 position type.



## **Manifold Option**

#### Individual SUP spacer assembly = Individual EXH spacer assembly SUP blocking disk By installing a SUP blocking disk in





Series Assembly part no. Port size t

Note) The EXH port may be

side or on the end

Nil

F

Ν

т

Caution

Mounting screw tightening torques

M2: 0.16 N·m M3: 0.8 N·m M4: 1.4 N·m

either on the lead wire

\* Thread type

1/8 15

Rc

G

NPT

NPTF

SY3000 SY3000-39-2A(-Q) M5 x 0.8 11


plate side.

SY5000 SY5000-39-16\*A(-Q)

Series	Assembly part no. Port size	t	
SY3000	SY3000-38-2A(-Q) M5 x 0.8	11	
SY5000	SY5000-38-16*A(-Q) 1⁄8	15	
	ote) The SUP port may be		
<u> </u>	either on the lead wire	sid	e
<b>~</b>	or on the end plate sid	e.	

(An assembly is shipped under the condition shown in the figure.)

#### Blanking plate assembly



Series	Assembly part no.
SY3000	SX3000-75-1A(-Q)
SY5000	SX5000-76-5A(-Q)

#### Dimensions/DIN rail

VZ1000-11-1-[

#### **Refer to L dimensions**

Fill in  $\Box$  with an appropriate no. listed on the table of DIN rail dimensions shown below.

			0.11	- run u	mono						
		•		L			• •	╺	<u>(7.5)</u>		
		<del>ф</del> ф	Φ¢	•••	• • •		(35)				
No.	0	1	2	3	4	5	6	7	8	9	10
L Dimension	98	110.5	123	135.5	148	160.5	173	185.5	198	210.5	223
No.	11	12	13	14	15	16	17	18	19	20	21
L Dimension	235.5	248	260.5	273	285.5	298	310.5	323	335.5	348	360.5
No.	22	23	24	25	26	27	28	29	30	31	32
L Dimension	373	385.5	398	410.5	423	435.5	448	460.5	473	485.5	498
No.	33	34	35	36	37	38	39	40	41	42	43
L Dimension	510.5	523	535.5	548	560.5	573	585.5	598	610.5	623	635.5
No.	44	45	46	47	48	49	50	51	52	53	54
L Dimension	648	660.5	673	685.5	698	710.5	723	735.5	748	760.5	773
No.	55	56	57	58	59	60	61	62	63	64	65
L Dimension	785.5	798	810.5	823	835.5	848	860.5	873	885.5	898	910.5
NI		07		00	70						

No. 66 67 68 69 70 71 L Dimension 923 935.5 948 960.5 973 985.5

Refer to L1 dimension on pages starting with pages 250 to 253 for lengths that correspond to the number of manifold stations.

the pressure supply passage of a manifold valve, it is possible to supply two or more different high and low pressures to one manifold.



I	Part no	

SX3000-77-1A

SX5000-77-1A

	Carlo and
Series	Part no.
SY3000	SX3000-77-1A

## SY5000 SX5000-77-1A

EXH blocking disk

both exhausts.)

By installing an EXH blocking disk in the

exhaust passage of a manifold valve, it

is possible to divide the valve's exhaust

so that it does not affect another valve.

(Two blocking disks are needed to divide

#### Label for block disk The labels shown below are used on manifold stations containing

SUP/EXH blocking disk(s) to show their location. (3 pcs. each)

#### VZ3000-123-1A

Label for SUP block disk Label for EXH block disk Label for SUP/EXH block disk



Series SY3000

SY5000





Note) When a block disk is concurrently ordered by specifying on the manifold specification sheet, etc., a label will be stuck on the position where block disk is mounted.

### Silencer with One-touch fitting


The silencer plugs directly into the One-touch fittings of the manifold.

- ا	C
	В
A	

Series	Model	Effective area	Α	В	С	
For SY3000 (Ø8)	AN203-KM8	14 mm <sup>2</sup>	ø16	26	51	
For SY5000 (ø10)	AN200-KM10	26 mm <sup>2</sup>	ø22	53.8	80.8	
	AN300-KM10	30 mm <sup>2</sup>	ø25	70	97	ĺ.


#### Plug (white)


These are inserted in unused cylinder ports and SUP, EXH ports. Purchasing order is available in units of 10 pieces.



#### Dimensions

Applicable fittings size ød	Model	Α	L	D
4	KQ2P-04	16	32	6
6	KQ2P-06	18	35	8
8	KQ2P-08	20.5	39	10
10	KQ2P-10	22	43	12
1⁄8"	KQ2P-01	16	31.5	5
5/32"	KQ2P-03	16	32	6
1⁄4"	KQ2P-07	18	35	8.5
<sup>5/</sup> 16"	KQ2P-09	20.5	39	10





SJ

SY

SV


SYJ

SZ



## **Manifold Option**

How to Order Interface Regulator (SY3000, 5000 only)



Note) ARBY is not CE-compliant.

## Caution Mounting screw tightening torques M2: 0.17 N·m


Series	Round head combination screw	Gasket
ARBY3000	SY3000-23-10 (M2 x 36)	SX3000-57-4
ARBY5000	M3 x 48.5, Matt nickel plated	SX5000-57-6


SJ
SY
SV
SYJ
SZ
VP4
S0700
VQ
VQ4
VQ5
VQC
VQZ
SQ
VFS
VFR
VQ7













#### With interface regulator (with gauge)




## Base Mounted Series SY3000/5000 Type 45

## **Dimensions: Series SY3000**




S	tations n	2 stations	3	4	5	6	7	8	9	10 stations
_	L1	98	110.5	123	135.5	148	148	160.5	173	185.5
	L2	87.5	100	112.5	125	137.5	137.5	150	162.5	175
	L3	70.5	81	91.5	102	112.5	123	133.5	144	154.5
	L4	13.5	14.5	15.5	16.5	17.5	12.5	13.5	14.5	15.5



L plug connector

#### M plug connector




#### M8 connector (WO)

M8 x 1


Note) Refer to page 340 for dimensions of connector types.






(Push type)


With interface regulator (with gauge)




## Base Mounted Series SY3000/5000 Type 45



DIN terminal (D, Y)



## M8 connector (WO)



Note) Refer to page 340 for dimensions of connector types.


**GSMC** 

VFR

**VQ7** 



## **DIN Rail Manifold Exploded View**



### **Replacement Parts**

No.	Description	Par	t no.	Note
NO.	Description	SY3000	SY5000	NOLE
1	Manifold block assembly	SX3000-50-1A-□□(-Q)	SX5000-50-1A-□□(-Q)	$\label{eq:sy3000} \begin{tabular}{ c c c c c c c c c c c c c c c c c c c$
2	SUP/EXH block assembly	(Metric size) SX3000-51-1A (Inch size) SX3000-51-15A	(Metric size) SX3000-51-1A (Inch size) SX5000-51-15A	P, R port SY3000 (Metric size) With one-touch fitting for ø8 (Inch size) With one-touch fitting for ø <sup>5</sup> / <sub>16</sub> " P, R port SY5000 (Metric size) With one-touch fitting for ø <sup>10</sup> (Inch size) With one-touch fitting for ø <sup>3</sup> / <sub>8</sub> "
3	End block assembly R	SX3000-52-1A(-Q)	SX5000-52-1A(-Q)	For D side
4	End block assembly L	SX3000-53-1A(-Q)	SX5000-53-1A(-Q)	For U side
5	Round head combination screw	SY3000-23-4	M3 x 26 (Matt nickel plated)	
6	Gasket	SX3000-57-4	SX5000-57-6	
7	DIN rail	VZ1000	-11-1-□	Refer to page 247.



## **DIN Rail Manifold Exploded View**

#### How to Increase Manifold Bases Station expansion is possible at any position.


- 1 Loosen DIN rail holding screw (a) fixing the manifold base until it begins to turn idly. (While pressing DIN rail releasing buttons (c), at two locations, separate the manifold base from the DIN rail.)
- Press manifold block assembly dividing button (b), that are at the location where manifold bases are to be added, until button (b) locks, and then separate the block assemblies.
- Mount additional manifold block assembly on the DIN rail as shown in the figure 1.
- Press the block assemblies until a click sound is produced, and tighten the DIN rail holding screw (a) to fix them to the DIN rail. ▲Caution (Tightening torque: 1.4 N·m)

(While lightly holding the blocks after fixing an end block on one side, tighten the other end block for for better sealing.)

#### **▲**Caution

- Note 1) When there are 10 or fewer manifold block assemblies, and more are added to make a total of 11 or more, a supply/exhaust block assembly must also be added.
- Note 2) When disassembly and assembly are performed, air leakage may result if connections between blocks and tightening of the end block's holding screw, is inadequate. Before supplying air, confirm that there are no gaps, etc. between blocks, and that manifold blocks are securely fastened to the DIN rail. Then supply air and confirm that there is no air leakage before operating.

#### Fig. (1) Block mounting procedure



Hook the DIN rail here and press down in the direction of the arrow until a click sound is heard.

### How to Change Fitting Assembly

Type 45 manifold permits

After removing the valve,

remove the clip with a

mounting a new fitting

assembly, insert it and then

insert a clip until it will not

come out of the manifold


screwdriver, etc. For

sizes by changing the manifold block fitting

assembly.

block.

change in the A and B port



## Fitting Assembly Part No.


### Metric size

SY3000	One-touch fitting for ø4	VVQ1000-50A-C4			
513000	One-touch fitting for ø6	VVQ1000-50A-C6			
	One-touch fitting for ø4	VVQ1000-51A-C4			
SY5000	One-touch fitting for ø6	VVQ1000-51A-C6			
	One-touch fitting for ø8	VVQ1000-51A-C8			
Inch size					
SY3000	One-touch fitting for ø5/32"	VVQ1000-50A-N3			
513000	One-touch fitting for ø 1/4"	VVQ1000-50A-N7			
	One-touch fitting for ø 5/32"	VVQ1000-51A-N3			
SY5000	One-touch fitting for ø 1/4"	VVQ1000-51A-N7			
	One-touch fitting for ø5/16"	VVQ1000-51A-N9			
Note 1) P and R ports cannot be changed.					



Note 1) P and R ports cannot be changed. Note 2) Use caution that O-rings must be free from scratches and dust.

Otherwise, air leakage may result.



Base Mounted Series SY3000/5000


## Manifold Specifications

Model		SS5Y3-45- <sup>A</sup> <sub>NA</sub> -(Q)	SS5Y5-45- <sup>A</sup> <sub>NA</sub> -(Q)		
Applicable valve		SY3□40	SY5⊡40		
Manifold type		Stacking type/D	IN rail mounted		
P (SUP)/R (EXH)		Common SUP,	Common EXH		
Valve stations		2 to 16 sta	tions Note 1, 2)		
A, B port	Location	Ba	ise		
Porting specifications	Direction	Side			
	P, R port	C8 (One-touch fitting for ø8)	C10 (One-touch fitting for ø10)		
Port size	A, B port	C4 (One-touch fitting for ø4) C6 (One-touch fitting for ø6)	C4 (One-touch fitting for ø4) C6 (One-touch fitting for ø6) C8 (One-touch fitting for ø8)		
Manifold base ma n: Stations	iss W (g)	2 to 10 stations: W = 26n + 207 11 to 20 stations: W = 26n + 229	2 to 10 stations: W = 52n + 245 11 to 16 stations: W = 52n + 279		
Applicable flat rib connector	bon cable	Flat ribbon cable connector Socket: 20 pins MIL type with strain relief conforming to MIL-C-83503			
Wiring specificati	ons	+COM specifications (Type 45-A), -COM specifications (Type 45-NA)			
Note 1) For more than 11 stations, supply pressure to P port on both sides and exhaust from R port on both sides. Note 2) There is a limit depending on the number of solenoids. Refer to "How to Order".					

## **Flow Characteristics**

	Port size			Flow characteristics				
Model 1, 5, 3 4, 2 $1 \rightarrow 4$			$1 \rightarrow 4/2 (P \rightarrow A/B)$		$4/2 \rightarrow 5/3 (A/B \rightarrow EA/EB)$		EA/EB)	
	(P, EA, EB)	(A, B)	C (dm3/(s·bar))	b	Cv	C (dm³/(s·bar))	b	Cv
SS5Y3-45-□	C8	C6	0.88	0.21	0.22	0.95	0.18	0.22
SS5Y5-45-□	C10	C8	2.2	0.24	0.53	2.5	0.18	0.58
Note) The value is for manifold base with 5 stations and individually operated 2 position type.								

## Manifold Wiring Diagram (Circuit diagram for the reference layout)








SJ

SY




## Manifold Option


#### Individual SUP spacer assembly = Individual EXH spacer assembly = SUP blocking disk



Series	Assembly part no.	Port size	t	Series	Assembly	part no.	Port size
SY3000	SY3000-38-2A(-Q)	M5 x 0.8	11	SY3000	SY3000-39	9-2A(-Q)	M5 x 0.8
SY5000	SY5000-38-16*A(-Q)	1⁄8	15	SY5000	SY5000-39-	16*A(-Q)	1⁄8
	ote) The SUP port i on the lead wir end plate side. is shipped und shown in the fig	$\mathcal{O}^{\scriptscriptstyle N}$	on the en asser	e lead wi nd plate s mbly is sh ondition s	may be eith re side or on side. (An hipped under shown in the		
Blan	king plate a	ssemb	ly		:	* Thre	ead type
		2	-			Nil	Rc
	9			F	G		
						Ν	NPT
	10					т	NPTF

Series	Assembly part no.
SY3000	SX3000-75-1A(-Q)
SY5000	SX5000-76-5A(-Q)





#### **Connector Assembly for Flat Ribbon Cables**

Cable length (L)	Assembly part no.	Note			
1.5 m	AXT100-FC20-1	Cable 20 core			
3 m	AXT100-FC20-2	x 22 AWG			
5 m	AXT100-FC20-3				
* For other commercial connectors, use a 20 pins with strain relief					

conforming to MIL-C-83503.

### Connector manufacturers' example

- Sumitomo 3M Limited
- Fujitsu Limited
- Japan Aviation Electronics Industry, Ltd.
- J.S.T. Mfg. Co., Ltd.

## / Warning

## Series P

SY3000

SY5000

By installing a SUP blocking disk in the pressure supply passage of a manifold valve, it is possible to supply two or more different high and low pressures to one manifold.



SX30

SX50

art no.	Series	Part no.
000-77-1A	SY3000	SX3000-77-1A
000-77-1A	SY5000	SX5000-77-1A

#### Label for block disk

The labels shown below are used on manifold stations containing SUP/EXH blocking disk(s) to show their location. (3 pcs. each)

#### VZ3000-123-1A

Label for SUP block disk Label for EXH block disk Label for SUP/EXH block disk





EXH blocking disk

in the exhaust passage of a

manifold valve, it is possible to divide the valve's exhaust so that

it does not affect another valve. (Two blocking disks are needed to

divide both exhausts.)

By installing an EXH blocking disk

t

11


15

✓ Caution Mounting screw tightening torques M2: 0.16 N·m M3: 0.8 N·m M4: 1.4 N·m

When a block disk is concurrently ordered by specifying on the Note) manifold specification sheet, etc., a label will be stuck on the position where block disk is mounted.

#### Silencer with One-touch fitting


The silencer plugs directly into the One-touch fittings of the manifold.



Series	Model	Effective area	Α	В	С
For SY3000 (ø8)	AN203-KM8	14 mm <sup>2</sup>	ø16	26	51
For SY5000 (ø10)	AN200-KM10	26 mm <sup>2</sup>	ø22	53.8	80.8
FOF 5 15000 (Ø 10	AN300-KM10	30 mm <sup>2</sup>	ø25	70	97

#### Plug (white)

These are inserted in unused cylinder ports and SUP, EXH ports. Purchasing order is available in units of 10 pieces.



#### Dimensions

Applicable fittings size ød	Model	Α	L	D
4	KQ2P-04	16	32	6
6	KQ2P-06	18	35	8
8	KQ2P-08	20.5	39	10
10	KQ2P-10	22	43	12
1⁄8"	KQ2P-01	16	31.5	5
5⁄32"	KQ2P-03	16	32	6
1/4"	KQ2P-07	18	35	8.5
5⁄16"	KQ2P-09	20.5	39	10


When mounting a valve or spacer on the manifold base or sub-plate, etc., those mounting directions are determined. If mounted in the wrong direction, the equipment to be connected may cause malfunction. Refer to external dimensions, and then mount it.



Base Mounted Series SY3000/5000 Type 45 M

### **Manifold Option**

How to Order Interface regulator (SY3000, 5000 only)



Note) ARBY is not CE-compliant.


Caution Mounting screw tightening torques M2: 0.16 N·m M3: 0.8 N·m

#### Accessory


S	eries	Round head combination screw	Gasket
ARE	3Y3000	SY3000-23-10 (M2 x 36)	SX3000-57-4
ARE	8Y5000	M3 x 48.5, Matt nickel plated	SX5000-57-6



## **Dimensions: Series SY3000**




Base Mounted Series SY3000/5000





## DIN Rail Manifold Exploded View



#### **Replacement Parts**

No.	Description	Parl	t no.	Note
INO.	Description	SY3000	SY5000	Note
1	Manifold block assembly	SX3000-50-1A-□□(-Q)		•SY3000 (Metric size) C4: With one-touch fitting for ø4 C6: With one-touch fitting for ø6 •SY5000 (Metric size) C4: With one-touch fitting for ø4 (Inch size) C4: With one-touch fitting for ø4 C6: With one-touch fitting for ø4 C6: With one-touch fitting for ø6 C4: With one-touch fitting for ø6 C6: With one-touch fitting for ø8 N7: With one-touch fitting for ø5/32" C6: With one-touch fitting for ø8 N7: With one-touch fitting for ø5/32" C6: With one-touch fitting for ø8 N7: With one-touch fitting for ø5/32" C6: With one-touch fitting for ø8 N9: With one-touch fitting for ø5/16"
2	SUP/EXH block assembly	(Metric size) SX3000-51-1A (Inch size) SX3000-51-15A	(Metric size) SX3000-51-1A (Inch size) SX5000-51-15A	P, R port SY3000 (Metric size) With one-touch fitting for ø8 (Inch size) With one-touch fitting for ø5/ <sub>16</sub> " P, R port SY5000 (Metric size) With one-touch fitting for ø10 (Inch size) With one-touch fitting for ø3/ <sub>8</sub> "
3	End block assembly R	SX3000-52-1A(-Q)	SX5000-52-1A(-Q)	For D side
4	End block assembly L	SX3000-53-1A(-Q)	SX5000-53-1A(-Q)	For U side
_ 5	Connector box	VZ3000	-106-1A	For 24 VDC only
6	Rail stopper	TXE1	-SMC	Made by Kasuga Electric Works
		SY3000-43-1A-□	SY3000-43-2A-□	+COM Type D, 2 to 8 stations Type U, 9 to 16 stations
7	Commonter accomplia	SY3000-43-2A-□	SY3000-43-3A-□	+COM Type D, 9 to 16 stations Type U, 2 to 8 stations
1	Connecter assembly	SY3000-43-1NA-□	SY3000-43-2NA-□	-COM Type D, 2 to 8 stations Type U, 9 to 16 stations
		SY3000-43-2NA-□	SY3000-43-3NA-□	-COM Type D, 9 to 16 stations Type U, 2 to 8 stations
8	Dust cap	VZ300	0-63-2	
9	Round head combination screw	SY3000-23-4	M3 x 26, Matt nickel plated	
10	Gasket	SX3000-57-4	SX5000-57-6	
11	DIN rail	VZ1000	-11-1-□	Refer to page 247.





## Base Mounted Series SY3000/5000

#### How to Increase Manifold Bases

- Loosen DIN rail holding screw (a) fixing the manifold base until it begins to turn idly. (While pressing DIN rail releasing buttons (c), at two locations, separate the manifold base from the DIN rail.)
- Press manifold block assembly dividing button (b), that are at the location where manifold bases are to be added, until button (b) locks, and then separate the block assemblies.
- 3 Mount additional manifold block assembly on the DIN rail as shown in the figure 1.

Press the block assemblies until a click sound is produced, and tighten the DIN rail holding screw (a) to fix them to the DIN rail.
 Caution (Tightening torque: 1.4 N·m)

(While lightly holding the blocks after fixing an end block on one side, tighten the other end block for for better sealing.)

5 Untighten the rail stopper bolt (1) to demount the connector box from the DIN rail, and when remounting it, tighten the bolt while pressing it against the rail.

#### **∆**Caution

- Note 1) When there are 10 or fewer manifold block assemblies, and more are added to make a total of 11 or more, a supply/exhaust block assembly must also be added.
- Note 2) When disassembly and assembly are performed, air leakage may result if connections between blocks and tightening of the end block's holding screw, is inadequate. Before supplying air, confirm that there are no gaps, etc. between blocks, and that manifold blocks are securely fastened to the DIN rail. Then supply air and confirm that there is no air leakage before operating.
- Note 3) One connector assembly is necessary for one solenoid. When a number is necessary for the connector assembly mark tube, suffix the number to the part no. (0 to 15 are provided as mark tube numbers.)

Ex) +COM spec.: D type for 2 to 8 stations: No. 10 SY3000-43-1A-10

## How to Change Fitting Assembly

Type 45 manifold permits change in the A and B port sizes by changing the manifold block fitting assembly.

After removing the valve, remove the clip with a screwdriver, etc. For mounting a new fitting assembly, insert it and then insert a clip until it will not come out of the manifold block.

## Fitting Assembly Part No.


#### Metric size

One-touch fitting for ø4	VVQ1000-50A-C4
One-touch fitting for ø6	VVQ1000-50A-C6
One-touch fitting for ø4	VVQ1000-51A-C4
One-touch fitting for ø6	VVQ1000-51A-C6
One-touch fitting for ø8	VVQ1000-51A-C8
One-touch fitting for ø5/32"	VVQ1000-50A-N3
One-touch fitting for ø 1/4"	VVQ1000-50A-N7
One-touch fitting for ø5/32"	VVQ1000-51A-N3
One-touch fitting for ø 1/4"	VVQ1000-51A-N7
One-touch fitting for ø5/16"	VVQ1000-51A-N9
	One-touch fitting for ø6 One-touch fitting for ø4 One-touch fitting for ø6 One-touch fitting for ø8 One-touch fitting for ø5/32" One-touch fitting for ø1/4" One-touch fitting for ø5/32" One-touch fitting for ø1/4"


Note 1) P and R ports cannot be changed.

Note 2) Use caution that O-rings must be free from scratches and dust. Otherwise, air leakage may result.

### Fig. (1) Block mounting procedure



SJ
SY
SV
SYJ
SZ
VP4
S0700
VQ
VQ4
VQ5
VQC
VQZ
SQ
VFS
VFR
VQ7




Station expansion is possible at any position.

until a click sound is

heard.

# EX510 Gateway System Serial Transmission System Base Mounted Manifold/Stacking Type ( € Series SY3000/5000

How to Order Manifold



Add the valve and option part number under the manifold base part number. When entry of part numbers becomes complicated, indicate by the manifold specification sheet. For a manifold for an EX510, the length of the lead wire for a connector assembly depends on the number of stations. Therefore, the manifold assembly is shipped with the valves (including blanking plates) and connector assembly mounted on it, as the standard specification. Be sure to specify the part nos. of the solenoid valves to be mounted.

For details of "Gateway System Serial Transmission System, Series EX510", refer to pages 1696 through to 1724.

EX510-S101


PNP output (-COM.)

P.1715 to 1717



Ν

# Base Mounted Manifold Series SY3000/5000



When ordering valve as a single unit, gaskets for the stacking base type are not included. Order them separately, if necessary. (Refer to page 262 for details.)

 SY

 SV

 SYJ

 SZ

 VP4

 S0700

 VQ

 VQ4

 VQ5

 VQC

 VQZ

 SQ


 VFS


 VFR

 VQ7




#### D- Stations U-C4, N3 C6, N7 SY3000: SS5Y3-45S6A






(Station n)---(Station 1)



Stations n	2 stations	3	4	5	6	7	8	9	10 stations
L1	135.5	148	148	160.5	173	185.5	198	210.5	223
L2	125	137.5	137.5	150	162.5	175	187.5	200	212.5
L3	70.5	81	91.5	102	112.5	123	133.5	144	154.5
L4	16	17	12	13	14	15	16	17	18
266						<u>s</u>	SMC		

# Base Mounted Manifold Series SY3000/5000 Type 45S6A

SY3000: SS5Y3-45S6A U- Stations B-C4, N3




Block separation button (Push type)

Stations n	2 stations	3	4	5	6	7	8	9	10	11	12	13	14	15	16 stations
L1	148	160.5	173	185.5	185.5	198	210.5	223	235.5	248	260.5	260.5	273	285.5	298
L2	137.5	150	162.5	175	175	187.5	200	212.5	225	237.5	250	250	262.5	275	287.5
L3	87	97.5	108	118.5	129	139.5	150	160.5	171	181.5	192	202.5	213	223.5	234
L4	14	15	16	17	12	13	14	15	16	17	18	12.5	13.5	14.5	15.5



SY5000: SS5Y5-45S6A D- Stations U-C4, N3 C6, N7 C8, N9



(Station n)---(Station 1)


(Light/surge voltage suppressor)

	stations	3	4	5	6	7	8	9	10 stations
L1	148	160.5	173	198	210.5	223	248	260.5	273
L2	137.5	150	162.5	187.5	200	212.5	237.5	250	262.5
L3	84	100	116	132	148	164	180	196	212
L4	15.5	14	12	16.5	15	13	17.5	16	14

**SMC** 

268

# Base Mounted Manifold Series SY3000/5000




Stations n	2 stations	3	4	5	6	7	8	9	10	11	12	13	14	15	16 stations
L1	160.5	185.5	198	210.5	223	248	260.5	273	298	310.5	323	335.5	360.5	373	385.5
L2	150	175	187.5	200	212.5	237.5	250	262.5	287.5	300	312.5	325	350	362.5	375
L3	102	118	134	150	166	182	198	214	230	246	262	278	294	310	326
L4	13	17.5	15.5	14	12	16.5	15	13	17.5	16	14	12.5	17	15	13.5

Block separation button (Push type)



## **Manifold Option**



Note) The above is for the station addition or maintenance. When ordering a connector assembly separately, a number would not be printed on the connector.


Single

Double/3 position

Double/3 position



SS5Y9- <sup>23</sup><sub>43</sub>SA



SY3000-37-81A-4-9

SY3000-37-81A-6-N

SY3000-37-81A-6-11

#### Housing (8 pcs./set) SY3000-44-3A

: For 1 to 4 stations

: For 5 to 8 stations

: For 5 to 8 stations

Triangle mark

#### Connector assembly order no. (Can be used for the manifold with a specified layout)

Model	Part no.	Connector mounting position					
	SY3000-37-80A-3	Starting from the SI unit side: From unit 1 to unit 4					
SS5Y3-45S6A	SY3000-37-80A-4	Starting from the SI unit side: From unit 5 to unit 8					
55515-4550A	SY3000-37-80A-6	Starting from the SI unit side: From unit 9 to unit 12					
	SY3000-37-80A-7	Starting from the SI unit side: From unit 13 to unit 16					
	SY3000-37-80A-4	Starting from the SI unit side: From unit 1 to unit 4					
SS5Y5-45S6A	SY3000-37-80A-6	Starting from the SI unit side: From unit 5 to unit 8					
55515-4550A	SY3000-37-80A-8	Starting from the SI unit side: From unit 9 to unit 12					
	SY3000-37-80A-10	Starting from the SI unit side: From unit 13 to unit 16					

Note 1) The above is for station addition or maintenance. When ordering a connector assembly separately, a number will not be printed on the connector. Note 2) After inserting the connector assembly into the housing, be sure to confirm that the lead wire will not come off by lightly pulling the wire Furthermore, do not reuse the lead wire after it has been inserted and removed.


Note 3) Wiring is set longer than the actual wiring distance.

270



SJ SY SV SYJ SZ VP4 S0700 VQ4 VQ4 VQ5 VQ2 SQ VFS VFR VQ7	
SV SYJ SZ VP4 S0700 VQ VQ2 VQ5 VQ2 SQ VFS VFR	SJ
SYJ           SZ           VP4           S0700           VQ           VQ           VQ5           VQC           VQZ           SQ           VFS           VFR	SY
SZ VP4 S0700 VQ VQ4 VQ5 VQC VQZ SQ VFS VFR	SV
VP4 S0700 VQ VQ4 VQ5 VQC VQZ SQ VFS VFR	SYJ
S0700 VQ VQ4 VQ5 VQC VQZ SQ VFS VFR	SZ
VQ VQ4 VQ5 VQC VQZ SQ VFS VFR	VP4
VQ4 VQ5 VQC VQZ SQ VFS VFR	
VQ5 VQC VQZ SQ VFS VFR	VQ
VQC VQZ SQ VFS VFR	VQ4
VQZ SQ VFS VFR	VQ5
SQ VFS VFR	VQC
VFS VFR	VQZ
VFR	SQ
	VFS
VQ7	VFR
	VQ7






One-	touch fitting (Me	etric size)	0	)ne	-touch fitting (Inch s	size)		
Symbol	Port size	Applicable series	S	Symbol	Port size	Applicable series		
C4	One-touch fitting for ø4		1	N3	One-touch fitting for ø5/32"			
C6	One-touch fitting for ø6	SY3000	1	N7	One-touch fitting for ø $1/4$ "	SY3000		
М	Mixed			М	Mixed			
C4	One-touch fitting for ø4		1	N3	One-touch fitting for ø 5/32"			
C6	One-touch fitting for ø6	SY5000	1	N7	One-touch fitting for ø $1/4$ "	SY5000		
<b>C</b> 8	One-touch fitting for ø8	515000	1	N9	One-touch fitting for ø5/16"	515000		
М	Mixed			М	Mixed			
				( )	in dia stata a su susta lu s			


\* In the case of mixed specifications (M), indicate separately on the manifold specification sheet.

#### Option •

When a longer DIN rail is desired than the specified stations, specify the station number to be required. (20 stations at maximum)



Refer to pages 324 to 328 for external pilot specifications and built-in silencer.



are not included. Order them separately, if necessary.


(Refer to page 300 for details.)

**BSMC** 

Base Mounted Series SY3000/5000




## How to Order Manifold



**BSMC** 



## How to Order Manifold




When ordering plug-in type valve as a single unit, gaskets are not included. Order them separately, if necessary. (Refer to page 300 for details.)

274



## **Manifold Specifications**



Madal			D-sub connector	Flat ribb	oon cable Type	e 45Pl	Termin	al block	Flat ribbon cable PC wiring system compatible			
Model			Type 45F	Type 45P	Type 45PG	Type 45PH	Type 45T	Type 45T1	Type 45G			
Manifold			Plug-in									
P (SUP)/R	(EXH)		Common SUP, Common EXH									
Valve stat	ions No	te 1, 2)	2 to 2	2 to 20 stations 2 to 16 stations 2 to 8 stations 2 to 17 stations 2 to 16 station								
A, B port		Location		Base								
Porting speci	fications	Direction				Side						
	D D port	SY3000			C8 (One	-touch fitting for	or ø8)					
Port size	P, R port	SY5000		C10 (One-touch fitting for ø10)								
Fort Size	A D nort	SY3000		C4 (One	-touch fitting fo	or ø4)/C6 (One	e-touch fitti	ng for ø6)				
	A, B port	SY5000	C4 (One-	C4 (One-touch fitting for ø4)/C6 (One-touch fitting for ø6)/C8 (One-touch fitting for ø8) D-sub connector Flat ribbon cable connector Flat ribbon cable connector Text ribbon cable connector Complies with Socket: 20 pins MIL type Socket: 20 pins M								
Applicabl	Applicable connector			with strain relief	Flat ribbon cable connector Socket: 20 pins MIL type with strain relief Conforming to MIL-C-83503	with strain relief	(M3)	Terminal block (M3) 18 pins	Flat ribbon cable connector Socket: 20 pins MIL type with strain relief Conforming to MIL-C-83503			
Internal w	viring		+CON	l (Type 45⊡), ·	-COM (Type 4	l5N□)	In common betwee	n +COM and -COM.	+ COM			
Manifold base mass w (g)						ations: $W = 26$ stations: $W = 2$						
n: Station (D-sub con	S	SY5000	2 to 10 stations: W = 54n + 227 11 to 20 stations: W = 52n + 264									
<u> </u>												

Note 1)For more than 11 stations, supply pressure to P port on both sides and exhaust from R port on both sides. Note 2)There is a limit depending on the number of solenoids. Refer to "How to Order".


## Flow Characteristics


	Port	size		Flow characteristics								
Model	1 ,5 ,3	4 ,2	1	$\rightarrow$ 4/2 (P $\rightarrow$ A/	В)	$4/2 \rightarrow 5/3 (A/B \rightarrow EA/EB)$						
	(P ,EA ,EB)	(A ,B)	C (dm3/(s·bar))	b	Cv	C (dm3/(s·bar))	b	Cv				
SS5Y3-45□	C8	C6	0.88	0.21	0.22	0.95	0.18	0.22				
SS5Y5-45□	C10	C8	2.2	0.24	0.53	2.5	0.18	0.58				
Note)	The value is	for manifold b	ase with 5 stat	ions and indiv	vidually operat	ed 2 position t	ype.					

## **Manifold Option**

#### Blanking plate assembly

Terminal block







Mounting screw tightening torques

M2: 0.17 N·m M3: 0.8 N·m M4: 1.4 N·m

## SUP blocking disk

By installing a SUP blocking disk in the pressure supply passage of a manifold valve, it is possible to supply two or more different high and low pressures to one manifold.




Series	Part no.
SY3000	SX3000-77-1A
SY5000	SX5000-77-1A

#### EXH blocking disk

By installing an EXH blocking disk in the exhaust passage of a manifold valve, it is possible to divide the valve's exhaust so that it does not affect another valve. (Two blocking disks are needed to divide both exhausts.)





## Label for block disk

The labels shown below are used on manifold stations containing SUP/EXH block disk(s) to show their location. (3 pcs. each) **VZ3000-123-1A** (In common with SY3000, 5000)

Label for SUP block disk Label for EXH block disk Label for SUP/EXH block disk





Note) When a block disk is concurrently ordered by specifying on the manifold specification sheet, etc., a label will be stuck on the position where block disk is mounted.

#### Silencer with One-touch fitting -

The silencer plugs directly into the One touch fittings of the manifold.

Jie-	• •	
<		

в

С

Series	Model Effective area		Α	В	С	
For SY3000 (ø8)	AN203-KM8	14 mm <sup>2</sup>	ø16	26	51	
For SY5000 (ø10)	AN200-KM10	26 mm <sup>2</sup>	ø22	53.8	80.8	
FUI 313000 (010)	AN300-KM10	30 mm <sup>2</sup>	ø25	70	97	

#### Plug (white)


These are inserted in unused cylinder ports and SUP, EXH ports. Purchasing order is available in units of 10 pieces.

#### Dimensions

Dimensions				
Applicable fittings size ød	Model	Α	L	D
4	KQ2P-04	16	32	6
6	KQ2P-06	18	35	8
8	KQ2P-08	20.5	39	10
10	KQ2P-10	22	43	12
1⁄8"	KQ2P-01	16	31.5	5
5⁄32"	KQ2P-03	16	32	6
1/4"	KQ2P-07	18	35	8.5
5⁄16"	KQ2P-09	20.5	39	10



## **Manifold Option**



**Electric characteristics** 

Item Conductor resistance

Ω/km, 20°C Voltage limit

V, 1 min, AC Insulation resistance

 $M\Omega km$ , 20°C

Note) The min. bending radius of D-sub

cable assembly is 20 mm.

Characteristics

65 or less

1000

5 or more

#### D-sub connector cable

Cable length (L)	Assembly part no.	Note						
1.5 m	AXT100-DS25-015	Cable 25 core						
3 m		x 24 AWG						
5 m	AXT100-DS25-050	X 24 AWG						
* When a commercially available connector is required, use a 25								


connector is required, use a 25 pin female connector conforming to MIL-C24308.

#### Connector manufacturers' example

- Hirose Electric Co., Ltd.
- Fujitsu Limited
- Japan Aviation Electronics Industry, Ltd.
- J.S.T. Mfg. Co., Ltd.

#### Flat Ribbon Cable Connector/Cable assembly

#### AXT100-FC □-<sup>1</sup>



#### Flat Ribbon Cable Assembly

Cable length (L)	10 pins	20 pins	26 pins
1.5 m	AXT100-FC10-1	AXT100-FC20-1	AXT100-FC26-1
3 m	AXT100-FC10-2	AXT100-FC20-2	AXT100-FC26-2
5 m	AXT100-FC10-3	AXT100-FC20-3	AXT100-FC26-3
Connector width (W)	17.2	30	37.5

\* For other commercial connectors, use a type with strain relief that conform to MIL-C-83503.

#### Connector manufacturers' example

- Hirose Electric Co., Ltd.
- Sumitomo 3M Limited
- Fujitsu Limited
- Japan Aviation Electronics Industry, Ltd.
- J.S.T. Mfg. Co., Ltd.

#### D-sub connector cable assembly Terminal numbers


or Dot marking None None None None None None White Black Black Red
None None None None White Black Black Red
None None None None White Black Black Red
None None None White Black Black Red
None None White Black Black Red
None None White Black Black Red
None White Black Black Red
White Black Black Red
Black Black Red
Black Red
Red
Ded
Red
Red
Black
Black
White
None
None
Black
White
White
Red
Red
White
VVIIIC

#### Dimensions/DIN rail

VZ1000-11-1-

• Refer to L dimensions

∗ Fill in □ with an appropriate no. listed on the table of DIN rail dimensions shown below.



No.	0	1	2	3	4	5	6	7	8	9	10
L Dimension	98	110.5	123	135.5	148	160.5	173	185.5	198	210.5	223
No.	11	12	13	14	15	16	17	18	19	20	21
L Dimension	235.5	248	260.5	273	285.5	298	310.5	323	335.5	348	360.5
No.	22	23	24	25	26	27	28	29	30	31	32
L Dimension	373	385.5	398	410.5	423	435.5	448	460.5	473	485.5	498
No.	33	34	35	36	37	38	39	40	41	42	43
L Dimension	510.5	523	535.5	548	560.5	573	585.5	598	610.5	623	635.5
No.	44	45	46	47	48	49	50	51	52	53	54
L Dimension	648	660.5	673	685.5	698	710.5	723	735.5	748	760.5	773
No.	55	56	57	58	59	60	61	62	63	64	65
L Dimension	785.5	798	810.5	823	835.5	848	860.5	873	885.5	898	910.5
No.	66	67	68	69	70	71					
I Dimension	023	035 5	0/18	960 5	073	085 5	•				

L Dimension 923 935.5 948 960.5 973 985.5




Refer to L1 dimension on pages starting with pages 282 to 299 for lengths that correspond to the number of manifold stations.


Base Mounted Series SY3000/5000 Type 45

## **Manifold Internal Wiring**

#### 45(N)F/D-sub Connector


A D-sub connector used for electric wiring reduces labor during wiring operation. Connectors conforming to MIL are used for interchangeability.







#### Type 45(N)P/Flat Ribbon Cable (26 pins)

A flat ribbon cable connector used for electric wiring reduces labor during wiring operation. Connectors conforming to MIL are used for interchangeability.







• The power source terminal is used for connecting to an external power source.

**∂SMC** 

- The maximum number of stations that can be accommodated is 20 manifold stations, with up to 20 solenoids. (For more stations, please contact SMC.)
- Regardless of the connector mounting position, stations are to be counted from D side as the 1st one.

277

SJ

SY

SV

SYJ

SZ

VP4

S0700

VQ

V04

VQ5

VQC

VQZ

SQ

VFS

VFR


**VQ7** 




## **Manifold Internal Wiring**

#### Type 45(N)PG/Flat Ribbon Cable (20 pins)


A flat ribbon cable connector used for electric wiring reduces labor during wiring operation. Connectors conforming to MIL are used for interchangeability.







#### Type 45(N)PH/Flat Ribbon Cable (10 pins)


A flat ribbon cable connector used for electric wiring reduces labor during wiring operation. Connectors conforming to MIL are used for interchangeability.







- The power source terminal is used for connecting to an external power source.
- The maximum number of stations that can be accommodated is 16 manifold stations, with up to 16 solenoids. (For more stations, please contact SMC.)
- Regardless of the connector mounting position, stations are to be counted from D side as the 1st one.




- The power source terminal is used for connecting to an external power source.
- The maximum number of stations that can be accommodated is 8 manifold stations, with up to 8 solenoids. (For more stations, please contact SMC.)
- Regardless of the connector mounting position, stations are to be counted from D side as the 1st one.

Base Mounted Series SY3000/5000



## **Manifold Internal Wiring**




• There is no polarity in the COM wiring. Supply positive power for +COM spec. and negative power for -COM spec.




## **Manifold Internal Wiring**

## Type 45G Flat Ribbon Cable (PC Wiring System compatible)

It's the manifold for 20 pins flat ribbon cable connector which is compliant for PC wiring system.






- The maximum number of stations that can be accommodated is 16 manifold stations, with up to 16 solenoids. (For more stations, please contact SMC.)
- Regardless of the connector mounting position, stations are to be counted from D side as the 1st one.
  - (For details about the PC wiring system, refer to catalog
  - CAT.E02-20 separately.

#### How to Connect SS5Y -45 (Plug-in)

Power terminal is equipped with plug-in manifold of Series SY as standard. Power terminal enables the power supply to valve from either of manifold or controller side. The wiring examples should be used for reference when wiring is performed.

#### 1. Wiring example when using manifold power supply terminals




### **≜**Caution


• Single wire, COM position, etc. of PLC are different from each manufacturer. When connecting with PLC, read the specifications carefully and understand the electrical circuit. Poor wiring could cause damage to PLC, power source, etc. as well as manifold and valve.



### SY3000: D-sub Connector/Plug-in




#### SY3000: D-sub Connector/Plug-in






### SY5000: D-sub Connector/Plug-in




#### SY5000: D-sub Connector/Plug-in






## SY3000: Flat Ribbon Cable/Plug-in






#### SY3000: Flat Ribbon Cable/Plug-in






## SY5000: Flat Ribbon Cable/Plug-in




## SY5000: Flat Ribbon Cable/Plug-in






#### SY3000: 9 Pins Terminal Block/Plug-in















**SMC** 

#### SY3000: 18 Pins Terminal Block/Plug-in


Base Mounted Series SY3000/5000 108-5









#### SY5000: 18 Pins Terminal Block/Plug-in






#### SY5000: 18 Pins Terminal Block/Plug-in






#### SY3000: PC Wiring System Compatible (Flat ribbon cable/Plug-in)




**∂SMC** 





#### SY5000: PC Wiring System Compatible (Flat ribbon cable/Plug-in)




#### SY5000: PC Wiring System Compatible (Flat ribbon cable/Plug-in)



#### **DIN Rail Manifold Exploded View**

#### Type 45F (D-sub Connector) Manifold



Na	Description	Parl	t no.	Note					
No.	Description	SY3000	SY5000	Not	le				
1	Manifold block assembly			according to an attached lead wire assembly based on the connector spec. Select an anifold block assembly part number shown below. (Gasket 7 is supplied as an accessory.)					
2	SUP/EXH block assembly	(Metric size) SX3000-51-2A (Inch size) SX3000-51-16A	(Metric size) SX3000-51-2A (Inch size) SX5000-51-16A	Metric size SY3000: P, R port with one-touch fitting fc SY5000: P, R port with one-touch fitting fc	Inch size or ø8 With one-touch fitting for ø $\frac{5}{16}$ or ø10 With one-touch fitting for ø $\frac{3}{8}$				
3	End block assembly	SX3000-52-2A(-Q)	SX5000-52-2A(-Q)	For D	side				
4	End block assembly	SX3000-53-2A(-Q)	SX5000-53-2A(-Q)	For U	side				
5-1	Connector block assembly (for D-sub connector)	SX3000-64- <sup>1A</sup> 1NA	SX5000-64- <sup>1A</sup> 1NA	-1A: +COM -1NA: -COM					
5-2	Connector block assembly (for 26 pins flat cable)	SX3000-64- <sup>2A</sup> <sub>2NA</sub> -26	SX5000-64- <sup>2A</sup> <sub>2NA</sub> -26		Note)				
5-3	Connector block assembly (for 20 pins flat cable)	SX3000-64- <sup>2A</sup> <sub>2NA</sub> -20	SX5000-64- <sup>2A</sup> <sub>2NA</sub> -20	-2A: +COM -2NA: -COM	For 24 VDC				
5-4	Connector block assembly (for 10 pins flat cable)	SX3000-64- <sup>2A</sup> <sub>2NA</sub> -10	SX5000-64- <sup>2A</sup> <sub>2NA</sub> -10						
5-5	Connector block assembly (for 2 to 8 stations (T, T1) terminal block)	SX3000-64-3A	SX5000-64-3A		COM and COM				
5-6	Connector block assembly (for 9 to 17 stations (T1) terminal block)	SX3000-64-8A	SX5000-64-8A	In common between					
6	Round head combination screw	SY3000-23-4	M3 x 26, Matt nickel plated						
7	Gasket	SX3000-57-4	SX5000-57-6						
8	DIN rail	VZ1000	)-11-1-I	Refer to pa	age 276.				
$\bigcirc$	Note 1) The numbers 5-1 to 4 are for 24 VDC. For 12 VDC, suffix "-12V" to the end of parts number. (Example) SX3000-64-1A-12 V								


**SMC** 

Note 1) Two manifold block assemblies are necessary for the double, 3 position (Dual body type).

-		
Style of manifold	Manifold block assembly part no.	Note
For 45(N)F (D-sub connector)	SX <sub>5</sub> <sup>3</sup> 000-50-3A-□□(-Q)	□□: AB port SY3000 (metric size) C4: With one-touch fitting for ø4 C6: With one-touch fitting for ø6
For $45(N)_{PH}^{P}$ (Flat ribbon cable)		(inch size) N3: With one-touch fittign for $0.5/_{2}$ N7: With one-touch fitting for $0.1/_{4}$ "
For 45G PC Wiring System compatible	SX <sub>5</sub> <sup>3</sup> 000-50-5A-□□(-Q)	A, B port SY5000 (metric size) C4: With one-touch fitting for ø4 C6: With one-touch fitting for ø6 C8: With one-touch fitting for ø8
For 45 <sup>⊺</sup> ₁ (Terminal block)	SX <sub>5</sub> <sup>3</sup> 000-50-7A-□□(-Q)	(inch size) N3: With one-touch fitting for $9^{5/32}$ N7: With one-touch fitting for $9^{1/4}$ N9: With one-touch fitting for $9^{5/16}$



#### How to Increase Manifold Bases




One-touch fitting for ø8 VVQ1000-51A-C8 Note 1) P and R ports cannot be changed.

VVQ1000-51A-C6

SY5000 One-touch fitting for ø6

air leakage may result.






O-ring



## SY3000/5000 Base Mounted Manifold CE Stacking Type/DIN Rail Mounted EX122 Integrated Type (for Output) Serial Transmission System

How to Order Manifold Assembly (Example)

#### How to Order Manifold



V CC-LINK

**SMC** 

Refer to pages 1650 to 1652 for the details of the EX122 integrated type (for output) serial transmission system.

EX122-SMJ1

CE-compliant

CE-compliant


Nil

Q

J2 SUNX Corp.: S-LINK (8 outputs) EX122-SSL2


Base Mounted **SY3000/5000** Type 45S


### Series SY3000: EX122 Integrated Type (for Output) Serial Transmission System/Plug-in





#### Series SY5000: EX122 Integrated Type (for Output) Serial Transmission System/Plug-in





#### SI Unit Part No.


Sym	Protocol type	SI unit No.	CE-compliant	Symbol	Protocol type	SI unit No.	CE-compliant
F	NKE Corp.: Uni-wire System	EX121-SUW1	—	Q	DeviceNet	EX121-SDN1	0
H	NKE Corp.: Uni-wire H System	EX121-SUH1	_	R1	OMRON Corp.: CompoBus/S (16 outputs) compatible	EX121-SCS1	0
J	SUNX Corp.: S-LINK (16 outputs)	EX121-SSL1	—	R2	OMRON Corp.: CompoBus/S (8 outputs) compatible	EX121-SCS2	0
J	2 SUNX Corp.: S-LINK (8 outputs)	EX121-SSL2	_	V	CC-LINK	EX121-SMJ1	0
-	~			-			

• For external pilot specifications and built-in silencer, refer to pages 324 to 328.

Refer to pages 1650 to 1652 for the details of the EX121 separate type (for output) serial transmission system.




#### How to Order Valve Manifold Assembly (Example)




keep in mind that they require two manifold stations.

#### How to Order Valve



When ordering plug-in type valve as a single unit, gaskets are not included. Order them separately, if necessary. (Refer to page 300 for details.)


Base Mounted SY3000/5000 Type 45S1



#### SY3000: EX121 Separate Type (for Output) Serial Transmission System/Plug-in



#### SY3000: EX121 Separate Type (for Output) Serial Transmission System/Plug-in



Note) The L1 to L4 dimensions of SS5Y3-45S1 D-Stations D-C4, N3 are identical to those of SS5Y3-45S1D- Stations U-C4, N3




ĺ	Stations n	2 stations	3	4	5	6	7	8	9	10 stations
	L1	160.5	173	185.5	198	198	210.5	223	235.5	248
	L2	150	162.5	175	187.5	187.5	200	212.5	225	237.5
	L3	91.5	102	112.5	123	133.5	144	154.5	165	175.5
	L4	14	15	16	17	12	13	14	15	16

2 stations	3	4	5	6	7	8	9	10 stations
173	185.5	198	210.5	223	235.5	235.5	248	260.5
162.5	175	187.5	200	212.5	225	225	237.5	250
108	118.5	129	139.5	150	160.5	171	181.5	192
12	13	14	15	16	17	12	13	14
11 stations	12	13	14	15	16 stations			
273	285.5	000	000					
210	200.0	298	298	310.5	323			
262.5		298 287.5		310.5 300	323 312.5			
-	275		287.5	300				
	173 162.5 108 12 11 stations	173     185.5       162.5     175       108     118.5       12     13       11 stations     12	173         185.5         198           162.5         175         187.5           108         118.5         129           12         13         14           11 stations         12         13	173         185.5         198         210.5           162.5         175         187.5         200           108         118.5         129         139.5           12         13         14         15           11stations         12         13         14	173         185.5         198         210.5         223           162.5         175         187.5         200         212.5           108         118.5         129         139.5         150           12         13         14         15         16           11stations         12         13         14         15	173         185.5         198         210.5         223         235.5           162.5         175         187.5         200         212.5         225           108         118.5         129         139.5         150         160.5           12         13         14         15         16         17           11stations         12         13         14         15         16 stations	173         185.5         198         210.5         223         235.5         235.5           162.5         175         187.5         200         212.5         225         225           108         118.5         129         139.5         150         160.5         171           12         13         14         15         16         17         12           11stations         12         13         14         15         16 stations	173       185.5       198       210.5       223       235.5       248         162.5       175       187.5       200       212.5       225       237.5         108       118.5       129       139.5       150       160.5       171       181.5         12       13       14       15       16       17       12       13         11 stations       12       13       14       15       16 stations


Base Mounted SY3000/5000 Type 45S1

### SY5000: EX121 Separate Type (for Output) Serial Transmission System/Plug-in





### SY5000: EX121 Separate Type (for Output) Serial Transmission System/Plug-in




SJ SY SV SYJ
SV
SV
SYJ
SZ
VP4
S0700
VQ
VQ4
VQ5
VQC
VQZ
SQ
VFS
VFR
VQ7



# EX510 Gateway System Serial Transmission System Base Mounted Manifold/Stacking Type/Plug-in Type ( € Series SY3000/5000

How to Order Manifold




They will be assembled in the order listed starting at the first station at the D side whether the connector box is located at either end.
When ordering double solenoid valves/3 position (dual body style), please keep in

mind that they require two manifold stations.

For details of "Gateway System Serial Transmission System, Series EX510", refer to pages 1696 through to 1724.

# Base Mounted Manifold Series SY3000/5000

#### How to Order Valves








When ordering plug-in type valve as a single unit, gaskets are not included. Order them separately, if necessary. (Refer to page 300 for details.)




#### D- Stations U-C4, N3 C6, N7 SS5Y3-45S6B










L: Dimensions n: Stations										
L	2	3	4	5	6	7	8	9	10	
L1	148	160.5	173	185.5	198	210.5	223	223	235.5	
L2	137.5	150	162.5	175	187.5	200	212.5	212.5	225	
L3	124.5	135	145.5	156	166.5	177	187.5	198	208.5	
L4	12	13	14	15	16	17	18	12.5	13.5	
314 <b>SMC</b>										

# Base Mounted Manifold Series SY3000/5000

#### SS5Y3-45S6B U- Stations B-C4, N3 C6, N7




L: Dim	L: Dimensions n: Stations												: Stations		
L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	173	185.5	198	198	210.5	223	235.5	248	260.5	273	273	285.5	298	310.5	323
L2	162.5	175	187.5	187.5	200	212.5	225	237.5	250	262.5	262.5	275	287.5	300	312.5
L3	141	151.5	162	172.5	183	193.5	204	214.5	225	235.5	246	256.5	267	277.5	288
L4	16	17	18	13	14	15	16	17	18	19	13.5	14.5	15.5	16.5	17.5


**SMC** 


315




#### D- Stations U-<sup>C4, N3</sup> C8, N9 SS5Y5-45S6B











L·г	)imen	sions		

L: Dimensions n: Stations										
L n	2	3	4	5	6	7	8	9	10	
L1	173	185.5	198	210.5	235.5	248	260.5	285.5	298	
L2	162.5	175	187.5	200	225	237.5	250	275	287.5	
L3	138	154	170	186	202	218	234	250	266	
L4	17.5	16	14	12.5	17	15	13.5	18	16	
316								<b>\$</b>	SMC	

SJ
SY
SV
SYJ
SZ
VP4
S0700
VQ
VQ4
VQ5
VQC
VQZ
SQ
VFS
VFR
VQ7




# 3 Port Valve Mixed Mounting Type on 5 Port Valve Manifold ( $\in$ *Series SY300/500*

## 3 port valve can be mounted on manifold for 5 port valve.

### Applications


Possible to be mounted on all kinds of manifolds for Series SY3000/5000. Refer to "How to Order Manifold" for the details.

## How to Order Manifold Assembly (Example)



318

### Body Ported/How to Order Valve



- Refer to page 336 for the lead wire length of L and M plug connectors.
- Refer to page 337 for the connector assembly with cover for L and M plug connectors.
- Note) Enter the cable length symbols in □. Please be sure to fill in the blank referring to page 340.


 $\mathcal{O}$ 

Note) When placing an order for body ported solenoid valve as a single unit, mounting screw for manifold and gasket are not attached. Order them separately, if necessary. (Refer to page 173 for details.)

**SMC** 


## Series **SY300/500**

## Body Ported/How to Order Valve




Note) Enter the cable length symbols in □. Please be sure to fill in the blank referring to page 340.

### Base Mounted/How to Order Valve




## Series SY300/500

### Construction



No.	Description	Material	Note
1	Body	Aluminum die-casted (SY3000: Zinc die-casted)	White
2	Adapter plate	Resin	White
3	End plate	Resin	White
4	Piston	Resin	_
5	Spool valve assembly	Aluminum, H-NBR	-

#### No. Description No. Pilot valve assembly Refer to "How to Order Pilot Valve Assembly" on page 112. 6 7 M5 port block assembly Refer to "How to Order Port Block Assembly" below.



## Specifications

Dimensions, specifications, solenoid specifications, response time and effective area are the same as 5 port valve.

### Mass

### Series SY300

Valve model	Type of actuation	Mass (g)		
valve model	Type of actuation	Grommet	L, M plug connector	
SY3⊡3-□□-M5	Single	51	53	
31313-11-1015	Double	68	74	
SY3□3-□□- <sup>C4</sup>	Single	56	59	
N3	Double	74	79	
SY3□3-□□- <sup>C6</sup>	Single	54	57	
513L3-LL-N7	Double	72	77	
SY3□5-□□	Single	47	50	
51313-11	Double	65	70	

Series SY500				
Valve model	Turne of actuation		Mass (g)	
valve model	Type of actuation	Grommet	L, M plug connector	DIN terminal
SY5⊡3-⊡-01⊡	Single	69	72	93
51503-0-010	Double	87	93	135
SY5⊡3-⊡- <sup>C4</sup> N3	Single	82	82	103
515_3N3	Double	100	102	144
SY5⊡3-⊡- <sup>C6</sup>	Single	79	77	98
515-13-11-N7	Double	97	98	140
SY5⊡3-□- <sup>C8</sup>	Single	75	84	105
515L3-LI-N9	Double	93	105	147
	Single	55	58	79
SY5□5-□□	Double	73	78	120

SY
SV
SYJ
SZ
VP4
S0700
VQ
VQ4
VQ5
VQC
VQZ
SQ
VFS
VFR
VQ7




## SY3000/5000 Made to Order External Pilot/Built-in Silencer




External pilot manifold bases for low-pressure/vacuum use are added to split style/DIN rail manifolds. The built-in silencer has materialized a clear-cut appearance.

## Individual Wiring/Connector Box Type

### How to Order Manifold




## How to Order Manifold Assembly (Example)



External Pilot/Built-in Silencer SY3000/5000

#### How to Order Valve



24, 12, 6, 5, 3 VDC/100, 110, 200, 220 VAC			24, 12 VDC/ 100, 110, 200, 220 VAC	24, 12, 6, 5, 3 VDC
Grommet	L plug connector	M plug connector	DIN terminal	M8 connector
G: Lead wire length 300 mm H: Lead wire length 600 mm	L: With lead wire (Length 300 mm) LN: Without lead wire LO: Without connector	M: With lead wire (Length 300 mm) MN: Without lead wire MO: Without connector	D: With connector	<ul> <li>WO: Without connector cable</li> <li>W□: With connector cable <sup>Note)</sup></li> </ul>

\* LN, MN type: with 2 sockets.

\* D, Y, DO and YO only available for SY5000.

\* "Y" type is a DIN terminal conforming to EN-175301-803C (former DIN43650C).

Refer to page 336 for details.

\* Setting "-5LOU" is available only for connector box type.

\* Refer to page 339 for connector cable of M8 connector.

\* M8 connector conforming to IEC60947-5-2 standard is also available. Refer to page 331 for details.


\* Refer to page 336 for the lead wire length of L and M plug connectors.

∗ Refer to page 337 for the connector assembly with cover for L and M plug connectors. Note) Enter the cable length symbols in □. Please be sure to fill in the blank referring to page 340.






### Plug-in




**SMC** 

#### How to Order Manifold Assembly (Example)



### **External Pilot/Built-in Silencer**




**₿SMC** 

327

[ ]: AC



### External Pilot/Built-in Silencer



## SY3000/5000 Made to Order Mixed Mounting Type




How to Order Manifold Assembly (Example)

Non plug-in

Type M45

### This manifold makes it possible to mount SY3000 onto base of SY5000.


### How to Order Manifold





### **Dimensions: Mixed Mounting**


₽ [ ]: AC



## [*Series SY3000/5000/7000/9000/SY300/500*] Made to Order M8 Connector Conforming to IEC60947-5-2

Made to Order

### How to Order Valve



## Series SY3000/5000/7000/9000 Made to Order Body Ported External Pilot/Fluoro Rubber for Main Valve



#### **Body Ported External** Pilot Applicable solenoid valves: Series SY3 $\square_6^2$ 0, SY5 $\square_6^2$ 0, SY7 $\square_6^2$ 0 Model SY 5 X20-CE-compliant Entry is the same as Nil standard products. Q CE-compliant Operating pressure range MPa -100 kPa to 0.7 Operating pressure range Pilot pressure range 0.25 to 0.7


#### Dimensions: For SY3 20, SY5 20, SY7 20

Dimensions SY3000 becomes 6.5 mm longer SY5000 and SY7000 becomes 10 mm longer.

#### External pilot port

Series	Port size
SY3000	M3 x 0.5
SY <sup>5</sup> 000	M5 x 0.8

#### Dimensions: For SY3 60, SY5 60, SY7 60



#### **Dimentions/External Pilot Port Position**


Series	L1 dimensions	L2 dimensions
SY3000	41.5	6.5
SY5000	60.4	9
SY7000	71.9	9

#### JIS Symbol

Body ported 2 position single




2 position double




3 position closed center



3 position exhaust center



3 position pressure center




### Main Valve Fluoro Rubber Specifications

Fluoro rubber is used for rubber parts of the main valve to allow use in applications such as the following.

 When using a lubricant other than the recommended turbine oil, and there is a possibility of malfunction due to swelling of the spool valve seals.

Applicable solenoid valves: Series SY3 $\Box_4^2$ 0, SY5 $\Box_4^2$ 0, SY7 $\Box_4^2$ 0, SY9 $\Box_4^2$ 0, SY9 $\Box_4^2$ 0



Q CE-compliant

## **SMC**



Be sure to read before handling. Refer to front matters 58 and 59 for Safety Instructions and pages 3 to 7 for 3/4/5 Port Solenoid Valve Precautions.

Manual Override Operation

## **A**Warning


Non-locking push type [Standard]

Press in the direction of the arrow



## Push-turn locking slotted type [Type D]

While pressing, turn in the direction of the arrow. If it is not turned, it can be operated the same way as the nonlocking type.



Locked position




Locked position

### **∆**Caution

When operating the locking type D with a screw driver, turn it gently using a watchmakers screw driver. [Torgue: Less than  $0.1 \text{ N} \cdot \text{m}$ ]

### ■ Push-turn locking lever type [Type E]

While pressing, turn it the direction of the arrow. If it is not turned, it can be operated the same way as the nonlocking type.





When locking the manual override on the push-turn locking types (D, E), be sure to push it down before turning. Turning without first pushing it down can cause damage to the manual override and trouble such as air leakage, etc.

### Solenoid Valve for 200, 220 VAC Specifications

## **A**Warning

Solenoid valves with grommet and L/M type plug connector AC specifications have a built-in rectifier circuit in the pilot section to operate the DC coil.

With 200 V, 220 VAC specification pilot valves, this built-in rectifier generates heat when energized. The surface may become hot depending on the energized condition; therefore, do not touch the solenoid valves.

**Exhaust Throttle** 


## Caution

With series SY, the pilot valve and main valve share a common exhaust inside the valve. Therefore, do not block the exhaust port when arranging the piping.

> Series SY3000/5000/7000/9000 Used as a 3-Port Valve

## ▲ Caution

**In case of using a 5-port valve as a 3-port valve** Series SY3000/5000/7000/9000 can be used as normally closed (N.C.) or normally open (N.O.) 3-port port valves by closing one of the cylinder ports (A or B) with a plug. However, they should be used with the exhaust ports kept open. (Refer to pages 318 to 323 for dedicated 3-port solenoid valve.)




SJ


**SMC** 



Be sure to read before handling.

Refer to front matters 58 and 59 for Safety Instructions and pages 3 to 7 for 3/4/5 Port Solenoid Valve Precautions.





### 3. Attaching and detaching lead wires with sockets Attaching

Insert the sockets into the square holes of the connector (+, indication), and continue to push the sockets all the way in until they lock by hooking into the seats in the connector.

(When they are pushed in, their hooks open and they are locked automatically.) Then confirm that they are locked by pulling lightly on the lead wires.


#### Detaching


Socket

Hook

To detach a socket from a connector, pull out the lead wire while pressing the socket's hook with a stick having a thin tip (approx. 1 mm).

If the socket will be used again, first spread the hook outward.






Power consumption is decreased by 1/4 by reducing the wattage

there is about a 1 volt drop for a valve with polarity protection. (For

details, refer to the solenoid specifications for the individual valve.) When wiring is done at the factory, positive (+) is red and negative (-)



### **Operating Principle**


is black.


With the above circuit, the current consumption when holding is reduced to save energy. Please refer to the electric wave data below.

· Please be careful not to reverse the polarity, since a diode to prevent the reversed current is not provided for the power saving circuit.

With power saving circuit

Please use caution regarding the allowable voltage fluctuation because there is about a 0.5 volt drop due to the transistor. (For details, refer to the solenoid specifications for the individual valve.)







1


3

з

## Series SY **Specific Product Precautions 3**


Be sure to read before handling.

Refer to front matters 58 and 59 for Safety Instructions and pages 3 to 7 for 3/4/5 Port Solenoid Valve Precautions.



- For the standard type, connect + to 1 and to 3 for Type W according to polarity, while + to 4 and - to 3 for Type WA.
- For DC voltages other than 12 V and 24 V, incorrect wiring will case damage to the surge suppressor circuit.
- Please use caution regarding the allowable voltage fluctuation because there is about a 1 volt drop for a valve with polarity protection. (For details, refer to the solenoid specifications for
- The WA-type valve cannot be grounded.


#### Circuit for non-polar (FU)




Plug-in valve has no polarity, so its possible to use for both manifold bases for positive (SS5Y<sup>3</sup><sub>5</sub>-45<sup>[]</sup>) and negative its common (SS5Y<sup>3</sup>₅-45N□) types.

(There is no "S" option, because the generation of surge voltage is

### Grommet, L/M Plua Connector





Note) Surge voltage suppressor of varistor has residual voltage corresponding to the protective element and rated voltage; therefore, protect the controller side from the surge voltage. The residual voltage of the diode is approximately

SJ SY SV SYJ SZ VP4 S0700 VQ **VQ4** VQ5 VQC VQZ SQ VFS VFR

VQ7




Be sure to read before handling. Refer to front matters 58 and 59 for Safety Instructions and pages 3 to 7 for 3/4/5 Port Solenoid Valve Precautions.

**Plug Connector Lead Wire Length** 

## **∧**Caution

Standard length is 300mm, but the following lengths are also available.

### How to Order Connector Assembly



#### • How to Order

Specify the part numbers of the solenoid valve without connector and the connector assembly with protective cover separately. <Example> Lead wire length 2000 mm

For DC For AC SY3120-5LO-M5 SY3120-1LO-M5 SY100-30-4A-20 SY100-30-1A-20

Lead wire length			
Nil	300 mm		
6	600 mm		
10	1000 mm		
15	1500 mm		
20	2000 mm		
25	2500 mm		
30	3000 mm		
50	5000 mm		

#### How to Use DIN Terminal

## ▲ Caution

#### Connection

- 1. Loosen the holding screw and pull the connector out of the solenoid valve terminal block.
- 2. After removing the holding screw, insert a flat head screwdriver, etc. into the notch on the bottom of the terminal block and pry it open, separating the terminal block and the housing.
- 3. Loosen the terminal screws (slotted screws) on the terminal block, insert the cores of the lead wires into the terminals according to the connection method, and fasten them securely with the terminal screws.
- 4. Secure the cord by fastening the ground nut.

### ▲ Caution

When making connections, take note that using other than the supported size (ø3.5 to ø7) heavy duty cord will not satisfy IP65 (enclosure) standards. Also, be sure to tighten the ground nut and holding screw within their specified torque ranges.

### Changing the entry direction

After separating the terminal block and housing, the cord entry can be changed by attaching the housing in the desired direction (4 directions at 90° intervals).

\* When equipped with a light, be careful not to damage the light with the cord's lead wires.


### Precautions

Plug in and pull out the connector vertically without tilting to one side.

### Compatible cable

Cord O.D.: ø3.5 to ø7

(Reference) 0.5mm<sup>2</sup>, 2-core or 3-core, equivalent to JIS C 3306



#### Type "Y"

#### DIN connector type Y is a DIN connector that confirms to the DIN pitch 8-mm standard.

- D type DIN connector with 9.4 mm pitch between terminals is not interchangeable
- To distinguish from the D type DIN connector, "N" is listed at the end of voltage symbol. (For connector parts without lights, "N" is not indicated. Please refer to the name plate to distinguish.)
- Dimensions are completely the same as D type DIN connector.
- When exchanging the pilot value assembly only, "SY115-DD" is interchangeable with "SY115-DY". Do not replace SY114 (G, L, M) to SY115-DD/DY (DIN terminal), and vice






Be sure to read before handling. Refer to front matters 58 and 59 for Safety Instructions and pages 3 to 7 for 3/4/5 Port Solenoid Valve Precautions.

#### Series SY300, SY3000 How to Use DIN Terminal Connector

## **≜**Caution

- SMC can provide a DIN style terminal connector (body ported type, sub-plate type) for the series SY300 and SY3000. This cannot be assembled to a standard manifold since the DIN connector width (15.8mm) exceeds that of the valve body (10mm). Contact SMC if you wish to use with a manifold. Please also note: that bracket F1 cannot be mounted.
- \* The external pilot type is not available.



#### DIN Connector Part No.

## **≜**Caution

#### <Type D>

SY100-61-1		
Voltage symbol	Part no.	
24 V	SY100-61-3-05	
12 V	SY100-61-3-06	
100 V	SY100-61-2-01	
200 V	SY100-61-2-02	
110 V	SY100-61-2-03	
220 V	SY100-61-2-04	
	Voltage symbol 24 V 12 V 100 V 200 V 110 V	


<Type Y>

Without light

With light				
Rated voltage	Voltage symbol	Part no.		
24 VDC	24 VN	SY100-82-3-05		
12 VDC	12 VN	SY100-82-3-06		
100 VAC	100 VN	SY100-82-2-01		
200 VAC	200 VN	SY100-82-2-02		
110 VAC (115 VAC)	110 VN	SY100-82-2-03		
220 VAC (230 VAC)	220 VN	SY100-82-2-04		

SY100-82-1

#### **Circuit Diagram with Light**




#### Connector Assembly with Cover

## ▲Caution

# Connector assembly with dust proof protective cover.


- Effective to prevention of short circuit failure due to the entry of foreign matter into the connector.
- Chloroprene rubber for electrical use, which provides outstanding weather resistance and electrical insulation, is used for the cover material. However, do not allow contact with cutting oil, etc.
- Simple and unencumbered appearance by adopting round-shaped cord.

#### How to Order



Lead wire length (L)				
Nil	300 mm	( <b>-</b> )		
6	600 mm			
10	1000 mm			
15	1500 mm	İ		
20	2000 mm			
25	2500 mm			
30	3000 mm			
50	5000 mm			

### **Connector Assembly with Cover: Dimensions**



### How to Order

Enter the part number for a plug connector solenoid valve without connector together with the part number for a connector assembly with cover.

<Example 1> Lead wire length of 2000 mm

#### SY3120-5LOZ-M5

#### SY100-68-A-20

<Example 2> Lead wire length of 300 mm (standard) SY3120-5LPZ-M5

Symbol for connector assembly with cover

\* In this case, the part number for the connector assembly with cover is not required.



Be sure to read before handling. Refer to front matters 58 and 59 for Safety Instructions and pages 3 to 7 for 3/4/5 Port Solenoid Valve Precautions.

Plug-in


## **≜**Caution

When using a double solenoid valve (Dual body type: SY<sup>3</sup><sub>5</sub>245-□FU) on the plug-in style manifold (SS5Y<sup>3</sup><sub>5</sub>-45(N)□), two manifold stations are required per valve.


Output to A/B ports will be made through the manifold block on the side indicated by an arrow on the top of the solenoid valve. Therefore, arrange the piping on the side indicated by the arrow.

Although the "T" side will not be used, plugs will not be necessary since it is sealed with the valve.

(However, insert a plug into the A/B ports if dust intrusion is possible. Refer to page 275.)



Plug-in type solenoid valves consist of a non-polar solenoid valve and a plug-in socket. When ordering them separately, refer to the following part numbers.



Note) Using a valve other than a non-polar type may cause trouble.

#### DIN Rail for Series SY7000/9000

## **≜**Caution

The DIN rail used with Series SY7000 and SY9000 is stronger than that used with Series SY3000 and SY5000. Use this exclusive DIN rail with Series SY7000 and SY9000. Furthermore, if using a DIN rail other than that supplied by SMC, refer to the manifold mounting section below, and mount using the same method as prescribed for side facing and rear facing, regardless of the mounting orientation.

#### **Manifold Mounting**

## **≜**Caution


For Type 23, 43, 45, 45 $\square$  and 60 DIN rail mounting, when attaching a manifold to a mounting surface, etc., with bolts, if the entire bottom surface of the DIN rail contacts the mounting surface in a horizontal mounting, it can be used by simply securing both ends of the DIN rail. However, for any other mounting method or for side facing and rear facing, etc., secure the DIN rail with bolts at uniform intervals using the following as a guide: 2 to 5 stations at 2 locations, 6 to 10 stations at 3 locations, 11 to 15 stations at 4 locations, and 16 to 20 stations at 5 locations. In addition, even in the case of a horizontal mounting, if the mounting surface is subject to vibration, etc., take the same measures indicated above. If secured at fewer than the specified number of locations, warping or twisting may occur in the DIN rail and manifold, causing trouble such as air leakage.


Also, when using mounting screws for the DIN rail on the bottom side (L3 dimension in the dimension table) of the manifold valve body, the height of the screw head has to be as follows.

Type 23, 43 (SY9000): 8 mm or less

Type 45 (SY3000, 5000): 5.8 mm or less

For type 60: SY3000: 4.7 mm or less SY5000: 5.8 mm or less SY7000: 8 mm or less









Be sure to read before handling. Refer to front matters 58 and 59 for Safety Instructions and pages 3 to 7 for 3/4/5 Port Solenoid Valve Precautions.

**One-touch Fittings** 

## 

The pitch determined for each of the series SY piping ports (P, A, B, etc.) is based on the assumption that series KJ one-touch fittings will be used. For this reason, other pipe fittings may interfere with each other depending on their type and size. Dimensions should be confirmed in a pipe fitting catalog before they are used.

### Tubing attachment/detachment for One-touch fittings

### 1) Attaching of tubing

- Take a tubing having no flaws on its periphery and cut it off at a right angle. When cutting the tubing, use tubing cutters TK-1, 2 or 3. Do not use pinchers, nippers or scissors, etc. If cutting is done with tools other than tubing cutters, the tubing may be cut diagonally or become flattened, etc., making a secure installation impossible, and causing problems such as the tubing pulling out after installation or air leakage. Allow some extra length in the tubing.
- 2. Grasp the tubing and push it in slowly, inserting it securely all the way into the fitting.
- 3. After inserting the tubing, pull on it lightly to confirm that it will not come out. If it is not installed securely all the way into the fitting, this can cause problems such as air leakage or the tubing pulling out.

### 2) Detaching of tubing

- 1. Push in the release button sufficiently, pushing its collar equally around the circumference.
- 2. Pull out the tubing while holding down the release button so that it does not come out. If the release button is not pressed down sufficiently, there will be increased bite on the tubing and it will become more difficult to pull it out.
- 3. When the removed tubing is to be used again, cut off the portion which has been chewed before reusing it. If the chewed portion of the tubing is used as is, this can cause trouble such as air leakage or difficulty in removing the tubing.
- The pitch determined for each of the series SY piping ports (A, B, etc.) is based on the assumption that series KJ one-touch fittings will be used. For this reason, other pipe fittings may interfere with each other depending on their type and size. Dimensions should be confirmed in a pipe fitting catalog before they are used.

Other Tubing Brands

## **≜**Caution

#### 1. When using other than SMC brand tubing, confirm that the following specifications are satisfied with respect to the outside diameter tolerance of the tubing.

- 1) Nylon tubing
- within ±0.1 mm within ±0.1 mm
- 2) Soft nylon tubing
   3) Polyurethane tubing
- within  $\pm 0.1$  mm, within -0.2 mm.

Do not use tubing which do not meet these outside diameter tolerances. It may not be possible to connect them, or they may cause other trouble, such as air leakage or the tubing pulling out after connection.

#### **M8** Connector

## Caution

1. M8 connector types have an IP65 (enclosure) rating, offering protection from dust and water. However please note: these products are not intended for use in water.


Select a SMC connector cable (V100-49-1-□) or a FA sensor type connector, with M8 threaded 3 pin specifications conforming to Nippon Electric Control Equipment Association Standard, NECA4202 (IEC60947-5-2). Make sure the connector O.D. is 10.5mm or less when used with the Series SY3000 manifold. If more than 10.5mm, it cannot be mounted due to the size.

- 2. Do not use a tool to mount the connector, as this may cause damage. Only tighten by hand. (0.4 to 0.6 N·m)
- 3. The excessive stress on the cable connector will not be able to satisfy the IP65 rating. Please use caution and do not apply a stress of 30 N or greater.

### A Caution

Failure to meet IP65 performance may result if using alternative connectors than those shown above, or when insufficiently tightened.

#### Connector cable mounting



Note) Connector cable should be mounted in the correct direction. Make sure that the arrow symbol on the connector is facing the triangle symbol on the valve when using SMC connector cable (V100-49-1-□).

Be careful not to squeeze it in the wrong direction, as problems such as pin damage may occur.

VQ7



Be sure to read before handling. Refer to front matters 58 and 59 for Safety Instructions and pages 3 to 7 for 3/4/5 Port Solenoid Valve Precautions.

M8 Connector


## 

### Connector cable


• Connector cable for M8 can be ordered as follows:

### How to Order

 To order solenoid valve and connector cable at the same time. (Connector cable will be included in the shipment of the solenoid valve.)




2. To order connector cable only



Part no.
V100-49-1-1
V100-49-1-2
V100-49-1-3
V100-49-1-4
V100-49-1-7

### [Dimensions when installed]



#### **Solenoid Valve Mounting**

## **A** Caution


Mount it so that there is no slippage or deformation in gaskets, and tighten with the tightening torque as shown below.

Model	Thread size	Tightening torque
SY3000	M2	0.16 N·m
SY5000	M3	0.8 N·m
SY7000	M4	1.4 N⋅m
SY9000	M3	0.8 N·m


**Replacement of Pilot Valve** 

## ▲Caution

Pilot valves in this series are improved to provide excellent energy saving results. However following this improvement, these new valves are no longer compatible with the conventional pilot valve used at the interface. Consult with SMC when you need to exchange these pilot valves, in the case of manual override (marked in orange) of the adapter plate.



Conventional type





Be sure to read before handling. Refer to front matters 58 and 59 for Safety Instructions and pages 3 to 7 for 3/4/5 Port Solenoid Valve Precautions.

**Interface Regulator** 

## ∧Caution Spacifications

specificatio				- <u>Δ1</u> -			Δ1			Δ1
Interface regula	ator model	ARBY3000-□-P-2	ARBY300	0-⊡- <sub>₿1</sub> -2	ARBY5000-□-P-2	ARBY50	00-⊡- <sub>B1</sub> -2	ARBY7000-D-P-	2  ARBY700	)0-⊡- <sub>B1</sub> -
Applicable solenoid valve model SY3□40(R)			SY5□40(R)			SY7□40(R)				
Regulated port		Р	Α	В	Р	Α	В	Р	A	В
Set pressure ra	nge				0.1 to 0	.7 MPa				
Maximum opera	ting pressure	0.7 MPa								
Fluid		Air								
Ambient and flui	d temperature	Max. 50°C								
Connection port of	pressure gauge				M5	x 0.8				
Mass W (g)	With pressure gauge	46 g (05),	50 g (06)		66	.8 g		1	10.8 g	
	With plug	20 g		20 g 60.4 g 103.2 g						
Supply side effective area Note 3	P→A,B	—	2.45	mm²	_	7.61	mm <sup>2</sup>	_	13.54	1 mm <sup>2</sup>
Exhaust side effective area Note:	A,B→EA,EB	4.05 mm <sup>2</sup>	3.91	mm <sup>2</sup>	11.1 mm <sup>2</sup>	10.1	mm <sup>2</sup>	15.71 mm <sup>2</sup>	15.7	l mm <sup>2</sup>

Note 1) Pressurize the interface regulator from P port on the base.


Note 2) With closed center and pressure center valves, the pressure can be regulated through P port only.


**JIS Symbol** 

Note 3) Effective area, excluding the regulated port, when a primary pressure of 0.5 MPa is supplied with regulators mounted on the solenoid valves (2 positions) and sub-plate. Refer to "Flow Characteristics" regarding the regulated port.

Note 4) Valves for weight include gasket and mounting screws.

Note 5) With A, B ports regulated (P port controlled A, B ports regulated), the effective area (Cv factor) for the regulated port and unregulated passage (P to B or P to A) decreases as shown in the graph below when the set pressure is 0.25 MPa or less.







. (Ē)

(EA) (EB)

বি





**ARBY3000** 05

How to Order Interface Regulator




Regulated port				
Р	P port			
	A port (P controlled, A port regulated)			
B1	B port (P controlled, B port regulated)			

#### Pressure gauge connection port

05 Pressure gauge (G15-10-01) [for odd number stations] 06 Pressure gauge (G15-10-01) [for even number stations] M1 Plug (M-5P)

Note) For series ARBY3000 with pressure gauge, note that the part numbers for odd number and even number stations differ to prevent interference between the pressure gauges when installing on the manifold.




#### Regulated port

P P port A port (P controlled, A port regulated) A1 B1 B port (P controlled, B port regulated)

#### Pressure gauge connection port 00 Pressure gauge (G15-10-01)

M1 Plug (M-5P)



00 Pressure gauge (G15-10-01) M1 Plug (M-5P)






Be sure to read before handling. Refer to front matters 58 and 59 for Safety Instructions and pages 3 to 7 for 3/4/5 Port Solenoid Valve Precautions.


#### **Flow Characteristics**

(Conditions: Inlet pressure 0.7 MPa when 2 position solenoid valve is mounted.)


#### ARBY3000 P port regulated (P $\rightarrow$ A, B) $\overrightarrow{v}_{0.5}^{0.6}$ 0.40.50.50.40.50.50.40.50.50.40.50.50.50.50.40.50.



#### **ARBY5000**



### ARBY7000



### A1 port regulated ( $P \rightarrow A$ ), B1 port regulated ( $P \rightarrow B$ ) $\boxed{\underbrace{\mathbf{a}}_{0.5}^{0.6}}$

